

Table 26. Natural gas home customer-weighted heating degree days

Month/year/type of data	New England	Middle Atlantic	East North Central	West North Central	South Atlantic
	CT, ME, MA, NH, RI, VT	NJ, NY, PA	IL, IN, MI, OH, WI	IA, KS, MN, MO, ND, NE, SD	DE, FL, GA, MD, DC, NC, SC, VA, WV
November					
Normal	703	665	758	841	442
2022	606	571	702	846	396
2023	766	689	737	754	455
% Diff (normal to 2023)	9.0	3.6	-2.8	-10.3	2.9
% Diff (2022 to 2023)	26.4	20.7	5.0	-10.9	14.9
December					
Normal	1,044	994	1,136	1,250	700
2022	994	1,040	1,121	1,293	726
2023	856	844	854	920	598
% Diff (normal to 2023)	-18.0	-15.1	-24.8	-26.4	-14.6
% Diff (2022 to 2023)	-13.9	-18.9	-23.8	-28.9	-17.6
January					
Normal	1,209	1,155	1,304	1,392	803
2023	913	846	1,009	1,199	590
2024	1,082	1,053	1,201	1,341	757
% Diff (normal to 2024)	-10.5	-8.8	-7.9	-3.7	-5.7
% Diff (2023 to 2024)	18.5	24.5	19.0	11.8	28.3
February					
Normal	1,064	1,012	1,095	1,113	657
2023	950	841	942	1,102	449
2024	946	895	833	806	549
% Diff (normal to 2024)	-11.1	-11.6	-23.9	-27.6	-16.4
% Diff (2023 to 2024)	-0.4	6.4	-11.6	-26.9	22.3
March					
Normal	888	823	865	859	484
2023	833	784	858	964	448
2024	762	708	712	755	378
% Diff (normal to 2024)	-14.2	-14.0	-17.7	-12.1	-21.9
% Diff (2023 to 2024)	-8.5	-9.7	-17.0	-21.7	-15.6
November to March					
Normal	4,908	4,649	5,158	5,455	3,086
2023	4,296	4,082	4,632	5,404	2,609
2024	4,412	4,189	4,337	4,576	2,737
% Diff (normal to 2024)	-10.1	-9.9	-15.9	-16.1	-11.3
% Diff (2023 to 2024)	2.7	2.6	-6.4	-15.3	4.9

See footnotes at end of table.

Table 26. Natural gas home customer-weighted heating degree days – continued

Month/year/type of data	East South Central	West South Central	Mountain	Pacific ^b	U.S. Average ^b
	AL, KY, MS, TN	AR, LA, OK, TX	AZ, CO, ID, MT, NV, NM, UT, WY	CA, OR, WA	
November					
Normal	454	305	739	366	589
2022	450	358	838	436	579
2023	431	303	674	306	567
% Diff (normal to 2023)	-5.1	-0.7	-8.8	-16.4	-3.7
% Diff (2022 to 2023)	-4.2	-15.4	-19.6	-29.8	-2.1
December					
Normal	722	537	999	531	884
2022	686	519	1,033	584	900
2023	604	437	877	426	707
% Diff (normal to 2023)	-16.3	-18.6	-12.2	-19.8	-20.0
% Diff (2022 to 2023)	-12.0	-15.8	-15.1	-27.1	-21.4
January					
Normal	829	612	1,025	532	991
2023	584	452	1,055	589	811
2024	866	688	1,013	519	944
% Diff (normal to 2024)	4.5	12.4	-1.2	-2.4	-4.7
% Diff (2023 to 2024)	48.3	52.2	-4.0	-11.9	16.4
February					
Normal	650	442	828	427	818
2023	457	407	964	570	753
2024	484	311	795	484	684
% Diff (normal to 2024)	-25.5	-29.6	-4.0	13.4	-16.4
% Diff (2023 to 2024)	5.9	-23.6	-17.5	-15.1	-9.2
March					
Normal	459	275	695	393	649
2023	422	246	871	575	686
2024	354	212	732	458	575
% Diff (normal to 2024)	-22.9	-22.9	5.3	16.5	-11.4
% Diff (2023 to 2024)	-16.1	-13.8	-16.0	-20.4	-16.2
November to March					
Normal	3,114	2,171	4,286	2,249	3,931
2023	2,599	1,982	4,761	2,754	3,729
2024	2,739	1,951	4,091	2,193	3,477
% Diff (normal to 2024)	-12.0	-10.1	-4.6	-2.5	-11.6
% Diff (2023 to 2024)	5.4	-1.6	-14.1	-20.4	-6.8

^a Normal is based on calculations of data from 1971 through 2000.

^b Excludes Alaska and Hawaii.

Source: National Oceanic and Atmospheric Administration.

Note: Appendix A, Explanatory Note 10, contains a discussion of heating degree days computations.