# **Appendix F Electric Vehicle Charging Infrastructure**

Table F1. Electric Vehicle Charging Infrastructure

(Number)

	Locations <sup>a</sup>						Ports							
	With Public Ports Only	With Private Ports Only	With Public and Private Ports	With Net- worked Ports Only <sup>b</sup>	With Non-Net- worked Ports Only <sup>c</sup>	With Net- worked and Non-Net- worked Ports	Total	DC <sup>d</sup> Fast- Charging Ports	Level 2 Charging Ports	Level 1 Charging Ports	Legacy Charg- ing Ports	Total	DC <sup>d</sup> Fast- Charging Ports per Loca- tion <sup>e</sup>	Level 2 Charging Ports per Loca- tion <sup>f</sup>
2015 Year	12,189 15,990 19,619 21,791 24,169 28,159	1,217 1,716 1,779 1,841 2,136 1,837	1,426 1,472 1,384 1,362 1,224 1,140	9,513 12,671 15,553 17,024 19,006 22,313	4,483 4,988 5,183 5,349 5,917 6,199	836 1,519 2,046 2,621 2,606 2,624	14,832 19,178 22,782 24,994 27,529 31,136	6,802 10,606 12,271 11,429 14,531 18,870	43,657 58,501 72,635 80,454 88,600 100,375	4,168 4,042 3,721 2,857 2,982 2,708	597 362 453 108 92 61	55,224 73,511 89,080 94,848 106,205 122,014	3.23 3.57 3.77 3.94 3.97 4.20	3.23 3.40 3.52 3.49 3.54 3.59
Pebruary	38,358 38,936 39,369 40,058 40,842 41,330 41,881 42,321 42,776 43,628 44,210 <b>45,139</b>	2,270 2,286 2,255 2,246 2,263 2,253 2,250 2,365 2,360 2,345 <b>2,344</b>	1,139 1,139 1,141 1,145 1,156 1,156 1,156 1,157 1,154 1,156	32,444 32,926 33,282 33,964 34,755 35,251 35,804 36,242 36,656 37,348 37,910 38,839	6,684 6,796 6,843 6,846 6,839 6,846 6,848 6,999 7,148 7,153 <b>7,157</b>	2,639 2,640 2,639 2,640 2,642 2,640 2,642 2,642 2,649 2,646 <b>2,643</b>	41,767 42,361 42,765 43,449 44,261 44,730 45,290 45,732 46,297 47,145 47,709 <b>48,639</b>	18,497 19,079 19,490 19,899 20,657 20,903 21,395 21,723 22,189 24,381 23,451 23,982	104,300 105,338 106,022 107,645 109,541 110,440 111,696 112,872 112,440 114,656 115,335 117,316	3,415 3,406 3,389 3,389 3,328 3,288 3,536 3,533 3,526 <b>3,521</b>	58 58 58 58 58 57 57 57 57 56 <b>56</b>	126,270 127,888 128,976 130,991 133,645 134,730 136,476 137,940 138,222 142,627 142,368 144,875	3.67 3.71 3.74 3.76 3.83 3.83 3.85 3.86 3.88 4.17 3.98 3.99	2.77 2.76 2.75 2.75 2.75 2.74 2.74 2.74 2.71 2.72 2.70 2.70
Pebruary	45,226 44,788 45,160 45,936 46,899 47,661 48,407 49,318 49,406 49,877 50,323 <b>51,306</b>	2,342 2,346 2,365 2,367 2,355 2,357 2,361 2,445 2,474 2,482 <b>2,533</b>	1,149 1,149 1,153 1,163 1,172 1,180 1,184 1,189 1,192 1,187 1,184 1,176	41,289 40,779 41,116 41,871 42,578 43,294 44,013 44,814 44,941 45,360 45,805 <b>46,823</b>	7,216 7,304 7,343 7,390 7,655 7,694 7,714 7,820 7,872 7,947 7,964 <b>7,980</b>	212 200 202 203 205 208 221 234 230 231 220 <b>212</b>	48,717 48,283 48,661 49,464 50,438 51,196 51,948 52,868 53,043 53,538 53,989 <b>55,015</b>	24,222 24,704 25,240 25,736 26,432 27,005 27,551 28,018 26,817 27,429 27,801 <b>29,023</b>	117,445 116,401 117,513 119,698 121,988 123,667 125,058 126,710 128,377 128,836 129,982 131,850	3,384 3,380 3,285 3,155 3,157 3,154 3,122 3,088 3,034 3,028 3,027 <b>3,135</b>	53 51 51 51 51 51 46 45 45 45	145,104 144,536 146,089 148,640 151,628 153,877 155,777 157,862 158,273 159,338 160,855 <b>164,053</b>	4.00 4.03 4.06 4.07 4.11 4.17 4.18 4.18 3.97 3.99 4.01 <b>4.09</b>	2.70 2.71 2.71 2.71 2.71 2.70 2.70 2.68 2.71 2.70 2.70 2.70 2.69
2023 January February March April May June July August September October November December		2,498 2,452 2,475 2,518 2,519 2,530 2,525 2,516 2,513 2,617 2,674	1,163 924 923 912 913 903 899 891 891 894 897 897	47,154 47,760 48,499 49,103 49,746 50,432 51,487 51,344 52,193 53,048 R 53,561 53,999	7,870 7,824 7,920 7,939 7,951 7,957 7,904 7,902 7,903 7,967 <b>8,004</b>	200 193 183 178 175 161 158 110 109 106 <b>102</b>	55,224 55,777 56,602 57,220 57,872 58,566 59,057 59,355 60,205 61,121 R 61,667	29,446 29,959 30,964 31,455 32,075 33,081 33,809 34,340 34,967 35,641 36,969 R 37,977 39,059	130,507 130,328 131,919 133,090 134,703 134,945 135,520 136,449 130,206 131,955 134,075 R 135,505	3,095 3,043 3,040 3,033 3,040 3,022 3,134 3,129 3,137 3,139 2,970	39 36 35 34 33 30 29 29 29 29 29	163,087 163,366 165,958 167,612 169,851 171,078 172,492 173,947 168,331 170,762 174,212 8 176,481 178,963	4.08 4.08 4.13 4.11 4.15 4.16 4.17 4.17 4.18 4.23 8 4.25	2.66 2.64 2.63 2.64 2.61 2.61 2.51 2.50 2.51 R 2.52

a Includes all of the electric vehicle charging ports located at a single location regardless of who is able to access the ports, what charging network they belong to, or the level of charging. Ports are determined to be at the same location based on latitude, longitude, and AFDC equipment ID number. Does not include data on charging infrastructure at single-family residential locations.

b Networked ports are connected to the internet, can communicate with their

number of locations with DC fast charging ports (available in the microdata file). Includes only locations with DC fast charging ports.

Calculated as the total number of Level 2 charging ports divided by the total number of locations with Level 2 charging ports (available in the microdata file). Includes only locations with Level 2 charging ports.

R=Revised.

Notes: • See "Appendix F Methodology and Sources" and end of section.
• See "Electric Vehicle" in Glossary. • Data are at end of period. • Geographic coverage is the 50 states and the District of Columbia.

Web Page: See http://www.eia.gov/totalenergy/data/monthly/#appendices (Excel and CSV files) for all available national and state annual and monthly data beginning in June 2015 and monthly microdata file.

Sources: See end of section.

EV service provider, have a dedicated platform that allows users to find the chargers, and pay to charge. The service provider can manage who can access the port and the cost of charging. The charging infrastructure may also be able to communicate directly with drivers, other charging infrastructure, and utilities.

<sup>c</sup> Non-networked ports are not connected to the internet and provide only basic

charging capabilities.

d Direct current.

e Calculated as the total number of DC fast charging ports divided by the total

# **Appendix F Methodology and Sources**

#### **Data Source**

The U.S. Energy Information Administration (EIA) receives administrative electric vehicle (EV) charging infrastructure data from the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy Alternative Fuels Data Center (AFDC).<sup>1</sup> AFDC collects and publishes location-level charging infrastructure data that allows alternative fuel vehicle owners to find fueling and charging stations near them or along a route. AFDC receives daily updates from many of the networked providers.<sup>2</sup> Networked providers that do not provide daily updates provide regular updates. AFDC contacts non-networked<sup>3</sup> providers every two years to determine if the stations are still in service.<sup>4</sup> AFDC does not collect data on charging infrastructure at single-family residential locations.

Historical (June 2015 – December 2021)

The National Renewable Energy Laboratory (NREL), which manages the AFDC, provided the historical data to EIA. The data began in June 2015 and went through December 2021, however not all months were available. The table below shows the months of data EIA received. For the months that are blacked out, EIA did not receive any data.

2015	2016	2017	2018	2019	2020	2021	
			January	January	January	January	
	February	February	February	February	February	February	
	March	March	March	March	March	March	
	April	April	April	April	April	April	
		May		May	May		
June							
	July		July	July	July	July	
August		August	August	August	August	August	
September							
		October	October	October	October	October	
November	November	November	November	November		November	
		December	December	December	December	December	

Monthly updates (January 2022 – present)

Beginning in January 2022, EIA began pulling the data through the AFDC API<sup>5</sup> on the last business day of every month.

#### Data

EIA uses multiple variables from the AFDC database to develop the MER PDF, excel, CSV, microdata and monthly state data output files. AFDC variables of interest include:

- ... Location information station name, ID, fuel type code, open date, access code, status code, facility type, EV renewable source, EV pricing
- ... Physical location information latitude, longitude, street address, city, state, zip, intersection/directions
- ... Charing port information EV network, EV connector types, EV DC fast num, EV level 1 EVSE num, EV level 2 EVSE num, EV other EVSE

Historical data series included variables with different names but with the same data. The charging port information was structured differently in historical datasets. Work was completed to convert the data in the historical datasets into the same format as the current datasets.

# **Data quality**

The EV charging infrastructure data are administrative data and do not have the same level of statistical accuracy as data published from many of EIA's surveys.

### Coverage

The data do not represent the entire population or a statistically representative subset of the population of EV charging infrastructure. Instead, the data represent the known to NREL EV charging infrastructure at the time of the data pull. NREL works with EV charging network providers to receive daily updates. The accuracy and timeliness of the networked providers charging infrastructure will continue to improve as additional networked providers convert to providing daily updates to NREL. There are also non-networked public and private EV chargers, and it is harder to track when these ports become available for use or are decommissioned. These challenges result in less EV charging infrastructure reported than exists, but it is unknown how many additional EV charger locations and ports exist. It is likely that the networked EV charging infrastructure are more accurately represented than the non-networked charging infrastructure. It is also likely that that the public charging infrastructure is more accurately represented than the private charging infrastructure due to a lack of incentive for the owners of private charging infrastructure to make the existence of their ports known to the public.

#### Data Cleaning

EIA has not verified the accuracy of the administrative data and only conducted minimal cleaning of the data. The cleaning EIA did complete included:

- ... Fixing latitudes and longitudes if they equaled 0, 0 or 1, -1, to facility creation of location ID
- ... Normalizing the naming convention of several variables including the electric network providers and the facility type
- ... Removing charging infrastructure outside of the United States, that had not opened yet, and non-EV locations

#### Breaks in series

There was a break in series in the number of charging locations between December 2020 and January 2021 because of a definitional change to align with the international standard – Open Charge Point Interface (OCPI).<sup>7</sup>

#### **Duplicate observations**

It is likely that duplicate observations exist. Duplicate observations may be introduced multiple ways:

- ... Multiple people adding the same charging port
- ... Updates to the networked providers database creating the appearance of a new charging port
- ... Changes in the underlying data structure of the historical data series creating the appearance of new ports
- ... EIA's imputation of number of charging ports to the date the charging port opened, not the date it first appeared

Because EIA cannot verify if these are duplicates, the details of the possibly duplicated charging infrastructure remain in the database.

# Creation of the location and port id

In most historical datasets, the AFDC data included an equipment ID variable that is helpful to identify EV charging locations. However, this variable was inadequate to track EV charging location overtime for a couple reasons:

- 1. Between February 2017 and January 2018, 10 monthly datasets are missing equipment IDs
- 2. Ports located at the same location could have different equipment IDs for various reasons:

- a. Co-located public and private ports have different equipment IDs
- b. Co-located networked and non-networked ports have different equipment IDs
- c. Ports that either came online or were added to the AFDC database at different times have different equipment IDs
- d. Changes in underlying systems could cause an already established port to receive a new equipment ID

For these reasons, EIA created a new ID variable called the "Location ID" using latitude and longitude pairings and equipment ID. It is common for a location ID to be associated with multiple latitudes and longitudes parings as well as multiple equipment IDs due to responses to these variables changing in the historical datasets.

To allow for variation across ports at a location, EIA created a "Port ID" variable using access group (public versus private access), network provider, port level (DC fast charger, Level 2, Level 1, or Legacy), and equipment ID. Every unique combination of the previously mentioned variables received a different Port ID.

## **Imputation**

EIA imputes all missing and incomplete data. Historical datasets had missing subsets of data, so EIA had to fill in the missing data. The missing subsets varied from large (all private charging ports) to small (ports missing for one month and then reappearing during the next month). EIA filled in the missing month with the port count data from the following month.

EIA also imputed data in months that we did not receive any data from NREL. EIA imputed the data using data from the first month following the missing month if the location open date was during the missing month or prior. We did not extend the life of any ports if the last month they appeared in was the month prior to the missing month. We assumed the last month in service was the last month the port appeared, not during the missing month.

In addition, we imputed to remove errors that only appear in one month. For each historical month, EIA compared the previous and following months. If those months were equal but the middle month was different, then EIA updated the middle month to match the other months. New EV ports require a long time lag to install, so it is unlikely that the number of ports would change for a single month then return to their original number.

It is common for EV infrastructure to be added to the AFDC website months or years after the location came online. Because of this, EIA also backfilled EV charging port data to cover all months since the port was available, not only when it appeared in the AFDC database. The MER conducts this backfill imputation twice per year, in the May and October MERs, to correspond with the release of data in the State Energy Data System (SEDS).8

#### Available data

In addition to the monthly and annual national data, monthly state level data and a microdata file are also available at http://www.eia.gov/totalenergy/data/monthly/#appendices.

- 1. Alternative Fuels Data Center: https://afdc.energy.gov/stations/#/find/nearest
- 2. Networked ports are connected to the internet, can communicate with their EV service provider, have a dedicated platform that allows users to find the chargers and pay to charge. The service provider can manage who can access the station and the cost of charging. The charging infrastructure may also be able to communicate directly with drivers, other charging infrastructure, and utilities.
- 3. Non-networked ports are not connected to the internet and provide only basic charging capabilities.
- 4 . Details on the EV charging infrastructure data received by AFDC:

https://afdc.energy.gov/stations/#/find/nearest?show\_about=true

- 5. AFDC API details: <a href="https://developer.nrel.gov/docs/transportation/alt-fuel-stations-v1/all/">https://developer.nrel.gov/docs/transportation/alt-fuel-stations-v1/all/</a>
- 6. For more details of the networked providers NREL is currently receiving daily updates from see: https://afdc.energy.gov/stations/#/find/nearest?show about=true
- 7. For more details on the OCIP see https://afdc.energy.gov/stations/#/find/nearest?show\_about=true
- 8. For more information on SEDS see https://www.eia.gov/state/seds/

THIS PAGE INTENTIONALLY LEFT BLANK