



*Independent Statistics & Analysis*  
U.S. Energy Information  
Administration

---

# Short-Term Energy Outlook Supplement: 2015 Outlook for Gulf of Mexico Hurricane-Related Production Outages

June 2015



This report was prepared by the U.S. Energy Information Administration (EIA), the statistical and analytical agency within the U.S. Department of Energy. By law, EIA's data, analyses, and forecasts are independent of approval by any other officer or employee of the United States Government. The views in this report therefore should not be construed as representing those of the Department of Energy or other federal agencies.

## Highlights

- EIA's mean estimates of storm-related production disruptions in the U.S. Gulf of Mexico during the 2015 hurricane season, which began June 1 and runs through November 30, are 9.7 million barrels of crude oil and 15.9 billion cubic feet (Bcf) of natural gas. These estimates compare with 276 million barrels of crude oil and 572 Bcf of natural gas that EIA forecasts will be produced (net of expected outages) in the U.S. Gulf of Mexico during this six-month period.
- The EIA estimates are based on the National Oceanic and Atmospheric Administration's (NOAA) [Atlantic Hurricane Season Outlook](#), which was released May 27. NOAA predicts that the Atlantic Basin likely will experience below-normal tropical weather during the 2015 hurricane season.
- NOAA expects that 6 to 11 named storms are likely to form within the Atlantic Basin<sup>1</sup> over the next 6 months, including 3 to 6 hurricanes, of which 0 to 2 will be major.<sup>2</sup> Last season, the Atlantic Basin experienced two tropical storms and six hurricanes, including two major hurricanes. One of the tropical storms passed through the southern Gulf of Mexico, but was too far away from the producing area to cause any disruptions. NOAA does not attempt to predict the path or likelihood of landfall for any potential storms; nor does it attempt to predict the level of hurricane activity within any specific region of the Atlantic Basin.
- No crude oil or natural gas production in the Gulf of Mexico was shut in during 2014 as a result of tropical storms or hurricanes. EIA's analysis estimates a 14% probability that production during the current hurricane season will also be unaffected.
- The share of total U.S. oil and natural gas production originating in the federally-administered Gulf of Mexico has declined sharply. In 1997, 26% of the nation's natural gas was produced in the Gulf of Mexico; by 2014, that share had declined to 5%. The share of crude oil produced in the Gulf of Mexico also has declined in recent years, from 27% in 2003 to 16% last year. The declining share of total production from offshore areas has reduced the vulnerability of overall U.S. oil and natural gas supply to hurricanes.

EIA will discontinue publishing this Gulf of Mexico production outage outlook as an annual STEO supplement because of the declining risk to total U.S. crude oil and natural gas production from hurricane-caused production outages. However, EIA will continue to incorporate seasonal estimates of outages in future STEO forecasts of Gulf crude oil and natural gas production.

<sup>1</sup> The Atlantic Basin includes the Atlantic Ocean in the northern hemisphere, the Caribbean Sea, and the Gulf of Mexico.

<sup>2</sup> A named storm generally refers to either a tropical storm or hurricane. A tropical storm has winds ranging from 39 to 73 miles per hour. Moderate hurricanes (classified as either Category 1 or 2) have winds ranging from 74 to 110 mph. An major hurricane (classified as Category 3, 4, or 5) has winds of 111 mph or higher.

## Expected Effects on Production in 2015

---

The mean estimates of EIA's simulated storm-related production disruptions in the U.S. federally administered Gulf of Mexico (GOM) during the 2015 hurricane season are 9.7 million barrels of crude oil and 15.9 billion cubic feet (Bcf) of natural gas.

Forecasting storm damage is inherently difficult because the overall impact during a hurricane season depends on the intensity of individual storms and the path that each one takes. Even a strong storm on the eastern seaboard likely won't disrupt GOM production, although it may temporarily reduce East Coast energy demand. On the other hand, a more moderate storm whose path leads right through the middle of the GOM and goes onshore along the Gulf Coast could cause significant harm to oil and natural gas production offshore as well as to refineries, gas processing plants, and power generating stations onshore.

## Lessons from Previous Hurricane Seasons


---

The Atlantic Basin experienced below-average hurricane activity in 2014. Eight named storms passed through the region, of which six were hurricanes and two tropical storms. Two of the Atlantic hurricanes were classified as major. Between 1981 and 2010, the number of named storms during a typical season averaged 12 and the number of hurricanes averaged 6.

Hurricane activity last season was relatively consistent with NOAA's initial projections. In May 2014, [NOAA's projections](#) indicated a strong likelihood of a below-normal or near-normal hurricane season, with 8-13 named storms of which 3-6 were expected to become hurricanes. NOAA does not provide projections for individual regions within the Atlantic Basin, but the level of hurricane activity within the Gulf of Mexico last season was also below average. Only one tropical storm passed through the southern Gulf. No named storms came close enough to the GOM producing region last season to affect U.S. offshore Gulf energy production (Figure 1).

Offshore energy production has experienced relatively minor disruptions because of tropical weather in recent years. However, a single strong storm can cause significant levels of shut-in production. During September 2008, Category-4 hurricanes Gustav and Ike at one point caused nearly 100% of production capacity to be shut in. EIA estimates that these two storms (along with a tropical storm in July) resulted in the loss of 25% of the GOM crude oil and natural gas that would have been produced during the 2008 hurricane season.

**Figure 1. Crude oil and natural gas production in the federal offshore Gulf of Mexico and the impact of selected hurricanes and tropical storms, 2007-14**



Note: TS = Tropical Storm. Hn = Category n hurricane.

Sources: U.S. Energy Information Administration and National Oceanic and Atmospheric Administration.

Despite the potential for significant outages if a strong hurricane were to pass through the GOM producing region, the overall effect on U.S. supply would not be as severe as in past years because the share of total U.S. oil and natural gas production originating in the GOM has declined sharply. In 1997, 26% of the nation's marketed natural gas was produced in the federal Gulf of Mexico; by 2014, that share had declined to 5%. The share of crude oil produced in the GOM also has declined in recent years, from 27% in 2003 to 16% last year.

Severe weather can have effects on other aspects of energy markets besides production from oil and gas wells. In the past, refinery operations have been disrupted because of strong winds and rain. Hurricanes also have the potential to affect energy demand, which could lead to volatility in energy prices, particularly if industrial operations and electrical systems are disrupted. However, none of these impacts is specifically modeled in this report. Inventories of natural gas at the beginning of the 2015 hurricane season are in relatively good shape compared with this time last year when inventory levels were far below normal. This should help provide a cushion should severe weather disrupt production of natural gas.

---

## Methodology for Estimating Shut-in Production

---

EIA's projections for shut-in production during the 2015 hurricane season were derived using Monte Carlo simulation techniques. Based on information from the latest NOAA seasonal hurricane outlook and an analysis of the production impact from past tropical storms and hurricanes, EIA simulated the sampling distributions for seasonal shut-in crude oil and natural gas production.<sup>3</sup>

The Monte Carlo simulation used for this analysis consisted of two steps: first, EIA simulated the number of severe storms passing through the GOM, and second, EIA developed a simulated estimate of shut-in production for each simulated storm. The numbers of tropical storms, moderate hurricanes, and major hurricanes passing through the GOM were modeled using information contained in NOAA's 2015 [Atlantic Hurricane Season Outlook](#) that was released May 27, 2015. The outlook's projected ranges for the entire Atlantic compare with a seasonal average of 11.8 named storms, 6.4 total hurricanes, and 2.7 major hurricanes during NOAA's baseline period of 1981-2010.

NOAA's hurricane outlook provides projections for severe weather activity within the entire Atlantic Basin. EIA uses additional information to make assumptions about hurricane activity within the Gulf of Mexico region. During the same period, the GOM had an average of 3.9 named storms, including an average of 1.9 hurricanes, with 0.7 considered major.<sup>4</sup> EIA's simulation assumed that the likelihood of the number of each type of storm passing through the GOM could be modeled as a Poisson distribution, which is a type of statistical distribution for representing the probability of a certain number of events occurring within a given time period. The mean of each Poisson distribution was assumed to be equal to the product of the average number of each type of Gulf storm and the ratio between the midpoints of NOAA's projected seasonal range for the number of each type of storm and the average number of storms in the Atlantic Basin. EIA also uses information about relative regional landfall probabilities from the [Tropical Meteorology Project](#) at Colorado State University to further refine the assumptions about the number of Gulf storms.

The second step of the Monte Carlo simulation involved modeling the shut-in production caused by each simulated tropical storm or hurricane and aggregating the values to calculate a cumulative seasonal outage. EIA's model simulated the proportion of shut-in production compared with normal monthly production based on how tropical storms and hurricanes affected production in the past, where normal is defined as the average monthly production during the January to May period preceding each year's hurricane season. Simulated relative shut-in percentages were then multiplied by the average of EIA's estimates of monthly Gulf crude oil or natural gas production during January-to-May of 2015 to calculate a simulated level of cumulative shut-in production caused by each storm.

---

<sup>3</sup> In some cases EIA estimated the impact to offshore production of past hurricanes or tropical storms for which Bureau of Safety and Environmental Enforcement (BSEE, formerly the Minerals Management Service) does not have historical shut-in reports. See [The 2007 Outlook for Hurricane Impacts on Gulf of Mexico Crude Oil & Natural Gas Production](#) for information about the outage estimation methodology.

<sup>4</sup> The mean number of storms was calculated by EIA using NOAA's HURDAT database. A storm was classified as a Gulf storm if it entered the area bounded by 18° N – 31° N latitude and 81° W – 98° W longitude.

**Table 1. Shut-in production as a percentage of normal monthly production by type of weather system, 1995-2014**

|                                 | Crude Oil |         | Natural Gas |         |
|---------------------------------|-----------|---------|-------------|---------|
|                                 | Mean      | Std Dev | Mean        | Std Dev |
| Tropical Storm                  | 2.40%     | 0.0292  | 1.43%       | 0.0171  |
| Moderate Hurricane <sup>a</sup> | 7.94%     | 0.0959  | 5.02%       | 0.0600  |
| Major Hurricane <sup>b</sup>    | 34.43%    | 0.4132  | 30.33%      | 0.3748  |

Notes: <sup>a</sup> Category 1 or 2. <sup>b</sup> Category 3, 4, or 5. Std Dev = standard deviation.

Source: U.S. Energy Information Administration calculations.

The simulated outage for each storm was assumed to be normally distributed, with a mean and standard deviation as shown in Table 1. These percentage outage statistics were calculated from the reported and estimated amounts of production shut in by each storm over the period 1995-2014 (see Table A1 in the Appendix). The mean relative outages illustrate how weather-related production effects increase dramatically with the severity of the storm. The mean value for major hurricanes was skewed by the 100 million barrels of crude oil and 500 Bcf of natural gas cumulative production shut in by hurricanes Katrina and Rita during 2005. The large standard deviation values imply that extreme events such as Katrina and Rita are relatively rare. For this analysis, any negative simulated shut-in values were assumed to represent zero production impact.

EIA conducted 10,000 random draws of the Monte Carlo simulation to build sampling distributions of seasonal shut-in crude oil and natural gas production within the Gulf of Mexico. Table 2 summarizes the simulated levels of 2015 seasonal production outages derived from the sampling distributions along with the estimated probabilities of various shut-in production scenarios. The mean value of a sampling distribution represents the simple average of all possible outcomes. The median value is that outcome that has an equal probability, 50%, of either falling below or exceeding the outcome value. The table also illustrates the simulated mean outages during a hurricane season with a normal level of hurricane activity.

**Table 2. Simulated cumulative seasonal shut-in production**

| Crude Oil (million barrels)                               |       | Natural Gas (billion cubic feet)                            |       |
|---|-------|---|-------|
| Mean 2015 seasonal outage                                 | 9.7   | Mean 2015 seasonal outage                                   | 15.9  |
| Median 2015 seasonal outage                               | 5.1   | Median 2015 seasonal outage                                 | 7.2   |
| Mean normal seasonal outage                               | 19.3  | Mean normal seasonal outage                                 | 34.9  |
| Probabilities of 2015 Seasonal Crude Oil Outage Scenarios |       | Probabilities of 2015 Seasonal Natural Gas Outage Scenarios |       |
| P(No Shut-In)   | 13.7% | P(No Shut-In)   | 14.3% |
| P(> 5 MMb Shut-in)  | 50.8% | P(> 5 Bcf Shut-in)  | 58.4% |
| P(> 10 MMb Shut-in)                                       | 30.6% | P(> 20 Bcf Shut-in)   | 22.3% |
| P(> 25 MMb Shut-in)                                       | 10.9% | P(> 50 Bcf Shut-in)   | 9.0%  |

Notes: MMb = million barrels, Bcf = billion cubic feet. More complete scenario probability tables are shown in Tables A2 and A3 in the Appendix.

Source: U.S. Energy Information Administration calculations.

For crude oil, the expected (mean) level of simulated cumulative shut-in production is 9.7 million barrels, in contrast to a median of 5.1 million barrels. For natural gas, the mean shut-in production level is 15.9 Bcf, in contrast to the median of 7.2 Bcf. The extreme asymmetry of the two sampling distributions is evident in the large difference between the mean and median values. This skewness, with the mean much higher than the median, occurs because the simulation allows for the possibility of another season like 2005. Table 2 also shows the mean outages for a simulated normal season in which the assumed mean values for Poisson distributions modeling the occurrence of each type of storm are equal to their average historical values over the period 1981-2010. EIA's expected outages for the 2015 hurricane season of 9.7 million barrels of crude oil and 15.9 Bcf of natural gas are about 50% lower than the simulated outages expected during a normal hurricane season.

EIA's *Short-Term Energy Outlook* (STEO) uses the expected seasonal outages to make adjustments to its projections for Gulf of Mexico crude oil and natural gas production. The seasonal outage estimates are distributed to the months of June through November 2015 based on each month's average level of hurricane activity in past years. The monthly outage estimates are then subtracted from the STEO baseline crude oil and natural gas production forecasts.

The sampling distributions derived from the Monte Carlo simulation also allow analysis of other possible outage scenarios besides the median value. Table 2 lists some of the probabilities of exceeding certain levels of shut-in production during the 2015 season. EIA estimates a 14% probability that crude oil or natural gas production will be unaffected this year, as in 2014. In other words, there is an 86% probability that at least some production will be shut in at some point during the current hurricane season. More complete scenario probabilities are shown in Tables A2 and A3 in the Appendix, along with comparable probabilities during a normal season.

It is important to stress the high degree of uncertainty surrounding EIA's expected level of shut-in production. The simulated cumulative probability distribution functions can be used to construct various likely ranges for production outages in the Gulf of Mexico. For example, there is a 70% probability that shut-in offshore production for the entire season will fall between 0.2 million and 19.1 million barrels of crude oil and between 0.2 and 29.6 Bcf of natural gas. Constructing intervals with a higher likelihood would widen the gap even further.

The seasonal outages simulated in this analysis are conditioned on NOAA's projections of the number of storms expected to form within the Atlantic Basin. The [Atlantic Hurricane Season Outlook](#) issued by NOAA in spring 2014 was relatively accurate. However, the [outlook](#) issued for the 2013 hurricane season projected an above-normal number of hurricanes and tropical storms, yet the actual number of storms during that season was well below normal. Long-range forecasts of hurricane activity are difficult to project, especially with regard to localized oceanic regions. If hurricane activity over the next few weeks shows signs of a season that is more active than NOAA has initially projected, then the likelihood of the various levels of shut-in production would need to be revised upward.

## Appendix

**Table A 1. Shut-in production caused by selected tropical storms and hurricanes passing through the Gulf of Mexico, 1995-2014**

| Name      | Date <sup>a</sup> | Maximum Category <sup>b</sup> | Reported and Estimated Shut-in Production |                          |             |                          |
|-----------|-------------------|-------------------------------|---|--------------------------|-------------|--------------------------|
|           |                   |                               | Crude Oil                                 |                          | Natural Gas |                          |
|           |                   |                               | (Mb)                                      | % of Normal <sup>c</sup> | (Bcf)       | % of Normal <sup>c</sup> |
| Dean      | Jul 1995          | 0                             | 189                                       | 0.7                      | 4.03        | 1.0                      |
| Erin      | Aug 1995          | 1                             | 2,086                                     | 7.4                      | 21.07       | 5.3                      |
| Opal      | Oct 1995          | 4                             | 2,089                                     | 7.3                      | 24.30       | 6.1                      |
| Josephine | Oct 1996          | 0                             | 1,455                                     | 4.8                      | 13.75       | 3.3                      |
| Danny     | Jul 1997          | 1                             | 990                                       | 3.1                      | 6.31        | 1.5                      |
| Charley   | Aug 1998          | 0                             | 0   | 0.0                      | 0           | 0                        |
| Earl      | Sep 1998          | 2                             | 3,764                                     | 9.9                      | 27.47       | 6.4                      |
| Frances   | Sep 1998          | 0                             | 787                                       | 2.1                      | 5.74        | 1.3                      |
| Georges   | Sep 1998          | 2                             | 7,694                                     | 20.3                     | 56.14       | 13.1                     |
| Hermine   | Sep 1998          | 0                             | 1,337                                     | 3.5                      | 9.75        | 2.2                      |
| Bret      | Aug 1999          | 4                             | 1,723                                     | 4.4                      | 5.67        | 1.3                      |
| Harvey    | Sep 1999          | 0                             | 764                                       | 1.9                      | 5.67        | 1.3                      |
| Helene    | Sep 2000          | 0                             | 0   | 0.0                      | 0.85        | 0.2                      |
| Allison   | Jun 2001          | 0                             | 991                                       | 2.2                      | 7.15        | 1.7                      |
| Barry     | Aug 2001          | 0                             | 2,388                                     | 5.2                      | 11.95       | 2.8                      |
| Bertha    | Aug 2002          | 0                             | 0   | 0.0                      | 0           | 0                        |
| Fay       | Sep 2002          | 0                             | 220                                       | 0.5                      | 1.34        | 0.3                      |
| Hanna     | Sep 2002          | 0                             | 276                                       | 0.6                      | 1.69        | 0.4                      |
| Isidore   | Sep 2002          | 3                             | 4,500                                     | 9.2                      | 27.50       | 7.1                      |
| Lili      | Oct 2002          | 4                             | 9,900                                     | 20.2                     | 61.50       | 16.0                     |
| Bill      | Jul 2003          | 0                             | 72  | 0.0                      | 0.61        | 0.2                      |
| Claudette | Jul 2003          | 1                             | 1,265                                     | 2.7                      | 8.04        | 2.2                      |
| Erika     | Aug 2003          | 1                             | 10  | 0.0                      | 0.33        | 0.1                      |
| Grace     | Aug 2003          | 0                             | 2   | 0.0                      | 0.08        | 0.0                      |
| Bonnie    | Aug 2004          | 0                             | 699                                       | 1.5                      | 4.10        | 1.2                      |
| Charley   | Aug 2004          | 4                             | 556                                       | 1.2                      | 3.27        | 0.9                      |
| Frances   | Sep 2004          | 0                             | 62  | 0.1                      | 0.12        | 0.0                      |
| Ivan      | Sep 2004          | 5                             | 38,005                                    | 82.8                     | 150.71      | 42.3                     |
| Matthew   | Oct 2004          | 0                             | 9   | 0.0                      | 0.11        | 0.0                      |
| Arlene    | Jun 2005          | 0                             | 575                                       | 1.3                      | 3.43        | 1.2                      |
| Cindy     | Jul 2005          | 1                             | 312                                       | 0.7                      | 1.68        | 0.6                      |
| Dennis    | Jul 2005          | 4                             | 5,297                                     | 11.7                     | 23.25       | 7.6                      |
| Emily     | Jul 2005          | 4                             | 240                                       | 0.5                      | 1.58        | 0.5                      |
| Katrina   | Aug 2005          | 5                             | 30,248                                    | 64.8                     | 155.33      | 50.5                     |
| Rita      | Sep 2005          | 5                             | 70,476                                    | 150.5                    | 361.91      | 116.2                    |
| Wilma     | Oct 2005          | 4                             | 8,052                                     | 17.3                     | 43.54       | 13.9                     |

See notes at end of table.

Table continued on next page

**Table A 1. Shut-in production caused by selected tropical storms and hurricanes passing through the Gulf of Mexico, 1995-2014 (continued)**

| Name             | Date <sup>a</sup> | Maximum Category <sup>b</sup> | Reported and Estimated Shut-in Production |                          |             |                          |
|------------------|-------------------|-------------------------------|---|--------------------------|-------------|--------------------------|
|                  |                   |                               | Crude Oil                                 |                          | Natural Gas |                          |
|                  |                   |                               | (Mb)                                      | % of Normal <sup>c</sup> | (Bcf)       | % of Normal <sup>c</sup> |
| Dean             | Aug 2007          | 5                             | 441                                       | 0.4                      | 0.44        | 0.2                      |
| Erin             | Aug 2007          | 0                             | 3   | 0.0                      | 0.02        | 0.0                      |
| Humberto         | Sep 2007          | 1                             | 1,353                                     | 5.9                      | 2.47        | 1.0                      |
| Ten <sup>d</sup> | Sep 2007          | <sup>c</sup>                  | 2,831                                     | 7.1                      | 7.81        | 3.3                      |
| Dolly            | Jul 2008          | 2                             | 137                                       | 0.4                      | 1.42        | 0.6                      |
| Edouard          | Aug 2008          | 0                             | 127                                       | 0.3                      | 11.23       | 4.8                      |
| Gustav           | Sep 2008          | 4                             | 38,938                                    | 97.7                     | 219.92      | 95.5                     |
| Ike              | Sep 2008          | 4                             | 21,531                                    | 54.0                     | 121.60      | 52.8                     |
| Ida              | Nov 2009          | 2                             | 1,375                                     | 2.9                      | 4.60        | 2.2                      |
| Alex             | Jun 2010          | 2                             | 1,038                                     | 2.1                      | 1.62        | 0.8                      |
| Bonnie           | Jul 2010          | 0                             | 3,261                                     | 6.8                      | 6.32        | 3.2                      |
| Don              | Jul 2011          | 0                             | 530                                       | 1.2                      | 1.01        | 0.6                      |
| Lee              | Sep 2011          | 0                             | 4,950                                     | 11.5                     | 13.29       | 8.0                      |
| Debby            | Jun 2012          | 0                             | 1,324                                     | 2.7                      | 3.9         | 2.8                      |
| Isaac            | Aug 2012          | 1                             | 13,016                                    | 33.1                     | 28.16       | 20.5                     |
| Karen            | Oct 2013          | 0                             | 3,100                                     | 7.5                      | 6.66        | 3.4                      |

Source: Storm information from NOAA. Shut-in production from BSEE (formerly MMS) shut-in statistics reports for available storms, otherwise EIA estimates of shut-in production (see [The 2007 Outlook for Hurricane Impacts on Gulf of Mexico Crude Oil & Natural Gas Production](#) for estimation methodology). Only storms passing within 300 miles of the center of the Gulf of Mexico producing area are shown.

Notes: <sup>a</sup> No hurricanes or tropical storms passed near the Gulf Mexico producing region during 2006 or 2014.

<sup>b</sup> 0 = Tropical storm. 1-5 = category n hurricane. Mb = thousand barrels. Bcf = billion cubic feet.

<sup>c</sup> Normal production is defined as average monthly production during the January to May period preceding the given hurricane season.

<sup>d</sup> Storm was classified as a tropical depression.

**Table A 2. Simulated probabilities for exceeding various levels of seasonal shut-in Gulf of Mexico crude oil production**

| > Million Barrels | Probability of Shut-in Production |               |
|-------------------|-----------------------------------|---------------|
|                   | 2015 Season                       | Normal Season |
| 0.0               | 86.3%                             | 95.2%         |
| 0.5               | 83.3%                             | 93.6%         |
| 1.0               | 79.7%                             | 91.4%         |
| 1.5               | 75.4%                             | 89.0%         |
| 2.0               | 71.4%                             | 86.4%         |
| 2.5               | 67.1%                             | 83.7%         |
| 3.0               | 63.0%                             | 80.9%         |
| 3.5               | 59.4%                             | 78.5%         |
| 4.0               | 56.3%                             | 76.0%         |
| 4.5               | 53.1%                             | 74.0%         |
| 5                 | 50.8%                             | 71.9%         |
| 6                 | 46.0%                             | 67.8%         |
| 7                 | 41.6%                             | 64.0%         |
| 8                 | 37.4%                             | 60.7%         |
| 9                 | 33.8%                             | 57.6%         |
| 10                | 30.6%                             | 54.7%         |
| 11                | 27.8%                             | 52.0%         |
| 12                | 25.4%                             | 49.7%         |
| 13                | 23.4%                             | 47.3%         |
| 14                | 21.6%                             | 45.1%         |
| 15                | 19.9%                             | 43.1%         |
| 16                | 18.4%                             | 41.4%         |
| 17                | 17.2%                             | 39.8%         |
| 18                | 16.1%                             | 38.0%         |
| 19                | 15.2%                             | 36.5%         |
| 20                | 14.2%                             | 35.2%         |
| 21                | 13.4%                             | 33.9%         |
| 22                | 12.7%                             | 32.7%         |
| 23                | 12.0%                             | 31.5%         |
| 24                | 11.4%                             | 30.4%         |
| 25                | 10.9%                             | 29.2%         |
| 30                | 8.3%                              | 23.5%         |
| 40                | 4.3%                              | 15.3%         |
| 50                | 2.2%                              | 9.2%          |
| 60                | 1.0%                              | 5.2%          |
| 70                | 0.4%                              | 3.0%          |
| 80                | 0.2%                              | 1.8%          |

Source: U.S. Energy Information Administration calculations.

**Table A 3. Simulated probabilities for exceeding various levels of seasonal shut-in Gulf of Mexico natural gas production**

| > Billion Cubic Feet | Probability of Shut-in Production |               |
|----------------------|-----------------------------------|---------------|
|                      | 2015 Season                       | Normal Season |
| 0                    | 85.7%                             | 95.1%         |
| 1                    | 81.3%                             | 92.7%         |
| 2                    | 75.3%                             | 89.1%         |
| 3                    | 69.1%                             | 85.4%         |
| 4                    | 63.0%                             | 81.5%         |
| 5                    | 58.4%                             | 77.5%         |
| 6                    | 54.4%                             | 74.1%         |
| 7                    | 50.7%                             | 71.5%         |
| 8                    | 47.2%                             | 68.9%         |
| 9                    | 44.3%                             | 66.5%         |
| 10                   | 41.3%                             | 64.2%         |
| 11                   | 39.0%                             | 61.8%         |
| 12                   | 36.2%                             | 59.4%         |
| 13                   | 33.8%                             | 57.5%         |
| 14                   | 31.5%                             | 55.7%         |
| 15                   | 29.7%                             | 53.8%         |
| 16                   | 27.8%                             | 52.2%         |
| 17                   | 26.3%                             | 50.8%         |
| 18                   | 24.6%                             | 49.4%         |
| 19                   | 23.5%                             | 47.9%         |
| 20                   | 22.3%                             | 46.7%         |
| 25                   | 17.5%                             | 40.9%         |
| 30                   | 14.8%                             | 37.1%         |
| 35                   | 13.1%                             | 34.2%         |
| 40                   | 11.5%                             | 31.5%         |
| 45                   | 10.4%                             | 29.1%         |
| 50                   | 9.0%                              | 26.7%         |
| 60                   | 6.8%                              | 22.2%         |
| 70                   | 4.9%                              | 17.6%         |
| 80                   | 3.5%                              | 13.8%         |
| 90                   | 2.5%                              | 10.6%         |
| 100                  | 1.5%                              | 8.1%          |
| 110                  | 1.1%                              | 6.2%          |
| 120                  | 0.8%                              | 4.9%          |
| 130                  | 0.6%                              | 3.9%          |
| 140                  | 0.4%                              | 3.0%          |
| 150                  | 0.3%                              | 2.2%          |

Source: U.S. Energy Information Administration calculations.