Table 26. Natural gas home customer-weighted heating degree days

	New England	Middle Atlantic	East North Central	West North Central	South Atlantic
	CT, ME, MA, NH,			IA, KS, MN, MO,	DE, FL, GA, MD, DC,
Month/Year/Type of data	RI, VT	NJ, NY, PA	IL, IN, MI, OH, WI	ND, NE, SD	NC, SC, VA, WV
November					
Normal	702	665	757	841	442
2019	800	767	889	904	518
2020	575	505	590	663	312
% Diff (normal to 2020)	-18.1	-24.1	-22.1	-21.2	-29.4
% Diff (2019 to 2020)	-28.1	-34.2	-33.6	-26.7	-39.8
November to November					
Normal	702	665	757	841	442
2019	800	767	889	904	518
2020	575	505	590	663	312
% Diff (normal to 2020)	-18.1	-24.1	-22.1	-21.2	-29.4
% Diff (2019 to 2020)	-28.1	-34.2	-33.6	-26.7	-39.8

Month/Year/Type of data	East South Central	West South Central	Mountain	Pacific ^b			
	AZ, CO, ID, MT, NV,						
	AL, KY, MS, TN	AR, LA, OK, TX	NM, UT, WY	CA, OR, WA	U.S. Average ^b		
November							
Normal	454	305	739	366	589		
2019	558	349	681	291	644		
2020	343	193	636	349	466		
% Diff (normal to 2020)	-24.5	-36.7	-13.9	-4.6	-20.9		
% Diff (2019 to 2020)	-38.5	-44.7	-6.6	19.9	-27.6		
November to November							
Normal	454	305	739	366	589		
2019	558	349	681	291	644		
2020	343	193	636	349	466		
% Diff (normal to 2020)	-24.5	-36.7	-13.9	-4.6	-20.9		
% Diff (2019 to 2020)	-38.5	-44.7	-6.6	19.9	-27.6		

 $^{^{\}rm a}\,$ Normal is based on calculations of data from 1971 through 2000.

Note: See Appendix A, Explanatory Note 10, for discussion of Heating Degree-Days computations.

Source: National Oceanic and Atmospheric Administration.

^b Excludes Alaska and Hawaii.