


Data for Week Ended:
June 27, 2025

Weekly Petroleum Status Report

Includes:

New Stock Bands
(See Page iii)



EIA DATA ARE AVAILABLE IN ELECTRONIC FORM

The tables in the *Weekly Petroleum Status Report* (WPSR) are posted to the web site after 10:30 a.m. Eastern Standard Time (EST) on Wednesdays in CSV and XLS formats. PDF files are posted to the web site after 1:00 p.m. on Wednesdays. For some weeks that include holidays, posting is delayed by one day.

WPSR customers may also want to take a look at EIA's This Week in Petroleum (TWIP) web site (<http://www.eia.gov/oog/info/twip/twip.asp>) which provides current market analysis and data for crude oil and major petroleum products. It is generally available at 1:00 p.m. EST on Wednesdays.

All current EIA publications are available on the EIA web site. Users can view and download selected pages or entire reports, search for information, download EIA data and analysis applications, and find out about new EIA information products and services:

World Wide Web: <http://www.eia.gov/>

FTP: <ftp://ftp.eia.doe.gov>

EIA also offers a listserv service for EIA press releases and other short documents. This service is also used to notify customers of new data and analysis products, changes to current products, and other news of interest. Sign up for one or more listservs by doing the following:

Logon to www.eia.gov

On the left sidebar click on "Sign up for email Updates"

Simply follow the prompts

For further information, and for answers to questions on energy statistics, please contact EIA's National Energy Information Center at:

National Energy Information Center (NEIC)

EI-30, Forrestal Building

Washington, DC 20585

(202) 586-8800 (phone)

(202) 586-0727 (fax)

9:00 a.m. to 4:00 p.m., Eastern Time, M-F

E-mail: infoctr@eia.doe.gov

Release Date: July 2, 2025

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the U.S. Department of Energy. The information contained herein should be attributed to the Energy Information Administration and should not be construed as advocating or reflecting any policy position of the Department of Energy or any other organization.

Preface

The Weekly Petroleum Status Report (WPSR) provides timely information on supply and selected prices of crude oil and principal petroleum products. It provides the industry, press, planners, policymakers, consumers, analysts, and State and local governments with a ready, reliable source of current information.

Petroleum supply data presented in the *WPSR* describe supply and disposition of crude oil and petroleum products in the United States and major U.S. regions called Petroleum Administration for Defense (PAD) Districts. Geographic coverage in the *WPSR* includes the 50 States and District of Columbia. U.S. territories are treated as import sources but are otherwise excluded from weekly petroleum supply statistics. Petroleum supply data include field production, imports and exports, inputs and production at refineries and blending terminals, production from gas processing plants and fractionators, and inventories at refineries, terminals, pipelines, and fractionators. Crude oil inventories include Alaskan crude oil in transit by water. Aggregated weekly petroleum supply statistics are used for calculation of products supplied, which is an approximation of U.S. petroleum demand.

The supply data contained in this report are based primarily on company submissions for the week ending 7:00 a.m. the preceding Friday. Selected data are released electronically after 10:30 a.m. Eastern Standard Time (EST) each Wednesday.

Price data presented in the *WPSR* include world crude oil contract prices, spot prices of crude oil and major products in major U.S. and world markets, futures prices of crude oil and major products on the New York Mercantile Exchange (NYMEX), and retail prices of gasoline and on-highway diesel fuel. During the heating season, wholesale and retail prices of propane and residential heating oil are also provided. Collectively, these price series provide a comprehensive and timely view of current U.S. and world prices of crude oil and major petroleum products.

Weekly price data are collected as of 8:00 a.m. every Monday. Weekly retail gasoline and on-highway diesel prices are first available around 5:00 p.m. EST on Monday (Tuesday when Monday is a Federal holiday). Wholesale and retail propane and residential heating oil prices are released electronically after 10:30 a.m. EST each Wednesday during the heating season (October through mid-March). The daily spot and futures prices are provided by Reuters, Inc.

Table 13 futures prices after April 5, 2024, are not available.

New Stock Bands

This issue of the Weekly Petroleum Status Report presents updated average stock ranges on the stock graphs for U.S. stock of crude oil and petroleum products, crude oil, motor gasoline, distillate fuel oil, residual fuel oil, and propane found on pages 3, 5, 7, 9, 11, and 13. The stock ranges have been recomputed in accordance with the procedure described in the Appendix. The Appendix also presents the values for the new ranges.

This report is available on the World Wide Web at:

<http://www.eia.gov/petroleum/supply/weekly/>

Contents

Highlights	v
------------------	---

Tables

1. U.S. Petroleum Balance Sheet, Week Ending 06/27/2025	1
2. U.S. Inputs and Production by PAD District	2
3. Refiner and Blender Net Production	3
4. Stocks of Crude Oil by PAD District, and Stocks of Petroleum Products, U.S. Totals.....	4
5. Stocks of Total Motor Gasoline and Fuel Ethanol by PAD District	6
6. Stocks of Distillate, Kerosene-Type Jet Fuel, Residual Fuel Oil, and Propane/Propylene by PAD District	8
7. Imports of Crude Oil and Total Products by PAD District	13
8. Preliminary Crude Imports by Country of Origin	14
9. U.S. and PAD District Weekly Estimates.....	15
10. U.S. World Crude Oil Prices - Discontinued	22
11. Spot Prices of Crude Oil, Motor Gasoline, and Heating Oils, January 2024 to Present	23
12. Spot Prices of Ultra-Low Sulfur Diesel, Kerosene-Type Jet, Residual Fuels, and Propane, January 2024 to Present	25
13. NYMEX Futures Prices of Crude Oil, Motor Gasoline, No. 2 Heating Oil	26
14. U.S. Retail Motor Gasoline and On-Highway Diesel Fuel Prices, January 2024 to Present	27

Figures

1. Stocks of Crude Oil, June 2023 to Present	5
2. Stocks of Total Motor Gasoline by PAD District, June 2023 to Present.....	7
3. Stocks of Distillate Fuel Oil by PAD District, June 2023 to Present	9
4. Stocks of Kerosene-Type Jet Fuel, June 2023 to Present.....	10
5. Stocks of Residual Fuel Oil by PAD District, June 2023 to Present	11
6. Stocks of Propane/Propylene by PAD District, June 2023 to Present	12
7. Daily Crude Oil and Petroleum Product Spot Prices.	24
8. Daily Trans-Atlantic Spot Product Price Differentials: New York Harbor less Rotterdam (ARA) - Discontinued	24
9. Daily Futures Price Differentials: First Delivery Month Less Second Delivery Month	26
10. U.S. Average Retail Regular Motor Gasoline and On-Highway Diesel Fuel Prices.....	28

Sources	29
---------------	----

Appendices

A. Petroleum Supply Summary Table	31
B. Explanatory Notes.....	32
C. Northeast Home Heating Oil Reserve	46

Glossary	47
----------------	----

Highlights

U.S. crude oil refinery inputs averaged 17.1 million barrels per day during the week ending June 27, 2025, which was 118 thousand barrels per day more than the previous week's average. Refineries operated at 94.9% of their operable capacity last week. Gasoline production decreased last week, averaging 9.6 million barrels per day. Distillate fuel production increased by 244 thousand barrels per day last week, averaging 5 million barrels per day.

U.S. crude oil imports averaged 6.9 million barrels per day last week, increased by 976 thousand barrels per day from the previous week. Over the past four weeks, crude oil imports averaged about 6.1 million barrels per day, 13.9% less than the same four-week period last year. Total motor gasoline imports (including both finished gasoline and gasoline blending components) last week averaged 906 thousand barrels per day, and distillate fuel imports averaged 118 thousand barrels per day.

U.S. commercial crude oil inventories (excluding those in the Strategic Petroleum Reserve) increased by 3.8 million barrels from the previous week. At 419 million barrels, U.S. crude oil inventories are about 9% below the five year average for this time of year. Total motor gasoline inventories increased by 4.2 million barrels from last week and are about 1% below the five year average for this time of year. Both Finished gasoline inventories and blending components inventories increased last week. Distillate fuel inventories decreased by 1.7 million barrels last week and are about 21% below the five year average for this time of year. Propane/propylene inventories increased by 3 million barrels from last week and are 11% above the five year average

for this time of year. Total commercial petroleum inventories increased by 9.4 million barrels last week.

Total products supplied over the last four-week period averaged 20.3 million barrels a day, down by 1.1% from the same period last year. Over the past four weeks, motor gasoline product supplied averaged 9.2 million barrels a day, down by 0.1% from the same period last year. Distillate fuel product supplied averaged 3.7 million barrels a day over the past four weeks, up by 0.6% from the same period last year. Jet fuel product supplied was up 2.4% compared with the same four-week period last year.

The price for West Texas Intermediate crude oil was \$66.66 per barrel on June 27, 2025, \$9.06 less than a week ago, and \$16.17 less than a year ago. The New York Harbor spot price for conventional gasoline was \$2.098 per gallon, \$0.255 less than a week ago, and \$0.429 less than the year-ago price. The spot price for No. 2 heating oil at New York Harbor was \$2.187 per gallon, \$0.257 less than a week ago, and \$0.194 less than the price last year.

The national average retail price for regular gasoline decreased to \$3.164 per gallon on June 30, 2025, \$0.049 less than last week's price, and \$0.315 less than the year-ago price. The national average retail diesel fuel price decreased \$0.048 to \$3.727 per gallon, \$0.086 less than the price one year ago.

Refinery Activity (Thousand Barrels per Day)

	Four Weeks Ending		
	6/27/25	6/20/25	6/28/24
Crude Oil Input to Refineries	17,045	17,018	16,784
Refinery Capacity Utilization (Percent)	94.3	93.9	93.6
Motor Gasoline Production	9,889	9,743	10,050
Distillate Fuel Oil Production	4,924	4,914	4,950

See Table 2.

Stocks (Million Barrels)

	6/27/25	6/20/25	6/28/24 ¹
Crude Oil (Excluding SPR) ²	419.0	415.1	448.5
Motor Gasoline ³	232.1	227.9	231.7
Distillate Fuel Oil ³	103.6	105.3	119.7
All Other Oils ⁴	485.4	482.3	483.1
Crude Oil in SPR	402.8	402.5	372.6
Total ⁴	1,642.8	1,633.2	1,655.7

See Table 1.

Net Imports (Thousand Barrels per Day)

	Four Weeks Ending		
	6/27/25	6/20/25	6/28/24
Crude Oil	2,580	2,036	3,150
Petroleum Products	-5,203	-5,024	-4,855
Total	-2,623	-2,988	-1,705

See Table 1.

Products Supplied (Thousand Barrels per Day)

	Four Weeks Ending		
	6/27/25	6/20/25	6/28/24
Motor Gasoline	9,199	9,105	9,205
Distillate Fuel Oil	3,740	3,517	3,719
All Other Products	7,350	7,427	7,595
Total	20,288	20,049	20,518

See Table 1.

Prices (Dollars per Gallon except as noted)

	6/27/25	6/20/25	6/28/24
World Crude Oil (Dollars per Barrel)	-	-	-
Spot Prices			
WTI Crude Oil - Cushing (Dollars per Barrel)	66.66	75.72	82.83
Conv. Regular Gasoline - NYH	2.098	2.353	2.527
No. 2 Heating Oil - NYH	2.187	2.444	2.381
Ultra-Low Sulfur Diesel Fuel - NYH	2.297	2.556	2.506
Propane - Mont Belvieu	0.718	0.801	0.835

	Retail Prices		
	6/30/25	6/23/25	7/1/24
Motor Gasoline - Regular	3.164	3.213	3.479
Motor Gasoline - Midgrade	3.725	3.775	3.990
Motor Gasoline - Premium	4.080	4.128	4.344
On-Highway Diesel Fuel	3.727	3.775	3.813

See Table 10,11,12,14.

Data for the week ending June 13 reflect benchmarking to the April *Petroleum Supply Monthly* values.

– = Data Not Available.

¹ Distillate fuel oil stocks located in the “Northeast Heating Oil Reserve” are not included.

Note: Data may not add to total due to independent rounding.

Table 1. U.S. Petroleum Balance Sheet, Week Ending 6/27/2025

Petroleum Stocks (Million Barrels)	Current Week	Week Ago			Year Ago		
	6/27/25	6/20/25	Difference	Percent Change	6/28/24	Difference	Percent Change
Crude Oil	821.7	817.6	4.1	0.5	821.1	0.6	0.1
Commercial (Excluding SPR) ¹	419.0	415.1	3.8	0.9	448.5	-29.6	-6.6
Strategic Petroleum Reserve (SPR) ²	402.8	402.5	0.2	0.1	372.6	30.2	8.1
Total Motor Gasoline ³	232.1	227.9	4.2	1.8	231.7	0.5	0.2
Reformulated	0.0	0.0	0.0	-14.3	0.0	0.0	41.2
Conventional	17.6	15.0	2.6	17.2	16.1	1.5	9.4
Blending Components	214.5	212.9	1.6	0.8	215.6	-1.1	-0.5
Fuel Ethanol	24.1	24.4	-0.3	-1.2	23.6	0.5	2.2
Kerosene-Type Jet Fuel	45.2	44.5	0.6	1.4	43.3	1.8	4.3
Distillate Fuel Oil ⁴	103.6	105.3	-1.7	-1.6	119.7	-16.1	-13.5
15 ppm sulfur and Under ³	95.0	96.5	-1.4	-1.5	109.3	-14.3	-13.1
> 15 ppm to 500 ppm sulfur	3.1	3.1	-0.1	-1.9	3.2	-0.2	-6.0
> 500 ppm sulfur	5.5	5.7	-0.2	-3.5	7.1	-1.6	-22.6
Residual Fuel Oil	22.3	22.7	-0.4	-1.7	28.2	-5.9	-20.9
Propane/Propylene ⁵	75.7	72.6	3.0	4.2	75.8	-0.2	-0.2
Other Oils ⁶	318.2	318.1	0.0	0.0	312.2	6.0	1.9
Unfinished Oils	81.4	81.9	-0.5	-0.6	87.1	-5.8	-6.6
Total Stocks (Including SPR) ^{2,3,4}	1,642.8	1,633.2	9.6	0.6	1,655.7	-12.8	-0.8
Total Stocks (Excluding SPR) ^{3,4}	1,240.1	1,230.7	9.4	0.8	1,283.1	-43.0	-3.4

Petroleum Supply (Thousand Barrels per Day)	Current Week	Week Ago		Year Ago		Four-Week Averages Week Ending			Cumulative Daily Average		
	6/27/25	6/20/25	Difference	6/28/24	Difference	6/27/25	6/28/24	Percent Change	6/27/25	6/28/24	Percent Change
Crude Oil Supply											
(1) Domestic Production ⁶	13,433	13,435	-2	13,200	233	13,432	13,200	1.8	13,461	13,126	2.6
(2) Alaska	413	425	-12	383	30	427	408	4.6	436	426	2.4
(3) Lower 48	13,020	13,010	10	12,800	220	13,005	12,800	1.6	13,025	12,726	2.4
(4) Transfers to Crude Oil Supply	625	626	-1	372	252	607	398	52.6	575	471	22.1
(5) Alaskan NGL production ⁷	45	43	2	45	1	46	47	-0.3	51	54	-5.7
(6) Natural Gasoline, Condensate, and Unfinished Oils ⁸	579	583	-3	328	252	560	351	59.6	525	418	25.7
(7) Net Imports (Including SPR)	4,614	1,674	2,941	2,146	2,468	2,580	3,150	-18.1	2,139	2,406	-11.1
(8) Imports	6,919	5,944	976	6,547	372	6,136	7,129	-13.9	6,088	6,639	-8.3
(9) Commercial Crude Oil	6,919	5,944	976	6,547	372	6,136	7,129	-13.9	6,088	6,639	-8.3
(10) Imports by SPR	0	0	0	0	0	0	0	0.0	0	0	0.0
(11) Imports into SPR by Others	0	0	0	0	0	0	0	0.0	0	0	0.0
(12) Exports	2,305	4,270	-1,965	4,401	-2,096	3,556	3,979	-10.6	3,949	4,234	-6.7
(13) Stock Change (+/build; -/draw)	583	-800	1,383	-1,680	2,263	-577	-178	--	74	195	--
(14) Commercial Stock Change	549	-834	1,383	-1,737	2,286	-611	-264	--	23	94	--
(15) SPR Stock Change	34	34	0	57	-23	34	86	--	51	100	--
(16) Adjustment ⁹	-984	453	-1,437	-606	-378	-151	-141	--	-53	94	--
(17) Crude Oil Input to Refineries	17,105	16,987	118	16,792	313	17,045	16,784	1.6	16,049	15,902	0.9
Other Supply											
(18) Production	9,609	9,584	25	9,382	227	9,630	9,266	3.9	9,322	8,967	4.0
(19) Natural Gas Plant Liquids ¹⁰	7,244	7,221	23	6,958	286	7,255	6,858	5.8	6,990	6,626	5.5
(20) Renewable Fuels/Oxygenate Plant ..	1,343	1,348	-5	1,366	-23	1,358	1,349	0.7	1,367	1,325	3.2
(21) Fuel Ethanol	1,076	1,081	-5	1,064	13	1,097	1,047	4.7	1,066	1,028	3.7
(22) Other ¹¹	267	267	0	302	-36	261	302	-13.5	300	297	1.3
(23) Refinery Processing Gain	1,022	1,015	7	1,057	-35	1,018	1,059	-3.9	966	1,017	-5.0
(24) Net Imports ¹²	-5,017	-5,397	380	-5,053	36	-5,203	-4,855	--	-4,905	-4,572	--
(25) Imports ¹²	1,615	1,780	-165	2,063	-448	1,734	2,010	-13.7	1,731	1,921	-9.9
(26) Exports ¹²	6,632	7,177	-545	7,116	-484	6,937	6,865	1.1	6,636	6,493	2.2
(27) Stock Change (+/build; -/draw) ^{3,13} ..	788	238	550	-114	902	780	493	--	15	61	--
(28) Adjustment ¹⁴	203	203	0	221	-18	204	214	--	216	222	--
(29) Transfers to Crude Oil Supply ¹⁵	-625	-626	1	-372	-252	-607	-398	52.6	-575	-471	--
Products Supplied											
(30) Total ¹⁶	20,487	20,513	-27	21,083	-597	20,288	20,518	-1.1	20,091	19,987	0.5
(31) Finished Motor Gasoline ¹⁷	8,640	9,688	-1,048	9,424	-784	9,199	9,205	-0.1	8,733	8,749	-0.2
(32) Kerosene-Type Jet Fuel	1,734	1,706	27	1,834	-100	1,771	1,730	2.4	1,689	1,610	4.9
(33) Distillate Fuel Oil	4,043	3,794	249	3,715	329	3,740	3,719	0.6	3,850	3,669	4.9
(34) Residual Fuel Oil	219	167	52	245	-27	227	228	-0.3	284	283	0.5
(35) Propane/Propylene ¹⁸	568	305	264	660	-92	570	816	-30.2	1,055	1,022	3.3
(36) Other Oils ¹⁹	5,283	4,854	429	5,206	77	4,782	4,822	-0.8	4,481	4,654	-3.7
Net Imports of Crude and Petroleum Products											
(33) Total	-403	-3,724	3,321	-2,908	2,504	-2,623	-1,705	53.9	-2,766	-2,166	27.7

-- = Not Applicable.

- = Data Not Available.

¹ Includes those domestic and Customs-cleared foreign crude oil stocks held at refineries and tank farms or in transit thereto, and in pipelines.² Includes non-U.S. stocks held under foreign or commercial storage agreements.³ Excludes stocks located in the "Northeast Heating Oil Reserve", "Northeast Regional Refined Petroleum Product Reserve", and "State of New York's Strategic Fuels Reserve Program." For details see Appendix C.⁴ Prior to April 10, 2020 this included stocks of propylene held at terminals.⁵ Includes weekly data for NGPLs and LRGs (except propane/propylene), kerosene, and asphalt and road oil; and estimated stocks of minor products based on monthly data.⁶ Domestic crude oil production includes lease condensate and is estimated using a combination of short-term forecasts for the lower 48 states and the latest available production estimates from Alaska. Weekly

crude oil production estimates are rounded to the nearest 1,000 barrels per day (b/d) for the U.S. and the Lower 48 states. This change is a shift from rounding to the nearest 100,000 b/d. For more details see

Appendix B, under "Data Obtained Through Models."

⁷ Weekly production of total NGL in Alaska as reported on EIA-806.⁸ Natural gasoline (excluding condensate) and unfinished oils transfers to crude oil supply from most recent "Petroleum Supply Monthly" plus weekly production of condensate minus weekly stock change of condensate then multiply the total by -1.⁹ Formerly known as Unaccounted-for Crude Oil, this is a balancing item. Starting with the November 15, 2023 publication, crude oil adjustment includes transfers to crude oil supply (line 4). See Glossary for further explanation.¹⁰ Formerly known as Natural Gas Liquids Production, prior to June 4, 2010, this included adjustments for fuel ethanol and motor gasoline blending components.¹¹ Includes denaturants (e.g. Pentanes Plus) and other renewables (e.g. biodiesel). Prior to April 10, 2020 this included other oxygenates (e.g. ETBE and MTBE).¹² Includes finished petroleum products, unfinished oils, gasoline blending components, fuel ethanol, and NGPLs and LRGs.¹³ Includes an estimate of minor product stock change based on monthly data.¹⁴ Includes monthly adjustments for hydrogen and other hydrocarbon production.¹⁵ Total barrels of NGL and unfinished oils subtracted from supply of products and transferred to supply of crude oil (line 4).¹⁶ Total Product Supplied = Crude Oil Input to Refineries (line 17) + Other Supply Production (line 18) + Net Product Imports (line 24) - Stock Change (line 27) + Adjustment (line 28) + Transfers to crude oil supply (line 29).¹⁷ See Table 2, footnote #3.¹⁸ Calculation of propane product supplied does not include propane produced in Alaska that was transferred to crude oil (line 5).¹⁹ Other Oil Product Supplied = Total Product Supplied (line 30) less the product supplied of Finished Motor Gasoline (line 31), Kerosene-Type Jet Fuel (line 32), Distillate Fuel Oil (line 33), Residual Fuel Oil (line 34), and Propane/Propylene (line 35).

Notes: Some data estimated (see Sources for clarification). Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Table 2. U.S. Inputs and Production by PAD District
(Thousand Barrels per Day, Except Where Noted)

Product / Region	Current Week	Last Week		Year Ago		2 Years Ago		Four-Week Averages		
	6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23	Percent Change	6/27/25	6/28/24	Percent Change
Refiner Inputs and Utilization										
Crude Oil Inputs	17,105	16,987	118	16,792	1.9	16,030	6.7	17,045	16,784	1.6
East Coast (PADD 1)	778	830	-52	838	-7.2	601	29.4	793	809	-2.0
Midwest (PADD 2)	4,223	4,216	7	3,943	7.1	3,977	6.2	4,157	3,988	4.2
Gulf Coast (PADD 3)	9,261	9,183	78	9,246	0.2	8,623	7.4	9,297	9,177	1.3
Rocky Mountain (PADD 4)	630	618	12	624	1.1	596	5.9	633	630	0.5
West Coast (PADD 5)	2,212	2,140	72	2,140	3.4	2,234	-1.0	2,164	2,179	-0.7
Gross Inputs	17,235	17,199	37	17,143	0.5	16,648	3.5	17,236	17,173	0.4
East Coast (PADD 1)	781	840	-59	841	-7.1	669	16.7	798	829	-3.7
Midwest (PADD 2)	4,211	4,224	-13	3,954	6.5	3,989	5.6	4,157	3,997	4.0
Gulf Coast (PADD 3)	9,330	9,255	74	9,523	-2.0	8,993	3.7	9,365	9,456	-1.0
Rocky Mountain (PADD 4)	614	619	-5	621	-1.1	595	3.2	630	627	0.4
West Coast (PADD 5)	2,300	2,261	39	2,204	4.3	2,402	-4.3	2,286	2,264	1.0
Operable Capacity ¹	18,160	18,160	0	18,326	-0.9	18,270	-0.6	18,283	18,352	-0.4
East Coast (PADD 1)	912	912	0	910	0.2	878	3.9	912	920	-0.9
Midwest (PADD 2)	4,248	4,248	0	4,246	0.0	4,206	1.0	4,248	4,246	0.0
Gulf Coast (PADD 3)	9,799	9,799	0	9,987	-1.9	9,917	-1.2	9,928	9,988	-0.6
Rocky Mountain (PADD 4)	644	644	0	652	-1.3	650	-1.0	644	652	-1.3
West Coast (PADD 5)	2,558	2,558	0	2,531	1.0	2,620	-2.4	2,552	2,546	0.3
Percent Utilization ²	94.9	94.7	0.2	93.5	--	91.1	--	94.3	93.6	--
East Coast (PADD 1)	85.7	92.2	-6.5	92.4	--	76.3	--	87.5	90.1	--
Midwest (PADD 2)	99.1	99.4	-0.3	93.1	--	94.8	--	97.9	94.1	--
Gulf Coast (PADD 3)	95.2	94.5	0.8	95.4	--	90.7	--	94.3	94.7	--
Rocky Mountain (PADD 4)	95.4	96.1	-0.7	95.2	--	91.5	--	97.8	96.2	--
West Coast (PADD 5)	89.9	88.4	1.5	87.1	--	91.7	--	89.6	88.9	--
Refiner and Blender Net Production										
Finished Motor Gasoline ³	9,621	10,112	-491	10,061	-4.4	10,265	-6.3	9,889	10,050	-1.6
Finished Motor Gasoline (excl. Adjustment) ⁴	9,661	9,589	72	9,752	-0.9	9,780	-1.2	9,607	9,867	-2.6
East Coast (PADD 1)	3,294	3,243	51	3,300	-0.2	3,154	4.4	3,245	3,304	-1.8
Midwest (PADD 2)	2,564	2,572	-8	2,575	-0.4	2,600	-1.4	2,546	2,573	-1.1
Gulf Coast (PADD 3)	2,033	1,922	111	2,081	-2.3	2,201	-7.6	1,996	2,165	-7.8
Rocky Mountain (PADD 4)	346	389	-43	392	-11.7	357	-3.1	368	386	-4.7
West Coast (PADD 5)	1,423	1,462	-39	1,403	1.4	1,467	-3.0	1,452	1,439	0.9
Reformulated ⁴	3,123	3,121	2	3,120	0.1	3,025	3.3	3,117	3,140	-0.8
Conventional ⁴	6,537	6,468	70	6,632	-1.4	6,755	-3.2	6,490	6,726	-3.5
Adjustment ⁵	-40	523	-562	309	--	485	--	282	183	--
Kerosene-Type Jet Fuel	1,918	1,964	-47	1,892	1.3	1,716	11.8	1,967	1,884	4.4
East Coast (PADD 1)	76	93	-16	106	-28.2	82	-6.5	85	103	-17.0
Midwest (PADD 2)	328	334	-5	323	1.6	281	17.0	333	306	8.9
Gulf Coast (PADD 3)	1,033	1,020	13	986	4.7	871	18.6	1,061	984	7.9
Rocky Mountain (PADD 4)	34	30	4	35	-5.1	38	-11.4	32	32	0.3
West Coast (PADD 5)	446	489	-42	441	1.2	445	0.4	456	461	-1.0
Distillate Fuel Oil	5,034	4,789	244	5,106	-1.4	4,850	3.8	4,924	4,950	-0.5
East Coast (PADD 1)	232	249	-17	255	-9.0	157	47.4	229	227	1.0
Midwest (PADD 2)	1,243	1,163	80	1,102	12.8	1,232	0.9	1,192	1,149	3.7
Gulf Coast (PADD 3)	2,889	2,752	137	3,089	-6.5	2,771	4.2	2,874	2,978	-3.5
Rocky Mountain (PADD 4)	200	199	2	187	7.1	204	-1.9	203	192	5.8
West Coast (PADD 5)	469	427	43	473	-0.8	485	-3.3	426	405	5.2
15 ppm sulfur and Under	4,843	4,655	188	4,870	-0.5	4,746	2.1	4,755	4,744	0.2
> 15 ppm to 500 ppm sulfur	96	108	-12	152	-36.8	81	19.1	106	119	-11.3
> 500 ppm sulfur	94	26	68	85	11.0	24	296.7	63	87	-27.7
Residual Fuel Oil	315	293	22	339	-7.1	199	58.1	296	289	2.3
East Coast (PADD 1)	27	32	-4	58	-52.9	30	-8.4	27	50	-46.6
Midwest (PADD 2)	31	45	-14	39	-19.9	48	-34.9	36	31	16.0
Gulf Coast (PADD 3)	132	104	28	135	-2.3	72	82.8	126	120	5.1
Rocky Mountain (PADD 4)	12	12	0	11	5.3	9	25.9	12	11	2.6
West Coast (PADD 5)	113	100	12	96	17.9	40	180.8	96	77	24.5
Propane/Propylene ⁶	2,797	2,790	7	2,737	2.2	2,568	9.0	2,841	2,717	4.6
East Coast (PADD 1)	281	303	-22	246	14.1	294	-4.4	292	247	18.3
Midwest (PADD 2)	529	530	0	529	0.1	555	-4.7	548	527	4.0
Gulf Coast (PADD 3)	1,717	1,717	0	1,721	-0.2	1,465	17.2	1,750	1,707	2.5
PADDs 4 and 5	270	241	30	241	12.1	253	6.7	251	236	6.4
Ethanol Plant Production										
Fuel Ethanol	1,076	1,081	-5	1,064	1.2	1,060	1.5	1,097	1,047	4.7
East Coast (PADD 1)	12	12	0	12	2.4	12	-2.3	12	12	0.0
Midwest (PADD 2)	1,016	1,023	-7	1,008	0.8	999	1.7	1,038	990	4.8
Gulf Coast (PADD 3)	28	26	3	25	13.9	24	15.1	27	25	7.9
Rocky Mountain (PADD 4)	10	11	-1	10	-1.4	13	-20.9	11	10	4.2
West Coast (PADD 5)	10	10	0	8	15.5	11	-11.2	9	10	-5.5

-- = Not Applicable.

- = Data Not Available.

W = Data Withheld.

¹ Based on the latest reported monthly operable capacity.

² Calculated as gross inputs divided by the latest reported monthly operable capacity. See Glossary. Percentages are calculated using unrounded numbers.

³ Finished motor gasoline production and product supplied include a weekly adjustment applied only to the U.S. total to correct for the imbalance created by blending of fuel ethanol and motor gasoline blending components. From 1993 to June 4, 2010, this adjustment was estimated from the latest monthly data and allocated to formulation and PAD District production data.

⁴ Excludes adjustments for fuel ethanol and motor gasoline blending components. Historical data prior to June 4, 2010 includes the adjustment allocated by PAD District and formulation.

⁵ Adjustment to correct for the imbalance created by the blending of fuel ethanol and motor gasoline blending components. For details see Appendix B.

⁶ Includes propane/propylene production from natural gas plants.

Notes: Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Table 3. Refiner and Blender Net Production
(Thousand Barrels per Day)

Product / Region	Current Week	Last Week		Year Ago		2 Years Ago		Four-Week Averages		
	6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23	Percent Change	6/27/25	6/28/24	Percent Change
Refiner Net Production										
Finished Motor Gasoline¹	1,182	1,178	3	1,326	-10.8	1,345	-12.1	1,206	1,393	-13.4
East Coast (PADD 1)	57	54	3	71	-20.4	54	5.9	54	67	-18.9
Midwest (PADD 2)	340	373	-33	346	-1.9	337	1.0	347	338	2.7
Gulf Coast (PADD 3)	553	495	58	705	-21.5	752	-26.4	570	752	-24.2
Rocky Mountain (PADD 4)	161	172	-11	165	-2.4	139	16.2	168	167	0.7
West Coast (PADD 5)	71	84	-14	38	87.8	64	10.3	67	69	-2.2
Reformulated	89	91	-3	36	146.8	43	107.3	91	41	120.3
Blended with Ethanol	89	91	-3	36	146.8	43	107.3	91	41	120.3
Other	0	0	0	0	0.0	0	0.0	0	0	0.0
Conventional	1,093	1,087	6	1,290	-15.2	1,302	-16.1	1,116	1,351	-17.4
Blended with Ethanol	431	436	-4	532	-18.8	492	-12.2	435	511	-14.8
Ed55 and Lower	431	436	-4	532	-18.8	492	-12.2	435	511	-14.8
Greater than Ed55	0	0	0	0	0.0	0	0.0	0	0	0.0
Other	662	652	10	758	-12.7	811	-18.4	680	841	-19.1
Distillate Fuel Oil	5,010	4,757	253	5,068	-1.2	4,811	4.1	4,894	4,914	-0.4
15 ppm sulfur and Under	4,820	4,623	197	4,832	-0.2	4,707	2.4	4,725	4,707	0.4
> 15 ppm to 500 ppm sulfur	92	103	-11	148	-38.0	76	20.5	101	115	-12.2
> 500 ppm sulfur	99	31	67	89	11.2	27	259.4	67	92	-26.6
Kerosene	16	15	1	-1	-2,000.8	24	-35.2	18	20	-9.2
Kerosene-Type Jet Fuel	1,914	1,965	-51	1,888	1.4	1,711	11.8	1,965	1,880	4.5
Residual Fuel Oil	314	286	28	340	-7.5	200	57.3	293	289	1.5
Blender Net Production										
Finished Motor Gasoline¹	8,479	8,411	68	8,427	0.6	8,434	0.5	8,401	8,474	-0.9
East Coast (PADD 1)	3,237	3,189	48	3,229	0.3	3,100	4.4	3,191	3,238	-1.4
Midwest (PADD 2)	2,224	2,199	25	2,229	-0.2	2,264	-1.8	2,198	2,235	-1.6
Gulf Coast (PADD 3)	1,480	1,427	53	1,376	7.5	1,449	2.1	1,426	1,412	1.0
Rocky Mountain (PADD 4)	185	217	-32	227	-18.5	219	-15.4	200	219	-8.8
West Coast (PADD 5)	1,353	1,378	-25	1,366	-1.0	1,403	-3.6	1,385	1,370	1.1
Reformulated	3,034	3,030	5	3,084	-1.6	2,982	1.8	3,026	3,099	-2.4
Blended with Ethanol	3,034	3,030	5	3,084	-1.6	2,982	1.8	3,026	3,099	-2.4
Other	0	0	0	0	0.0	0	-37.5	0	0	55.6
Conventional	5,444	5,381	64	5,343	1.9	5,452	-0.1	5,374	5,375	0.0
Blended with Ethanol	5,468	5,423	45	5,451	0.3	5,551	-1.5	5,418	5,444	-0.5
Ed55 and Lower	5,460	5,415	45	5,441	0.3	5,540	-1.4	5,410	5,435	-0.5
Greater than Ed55	8	9	-1	10	-18.4	11	-29.5	8	9	-10.5
Other	-24	-43	19	-108	-78.2	-98	-76.0	-43	-69	-37.5
Distillate Fuel Oil	24	33	-9	38	-37.1	39	-39.3	30	36	-17.0
15 ppm sulfur and Under	24	33	-9	38	-37.0	39	-38.3	30	37	-19.2
> 15 ppm to 500 ppm sulfur	4	5	-1	4	11.8	4	-5.0	4	4	16.3
> 500 ppm sulfur	-4	-5	1	-4	15.2	-4	12.9	-4	-5	-7.1
Kerosene	-1	3	-5	-1	11.1	-2	-28.6	0	-1	-90.9
Kerosene-Type Jet Fuel	4	-1	5	4	-17.0	4	-13.4	2	4	-44.3

-- = Not Applicable.

¹ Does not include adjustments for fuel ethanol and motor gasoline blending components.

Notes: Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Table 4. Stocks of Crude Oil by PAD District, and Stocks of Petroleum Products,¹ U.S. Totals
(Million Barrels)

Product / Region	Current Week	Last Week		Year Ago		2 Years Ago	
	6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23 ²	Percent Change ²
Crude Oil	821.7	817.6	4.1	821.1	0.1	799.3	2.8
Commercial (Excluding SPR)³	419.0	415.1	3.8	448.5	-6.6	452.2	-7.3
East Coast (PADD 1)	8.9	9.1	-0.2	8.1	10.5	7.9	13.0
Midwest (PADD 2)	103.0	102.3	0.7	116.0	-11.3	127.3	-19.1
Cushing ⁴	20.7	22.2	-1.5	34.2	-39.5	42.8	-51.6
Gulf Coast (PADD 3)	234.9	229.9	5.0	257.1	-8.6	244.5	-3.9
Rocky Mountain (PADD 4)	23.4	23.8	-0.4	23.4	0.1	25.1	-6.7
West Coast (PADD 5)	48.7	50.0	-1.3	43.9	11.0	47.4	2.8
Alaska In-Transit ⁵	3.3	4.6	-1.3	2.2	49.7	4.0	-16.7
SPR⁶	402.8	402.5	0.2	372.6	8.1	347.2	16.0
Total Motor Gasoline⁷	232.1	227.9	4.2	231.7	0.2	219.5	5.8
Reformulated	0.0	0.0	0.0	0.0	41.2	0.0	-17.2
Conventional	17.6	15.0	2.6	16.1	9.4	17.2	2.5
Blending Components ⁷	214.5	212.9	1.6	215.6	-0.5	202.2	6.1
Fuel Ethanol⁷	24.1	24.4	-0.3	23.6	2.2	22.3	8.3
Kerosene-Type Jet Fuel	45.2	44.5	0.6	43.3	4.3	41.4	9.2
Distillate Fuel Oil⁷	103.6	105.3	-1.7	119.7	-13.5	113.4	-8.6
15 ppm sulfur and Under ⁷	95.0	96.5	-1.4	109.3	-13.1	103.1	-7.8
> 15 ppm to 500 ppm sulfur	3.1	3.1	-0.1	3.2	-6.0	3.1	-2.5
> 500 ppm sulfur	5.5	5.7	-0.2	7.1	-22.6	7.2	-22.9
Residual Fuel Oil	22.3	22.7	-0.4	28.2	-20.9	30.9	-27.9
Propane/Propylene⁸	75.7	72.6	3.0	75.8	-0.2	81.1	-6.7
Other Oils⁹	318.2	318.1	0.0	312.2	1.9	300.5	5.9
Unfinished Oils	81.4	81.9	-0.5	87.1	-6.6	85.2	-4.5
Total Stocks (Including SPR)^{4,7,8}	1,642.8	1,633.2	9.6	1,655.7	-0.8	1,608.3	2.1
Total Stocks (Excluding SPR)^{7,8}	1,240.1	1,230.7	9.4	1,283.1	-3.4	1,261.2	-1.7

-- = Not Applicable.

¹ Includes those domestic and Customs-cleared foreign stocks held at, or in transit to, refineries, ethanol plants, and bulk terminals, as well as stocks in pipelines. Stocks (excluding propane) held at natural gas processing plants are included in "Other Oils." All stock levels are as of the end of the period.

² Year-ago data originally published for crude oil stocks included lease stocks which began being excluded from commercial crude oil inventories with data for the week ended October 7, 2016.

³ Includes those domestic and Customs-cleared foreign crude oil stocks held at refineries and tank farms or in transit thereto, and in pipelines.

⁴ Includes domestic and foreign crude oil stocks held in tank farms in Lincoln, Payne, and Creek counties in Oklahoma. Cushing, Oklahoma, is the designated delivery point for NYMEX crude oil futures contracts.

⁵ Includes crude oil stocks in transit by water between Alaska and the other States, the District of Columbia, Puerto Rico, and the Virgin Islands, as well as stocks held at transshipment terminals.

⁶ Includes non-U.S. stocks held under foreign or commercial storage agreements.

⁷ Excludes stocks located in the "Northeast Heating Oil Reserve", "Northeast Regional Refined Petroleum Product Reserve", and "State of New York's Strategic Fuels Reserve Program." For details see Appendix C.

⁸ Prior to April 10, 2020 this included stocks of propylene held at terminals.

⁹ Includes weekly data for NGPLs and LRGs (except propane/propylene), kerosene, and asphalt and road oil; and estimated stocks of minor products based on monthly data.

Notes: Some data estimated (see Sources for clarification). Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Figure 1. Stocks of Crude Oil by PAD District, June 2023 to Present




Table 5. Stocks of Total Motor Gasoline and Fuel Ethanol by PAD District
(Million Barrels)

Product / Region	Current Week	Last Week		Year Ago		2 Years Ago	
	6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23	Percent Change
Motor Gasoline							
Total Motor Gasoline ¹	232.1	227.9	4.2	231.7	0.2	219.5	5.8
East Coast (PADD 1)	61.7	60.8	0.9	57.0	8.2	56.5	9.2
Midwest (PADD 2)	47.4	47.6	-0.2	48.1	-1.4	44.8	5.7
Gulf Coast (PADD 3)	86.1	83.6	2.5	86.8	-0.8	84.1	2.4
Rocky Mountain (PADD 4)	7.0	7.4	-0.3	7.9	-11.3	6.2	13.8
West Coast (PADD 5)	29.9	28.7	1.3	31.9	-6.0	27.9	7.3
Finished Motor Gasoline	17.6	15.0	2.6	16.1	9.4	17.2	2.4
East Coast (PADD 1)	4.0	3.4	0.5	2.8	42.7	2.8	44.8
Midwest (PADD 2)	3.8	3.5	0.3	4.0	-3.2	3.7	5.1
Gulf Coast (PADD 3)	7.1	5.3	1.8	6.3	12.4	8.2	-13.0
Rocky Mountain (PADD 4)	1.1	1.0	0.1	1.2	-11.5	0.8	31.1
West Coast (PADD 5)	1.6	1.7	-0.1	1.8	-10.7	1.8	-11.0
Reformulated	0.0	0.0	0.0	0.0	41.2	0.0	-17.2
East Coast (PADD 1)	0.0	0.0	0.0	0.0	33.3	0.0	0.0
Midwest (PADD 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rocky Mountain (PADD 4)	0.0	0.0	0.0	0.0	0.0	0.0	-100.0
West Coast (PADD 5)	0.0	0.0	0.0	0.0	42.9	0.0	0.0
Conventional	17.6	15.0	2.6	16.1	9.4	17.2	2.5
East Coast (PADD 1)	4.0	3.4	0.5	2.8	42.8	2.7	44.8
Midwest (PADD 2)	3.8	3.5	0.3	4.0	-3.2	3.7	5.1
Gulf Coast (PADD 3)	7.1	5.3	1.8	6.3	12.4	8.2	-13.0
Rocky Mountain (PADD 4)	1.1	1.0	0.1	1.2	-11.5	0.8	31.9
West Coast (PADD 5)	1.6	1.7	-0.1	1.8	-11.1	1.8	-11.1
Blending Components ¹	214.5	212.9	1.6	215.6	-0.5	202.2	6.1
East Coast (PADD 1) ¹	57.7	57.3	0.4	54.2	6.4	53.7	7.4
Midwest (PADD 2)	43.6	44.1	-0.5	44.1	-1.3	41.2	5.8
Gulf Coast (PADD 3)	79.0	78.2	0.8	80.5	-1.9	75.9	4.0
Rocky Mountain (PADD 4)	5.9	6.3	-0.4	6.7	-11.3	5.3	11.1
West Coast (PADD 5)	28.3	27.0	1.4	30.1	-5.7	26.1	8.6
Fuel Ethanol							
Fuel Ethanol ¹	24.1	24.4	-0.3	23.6	2.2	22.3	8.3
East Coast (PADD 1) ¹	7.6	7.7	-0.1	7.0	8.1	6.9	9.2
Midwest (PADD 2)	9.6	9.7	-0.1	9.5	1.1	8.6	11.6
Gulf Coast (PADD 3)	4.2	4.4	-0.2	4.4	-4.8	4.0	4.3
Rocky Mountain (PADD 4)	0.3	0.3	0.0	0.3	-3.9	0.4	-12.0
West Coast (PADD 5)	2.4	2.3	0.1	2.3	3.1	2.3	3.7

-- = Not Applicable.

¹ Excludes stocks located in the "Northeast Regional Refined Petroleum Product Reserve" and "State of New York's Strategic Fuels Reserve Program." For details see Appendix C.

Notes: Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.
Data source: See page 29.

Figure 2. Stocks of Total Motor Gasoline by PAD District, June 2023 to Present




Table 6. Stocks of Distillate, Kerosene-Type Jet Fuel, Residual Fuel Oil, and Propane/Propylene by PAD District
(Million Barrels)

Product / Region	Current Week	Last Week		Year Ago		2 Years Ago	
	6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23	Percent Change
Distillate Fuel Oil¹	103.6	105.3	-1.7	119.7	-13.5	113.4	-8.6
East Coast (PADD 1) ¹	21.5	22.9	-1.4	33.3	-35.4	26.7	-19.4
New England (PADD 1A) ¹	3.1	3.3	-0.2	4.2	-26.5	3.4	-10.2
Central Atlantic (PADD 1B) ¹	10.0	10.9	-0.9	16.7	-40.4	11.4	-12.6
Lower Atlantic (PADD 1C)	8.5	8.8	-0.3	12.4	-31.6	11.9	-28.6
Midwest (PADD 2)	24.8	25.0	-0.3	30.5	-18.8	28.3	-12.6
Gulf Coast (PADD 3)	42.7	43.3	-0.6	42.0	1.7	42.5	0.3
Rocky Mountain (PADD 4)	3.7	3.8	0.0	3.9	-3.4	4.0	-5.7
West Coast (PADD 5)	10.9	10.3	0.6	10.1	8.3	11.8	-7.6
15 ppm sulfur and Under	95.0	96.5	-1.4	109.3	-13.1	103.1	-7.8
East Coast (PADD 1) ¹	20.2	21.6	-1.4	31.4	-35.7	25.3	-20.1
New England (PADD 1A) ¹	3.1	3.3	-0.2	4.2	-26.7	3.4	-10.1
Central Atlantic (PADD 1B) ¹	9.5	10.4	-0.9	15.7	-39.6	10.7	-11.3
Lower Atlantic (PADD 1C)	7.7	8.0	-0.3	11.6	-33.7	11.2	-31.5
Midwest (PADD 2)	24.2	24.5	-0.3	29.7	-18.6	27.4	-11.9
Gulf Coast (PADD 3)	36.9	37.1	-0.3	35.3	4.4	35.7	3.4
Rocky Mountain (PADD 4)	3.6	3.7	0.0	3.7	-2.0	3.7	-3.0
West Coast (PADD 5)	10.2	9.5	0.7	9.2	10.1	10.9	-6.9
> 15 ppm to 500 ppm sulfur	3.1	3.1	-0.1	3.2	-6.0	3.1	-2.5
East Coast (PADD 1)	0.7	0.7	0.1	0.6	9.7	0.6	22.4
New England (PADD 1A)	0.0	0.0	0.0	0.0	98.7	0.0	-33.8
Central Atlantic (PADD 1B)	0.2	0.2	0.0	0.2	32.8	0.1	173.0
Lower Atlantic (PADD 1C)	0.5	0.4	0.0	0.5	-0.4	0.5	-4.0
Midwest (PADD 2)	0.2	0.3	-0.1	0.4	-40.3	0.3	-11.3
Gulf Coast (PADD 3)	1.9	1.9	0.0	1.7	6.1	1.8	0.4
Rocky Mountain (PADD 4)	0.1	0.1	0.0	0.1	-55.8	0.2	-67.7
West Coast (PADD 5)	0.2	0.2	0.0	0.3	-41.4	0.2	-26.2
> 500 ppm sulfur	5.5	5.7	-0.2	7.1	-22.6	7.2	-22.9
East Coast (PADD 1)	0.6	0.6	0.0	1.3	-50.4	0.9	-27.3
New England (PADD 1A)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Central Atlantic (PADD 1B)	0.2	0.2	0.0	0.8	-71.8	0.6	-61.5
Lower Atlantic (PADD 1C)	0.4	0.4	0.0	0.4	-8.3	0.2	56.8
Midwest (PADD 2)	0.3	0.2	0.1	0.4	-15.0	0.6	-43.3
Gulf Coast (PADD 3)	4.0	4.3	-0.3	4.9	-19.5	5.0	-21.3
Rocky Mountain (PADD 4)	0.1	0.1	0.0	0.1	31.4	0.1	13.6
West Coast (PADD 5)	0.5	0.6	-0.1	0.5	4.8	0.6	-13.2
Kerosene-Type Jet Fuel	45.2	44.5	0.6	43.3	4.3	41.4	9.2
East Coast (PADD 1)	11.2	11.2	0.0	10.1	10.8	12.3	-8.8
Midwest (PADD 2)	6.8	6.7	0.1	7.2	-5.9	7.3	-7.2
Gulf Coast (PADD 3)	15.0	14.0	1.0	15.2	-1.1	12.3	22.2
Rocky Mountain (PADD 4)	0.7	0.7	0.0	0.7	-5.1	0.8	-14.0
West Coast (PADD 5)	11.5	12.0	-0.5	10.1	13.8	8.7	32.0
Residual Fuel Oil	22.3	22.7	-0.4	28.2	-20.9	30.9	-27.9
East Coast (PADD 1)	5.9	5.7	0.2	5.7	3.2	6.6	-10.7
New England (PADD 1A)	0.1	0.2	0.0	0.1	45.9	0.1	60.6
Central Atlantic (PADD 1B)	4.4	4.1	0.3	4.3	3.2	5.1	-13.2
Lower Atlantic (PADD 1C)	1.3	1.4	-0.1	1.3	0.2	1.4	-6.3
Midwest (PADD 2)	1.4	1.3	0.0	1.0	39.6	1.1	26.9
Gulf Coast (PADD 3)	10.6	11.5	-0.9	16.7	-36.5	18.6	-42.9
Rocky Mountain (PADD 4)	0.2	0.2	0.0	0.2	8.1	0.3	-15.5
West Coast (PADD 5)	4.2	3.9	0.3	4.6	-8.6	4.3	-4.2
Propane/Propylene²	75.7	72.6	3.0	75.8	-0.2	81.1	-6.7
East Coast (PADD 1) ²	6.5	5.7	0.8	6.4	1.5	4.9	31.7
New England (PADD 1A) ²	0.3	0.3	0.0	0.2	47.7	0.2	81.7
Central Atlantic (PADD 1B) ²	4.8	4.0	0.7	4.4	7.7	3.6	32.4
Lower Atlantic (PADD 1C) ²	1.4	1.3	0.0	1.7	-20.4	1.1	21.3
Midwest (PADD 2) ²	18.4	17.0	1.4	23.4	-21.1	21.0	-12.3
Gulf Coast (PADD 3) ²	46.9	46.2	0.7	41.3	13.7	50.5	-7.2
PADDs 4 and 5 ²	3.8	3.7	0.1	4.8	-21.1	4.6	-18.1
Propane, fractionated and ready for sale³	43.2	40.8	2.4	47.8	-9.6	—	—
East Coast (PADD 1)	5.1	4.3	0.8	4.8	6.3	—	—
New England (PADD 1A)	0.3	0.3	0.0	0.2	47.7	—	—
Central Atlantic (PADD 1B)	3.7	3.0	0.8	3.3	14.0	—	—
Lower Atlantic (PADD 1C)	1.1	1.0	0.0	1.3	-19.9	—	—
Midwest (PADD 2)	12.1	11.0	1.2	16.5	-26.5	—	—
Gulf Coast (PADD 3)	24.0	23.6	0.4	23.7	1.4	—	—
Rocky Mountain (PADD 4)	0.5	0.4	0.1	1.0	-51.2	—	—
West Coast (PADD 5)	1.4	1.4	0.0	1.7	-19.9	—	—
Propylene (Total U.S. Nonfuel Use)² ...	—	—	—	—	—	—	—

— = Data Not Available.

-- = Not Applicable.

R = Revised Data.

¹ Excludes stocks located in the "Northeast Heating Oil Reserve" and "State of New York's Strategic Fuels Reserve Program." For details see Appendix C.

² Prior to April 10, 2020 this included stocks of propylene held at terminals.

³ Includes fractionated propane ready for sale (for example HD-5 propane and HD-10 propane) but excludes the propane component of unfractionated mixed products. Also excludes propylene.

Notes: Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Figure 3. Stocks of Distillate Fuel Oil by PAD District, June 2023 to Present




Figure 4. Stocks of Kerosene-Type Jet Fuel by PAD District, June 2023 to Present




Figure 5. Stocks of Residual Fuel Oil by PAD District, June 2023 to Present




Figure 6. Stocks of Propane/Propylene by PAD District, June 2023 to Present




Table 7. Imports of Crude Oil and Total Products by PAD District
(Thousand Barrels per Day)

Product / Region	Current Week	Last Week		Year Ago		2 Years Ago		Four-Week Averages		
	6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23	Percent Change	6/27/25	6/28/24	Percent Change
Net Imports (Incl. SPR)	-403	-3,724	3,321	-2,908	-86.1	-597	-32.5	-2,623	-1,705	53.9
Imports (Incl. SPR)	8,534	7,723	811	8,609	-0.9	9,246	-7.7	7,869	9,139	-13.9
Exports ¹	8,937	11,447	-2,510	11,517	-22.4	9,843	-9.2	10,493	10,844	-3.2
Crude Oil Net Imports (Incl. SPR)	4,614	1,674	2,941	2,146	115.0	3,137	47.1	2,580	3,150	-18.1
Commercial ²	6,919	5,944	976	6,547	5.7	7,038	-1.7	6,136	7,129	-13.9
East Coast (PADD 1)	960	791	168	988	-2.8	654	46.7	657	729	-9.8
Midwest (PADD 2)	3,022	2,418	604	3,092	-2.3	2,959	2.1	2,705	3,016	-10.3
Gulf Coast (PADD 3)	1,546	1,104	442	1,226	26.2	1,400	10.4	1,211	1,461	-17.1
Rocky Mountain (PADD 4)	447	279	168	439	1.8	359	24.5	403	438	-8.2
West Coast (PADD 5)	944	1,352	-407	802	17.7	1,666	-43.3	1,159	1,484	-21.9
Imports by SPR	0	0	0	0	0.0	0	0.0	0	0	0.0
Imports into SPR by Others	0	0	0	0	0.0	0	0.0	0	0	0.0
Exports ³	2,305	4,270	-1,965	4,401	-47.6	3,901	-40.9	3,556	3,979	-10.6
Total Products Net Imports	-5,017	-5,397	380	-5,053	--	-3,734	--	-5,203	-4,855	--
Imports	1,615	1,780	-165	2,063	-21.7	2,208	-26.9	1,734	2,010	-13.7
East Coast (PADD 1)	816	1,166	-351	804	1.4	1,078	-24.4	971	932	4.2
Midwest (PADD 2)	108	94	15	109	-0.3	100	8.1	107	94	13.3
Gulf Coast (PADD 3)	269	306	-37	765	-64.8	654	-58.8	267	600	-55.5
Rocky Mountain (PADD 4)	13	13	0	19	-32.6	20	-35.6	13	20	-35.7
West Coast (PADD 5)	409	200	208	366	11.6	354	15.3	376	363	3.5
Motor Gasoline	906	1,007	-101	851	6.5	851	6.5	947	881	7.5
Reformulated	0	0	0	0	0.0	0	0.0	0	0	0.0
Conventional	171	246	-76	64	167.6	108	58.7	205	116	76.4
Blending Components	736	761	-25	787	-6.6	743	-1.0	742	765	-3.0
Fuel Ethanol	0	0	0	0	0.0	0	0.0	0	0	0.0
Kerosene-Type Jet Fuel	74	13	61	130	-42.9	200	-62.9	78	94	-16.7
Distillate Fuel Oil	118	73	45	94	25.8	113	4.8	112	117	-4.2
15 ppm sulfur and Under	118	73	45	91	29.2	113	4.8	112	114	-2.0
> 15 ppm to 500 ppm sulfur	0	0	0	0	0.0	0	0.0	0	1	-100.0
> 500 ppm to 2000 ppm sulfur	0	0	0	2	-100.0	0	0.0	0	2	-100.0
> 2000 ppm sulfur	0	0	0	0	0.0	0	0.0	0	0	0.0
Residual Fuel Oil	28	114	-86	45	-37.2	211	-86.7	68	80	-14.6
Propane/Propylene	73	64	9	79	-8.4	61	19.8	76	82	-7.1
Other Oils	415	509	-94	864	-51.9	772	-46.2	453	757	-40.2
Exports	6,632	7,177	-545	7,116	-6.8	5,942	11.6	6,937	6,865	1.1

-- = Not Applicable.

¹ Includes estimated exports of crude oil, refined petroleum products, and fuel ethanol.

² Prior to June 4, 2010, included "Imports into SPR by Others."

³ On December 18, 2015, the U.S. enacted legislation authorizing the export of U.S. crude oil without a license. Exports to embargoed or sanctioned countries continue to require authorization.

Notes: Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Table 8. Preliminary Crude Imports by Country of Origin (For the Top 10 Importing Countries of 2024)¹
(Thousand Barrels per Day)

Countries ²	2024 Percentage ³	Current Week	Last Week		Year Ago		2 Years Ago		Four-Week Averages		
		6/27/25	6/20/25	Difference	6/28/24	Percent Change	6/30/23	Percent Change	6/27/25	6/28/24	Percent Change
Crude Imports By Country of Origin											
Canada	59.9	4,228	3,168	1,061	3,918	7.9	3,611	17.1	3,613	3,980	-9.2
Mexico	11.3	342	397	-56	332	2.8	882	-61.3	415	563	-26.4
Saudi Arabia	5.4	351	346	5	146	140.0	313	12.2	263	239	10.0
Iraq	3.3	212	183	29	191	10.9	122	73.6	173	194	-11.0
Colombia	3.1	175	325	-150	276	-36.7	287	-39.1	172	185	-7.0
Brazil	2.9	191	299	-108	74	158.6	224	-14.8	283	188	50.6
Nigeria	2.4	419	203	216	222	89.1	192	118.9	226	143	57.6
Venezuela	2.0	64	70	-6	—	-79.7	—	-59.4	99	—	-59.5
Ecuador	2.0	126	5	121	152	-16.9	157	-19.3	113	177	-36.4
Libya	1.2	80	240	-160	89	-10.3	45	77.2	102	66	56.3

— = Data Not Available.

¹ Preliminary data collected weekly. See the Petroleum Supply Monthly for updated data or the Petroleum Supply Annual for final data.

² Countries reported represent the top 10 countries based on annual import volumes from the PSM data as published on 8/31/2024 from the prior year full year. Some data estimated.

³ Calculated from annualized import data of each country as a percentage of the total imports from the last full calendar year of the Petroleum Supply Annual as published on

8/31/2024.

Notes: Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted)

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Crude Oil Production						
Domestic Production²	13,433	13,435	13,200	12,400	13,432	13,200
Alaska	413	425	383	430	427	408
Lower 48	13,020	13,010	12,800	12,000	13,005	12,800
Refiner Inputs and Utilization						
Crude Oil Inputs	17,105	16,987	16,792	16,030	17,045	16,784
East Coast (PADD 1)	778	830	838	601	793	809
Midwest (PADD 2)	4,223	4,216	3,943	3,977	4,157	3,988
Gulf Coast (PADD 3)	9,261	9,183	9,246	8,623	9,297	9,177
Rocky Mountain (PADD 4)	630	618	624	596	633	630
West Coast (PADD 5)	2,212	2,140	2,140	2,234	2,164	2,179
Gross Inputs	17,235	17,199	17,143	16,648	17,236	17,173
East Coast (PADD 1)	781	840	841	669	798	829
Midwest (PADD 2)	4,211	4,224	3,954	3,989	4,157	3,997
Gulf Coast (PADD 3)	9,330	9,255	9,523	8,993	9,365	9,456
Rocky Mountain (PADD 4)	614	619	621	595	630	627
West Coast (PADD 5)	2,300	2,261	2,204	2,402	2,286	2,264
Operable Capacity³	18,160	18,160	18,326	18,270	18,283	18,352
East Coast (PADD 1)	912	912	910	878	912	920
Midwest (PADD 2)	4,248	4,248	4,246	4,206	4,248	4,246
Gulf Coast (PADD 3)	9,799	9,799	9,987	9,917	9,928	9,988
Rocky Mountain (PADD 4)	644	644	652	650	644	652
West Coast (PADD 5)	2,558	2,558	2,531	2,620	2,552	2,546
Percent Utilization⁴	94.9	94.7	93.5	91.1	94.3	93.6
East Coast (PADD 1)	85.7	92.2	92.4	76.3	87.5	90.1
Midwest (PADD 2)	99.1	99.4	93.1	94.8	97.9	94.1
Gulf Coast (PADD 3)	95.2	94.5	95.4	90.7	94.3	94.7
Rocky Mountain (PADD 4)	95.4	96.1	95.2	91.5	97.8	96.2
West Coast (PADD 5)	89.9	88.4	87.1	91.7	89.6	88.9
Refiner and Blender Net Inputs						
Motor Gasoline Blending Components	606	460	535	692	473	598
East Coast (PADD 1)	2,581	2,475	2,560	2,516	2,485	2,553
Midwest (PADD 2)	162	170	295	243	159	233
Gulf Coast (PADD 3)	-2,325	-2,409	-2,523	-2,168	-2,374	-2,385
Rocky Mountain (PADD 4)	62	41	77	53	32	55
West Coast (PADD 5)	126	183	126	48	170	142
RBOB	450	427	547	244	448	403
East Coast (PADD 1)	603	534	747	586	549	613
Midwest (PADD 2)	42	74	56	69	64	74
Gulf Coast (PADD 3)	-337	-302	-353	-483	-315	-415
Rocky Mountain (PADD 4)	64	54	49	0	56	51
West Coast (PADD 5)	78	68	48	73	94	80
CBOB	195	163	159	94	103	133
East Coast (PADD 1)	1,658	1,598	1,658	1,509	1,602	1,646
Midwest (PADD 2)	77	56	251	150	82	188
Gulf Coast (PADD 3)	-1,556	-1,632	-1,842	-1,569	-1,631	-1,720
Rocky Mountain (PADD 4)	0	-8	33	48	-11	2
West Coast (PADD 5)	16	148	60	-43	61	17
GTAB	103	132	21	213	112	68
East Coast (PADD 1)	103	132	21	213	112	68
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
All Other Blending Components	-142	-263	-193	140	-191	-6
East Coast (PADD 1)	217	210	134	208	223	226
Midwest (PADD 2)	43	40	-12	24	13	-30
Gulf Coast (PADD 3)	-432	-475	-328	-116	-428	-249
Rocky Mountain (PADD 4)	-2	-4	-6	6	-13	2
West Coast (PADD 5)	32	-34	18	18	15	46
Fuel Ethanol	925	913	925	923	913	924
East Coast (PADD 1)	337	331	336	327	331	335
Midwest (PADD 2)	259	248	252	257	250	252
Gulf Coast (PADD 3)	151	153	157	157	152	156
Rocky Mountain (PADD 4)	31	34	34	30	32	33
West Coast (PADD 5)	147	147	145	152	149	147
Refiner and Blender Net Production						
Finished Motor Gasoline⁵	9,621	10,112	10,061	10,265	9,889	10,050
Finished Motor Gasoline (excl. Adjustment)⁶	9,661	9,589	9,752	9,780	9,607	9,867
East Coast (PADD 1)	3,294	3,243	3,300	3,154	3,245	3,304
Midwest (PADD 2)	2,564	2,572	2,575	2,600	2,546	2,573
Gulf Coast (PADD 3)	2,033	1,922	2,081	2,201	1,996	2,165
Rocky Mountain (PADD 4)	346	389	392	357	368	386
West Coast (PADD 5)	1,423	1,462	1,403	1,467	1,452	1,439
Adjustment⁷	-40	523	309	485	282	183
Reformulated⁶	3,123	3,121	3,120	3,025	3,117	3,140
East Coast (PADD 1)	1,205	1,182	1,223	1,160	1,188	1,216
Midwest (PADD 2)	349	347	342	333	343	351
Gulf Coast (PADD 3)	500	490	502	490	489	506
Rocky Mountain (PADD 4)	91	104	55	0	101	58
West Coast (PADD 5)	977	998	998	1,042	995	1,009

See footnotes at end of table.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted) — Continued

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Refiner and Blender Net Production						
Blended with Fuel Ethanol⁶	3,123	3,121	3,120	3,025	3,117	3,140
East Coast (PADD 1)	1,205	1,182	1,223	1,159	1,188	1,216
Midwest (PADD 2)	349	347	342	333	343	351
Gulf Coast (PADD 3)	500	490	502	490	489	506
Rocky Mountain (PADD 4)	91	104	55	0	101	58
West Coast (PADD 5)	977	998	998	1,042	995	1,009
Other⁶	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Conventional⁶	6,537	6,468	6,632	6,755	6,490	6,726
East Coast (PADD 1)	2,089	2,061	2,077	1,994	2,057	2,088
Midwest (PADD 2)	2,215	2,225	2,234	2,267	2,202	2,222
Gulf Coast (PADD 3)	1,533	1,432	1,579	1,711	1,507	1,658
Rocky Mountain (PADD 4)	255	285	337	357	267	328
West Coast (PADD 5)	446	465	405	425	457	430
Blended with Fuel Ethanol⁶	5,899	5,859	5,983	6,042	5,853	5,955
East Coast (PADD 1)	2,126	2,084	2,107	2,069	2,082	2,104
Midwest (PADD 2)	2,091	2,062	2,114	2,148	2,068	2,100
Gulf Coast (PADD 3)	1,019	1,014	1,029	1,072	1,016	1,035
Rocky Mountain (PADD 4)	199	228	285	296	208	270
West Coast (PADD 5)	465	471	448	457	479	445
Ed55 and Lower	5,892	5,850	5,973	6,031	5,845	5,946
East Coast (PADD 1)	2,124	2,081	2,104	2,066	2,080	2,101
Midwest (PADD 2)	2,086	2,057	2,109	2,141	2,063	2,095
Gulf Coast (PADD 3)	1,018	1,013	1,028	1,071	1,015	1,034
Rocky Mountain (PADD 4)	199	228	285	295	208	270
West Coast (PADD 5)	465	471	447	457	479	445
Greater than Ed55	8	9	10	11	8	9
East Coast (PADD 1)	2	2	3	3	2	3
Midwest (PADD 2)	5	5	5	7	5	5
Gulf Coast (PADD 3)	0	1	1	1	1	1
Rocky Mountain (PADD 4)	0	0	0	1	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Other⁶	638	609	649	712	637	771
East Coast (PADD 1)	-37	-23	-30	-75	-25	-16
Midwest (PADD 2)	124	163	120	119	135	122
Gulf Coast (PADD 3)	514	418	550	639	491	623
Rocky Mountain (PADD 4)	56	57	52	62	58	57
West Coast (PADD 5)	-19	-6	-43	-32	-22	-15
Kerosene-Type Jet Fuel	1,918	1,964	1,892	1,716	1,967	1,884
East Coast (PADD 1)	76	93	106	82	85	103
Midwest (PADD 2)	328	334	323	281	333	306
Gulf Coast (PADD 3)	1,033	1,020	986	871	1,061	984
Rocky Mountain (PADD 4)	34	30	35	38	32	32
West Coast (PADD 5)	446	489	441	445	456	461
Commercial⁸	1,880	1,934	1,831	1,660	1,926	1,846
East Coast (PADD 1)	76	98	106	82	87	103
Midwest (PADD 2)	329	332	323	280	333	306
Gulf Coast (PADD 3)	1,008	999	963	855	1,039	971
Rocky Mountain (PADD 4)	28	25	29	33	27	26
West Coast (PADD 5)	438	480	409	411	440	440
Military⁸	34	32	57	51	39	35
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	1	2	1	1	1	1
Gulf Coast (PADD 3)	23	19	22	13	21	11
Rocky Mountain (PADD 4)	2	2	3	2	2	3
West Coast (PADD 5)	8	8	32	34	15	20
Distillate Fuel Oil	5,034	4,789	5,106	4,850	4,924	4,950
East Coast (PADD 1)	232	249	255	157	229	227
Midwest (PADD 2)	1,243	1,163	1,102	1,232	1,192	1,149
Gulf Coast (PADD 3)	2,889	2,752	3,089	2,771	2,874	2,978
Rocky Mountain (PADD 4)	200	199	187	204	203	192
West Coast (PADD 5)	469	427	473	485	426	405
15 ppm sulfur and Under	4,843	4,655	4,870	4,746	4,755	4,744
East Coast (PADD 1)	231	249	223	173	230	215
Midwest (PADD 2)	1,229	1,158	1,098	1,230	1,185	1,153
Gulf Coast (PADD 3)	2,730	2,639	2,916	2,668	2,729	2,796
Rocky Mountain (PADD 4)	200	198	192	206	202	193
West Coast (PADD 5)	454	412	440	469	410	386
> 15 ppm to 500 ppm sulfur	96	108	152	81	106	119
East Coast (PADD 1)	0	1	8	1	1	6
Midwest (PADD 2)	-2	4	11	6	6	5
Gulf Coast (PADD 3)	84	91	97	76	88	94
Rocky Mountain (PADD 4)	0	0	0	0	1	0
West Coast (PADD 5)	13	11	35	-3	10	14
> 500 ppm sulfur	94	26	85	24	63	87
East Coast (PADD 1)	1	-1	24	-16	-1	5
Midwest (PADD 2)	15	1	-7	-5	1	-9
Gulf Coast (PADD 3)	75	22	76	27	57	87
Rocky Mountain (PADD 4)	0	0	-5	-2	1	-1
West Coast (PADD 5)	3	4	-2	19	6	4

See footnotes at end of table.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted) — Continued

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Refiner and Blender Net Production						
Residual Fuel Oil	315	293	339	199	296	289
East Coast (PADD 1)	27	32	58	30	27	50
Midwest (PADD 2)	31	45	39	48	36	31
Gulf Coast (PADD 3)	132	104	135	72	126	120
Rocky Mountain (PADD 4)	12	12	11	9	12	11
West Coast (PADD 5)	113	100	96	40	96	77
Propane/Propylene⁹	2,797	2,790	2,737	2,568	2,841	2,717
East Coast (PADD 1)	281	303	246	294	292	247
Midwest (PADD 2)	529	530	529	555	548	527
Gulf Coast (PADD 3)	1,717	1,717	1,721	1,465	1,750	1,707
PADDs 4 and 5	270	241	241	253	251	236
Ethanol Plant Production						
Fuel Ethanol	1,076	1,081	1,064	1,060	1,097	1,047
East Coast (PADD 1)	12	12	12	12	12	12
Midwest (PADD 2)	1,016	1,023	1,008	999	1,038	990
Gulf Coast (PADD 3)	28	26	25	24	27	25
Rocky Mountain (PADD 4)	10	11	10	13	11	10
West Coast (PADD 5)	10	10	8	11	9	10
Stocks (Million Barrels)¹⁰						
Crude Oil (including SPR)¹¹	821.7	817.6	821.1	799.3	--	--
Commercial	419.0	415.1	448.5	452.2	--	--
East Coast (PADD 1)	8.9	9.1	8.1	7.9	--	--
Midwest (PADD 2)	103.0	102.3	116.0	127.3	--	--
Cushing, Oklahoma ¹²	20.7	22.2	34.2	42.8	--	--
Gulf Coast (PADD 3)	234.9	229.9	257.1	244.5	--	--
Rocky Mountain (PADD 4)	23.4	23.8	23.4	25.1	--	--
West Coast (PADD 5)	48.7	50.0	43.9	47.4	--	--
Alaska In-Transit ¹³	3.3	4.6	2.2	4.0	--	--
SPR¹⁴	402.8	402.5	372.6	347.2	--	--
Total Motor Gasoline¹⁵	232.1	227.9	231.7	219.5	--	--
East Coast (PADD 1) ¹⁵	61.7	60.8	57.0	56.5	--	--
Midwest (PADD 2)	47.4	47.6	48.1	44.8	--	--
Gulf Coast (PADD 3)	86.1	83.6	86.8	84.1	--	--
Rocky Mountain (PADD 4)	7.0	7.4	7.9	6.2	--	--
West Coast (PADD 5)	29.9	28.7	31.9	27.9	--	--
Finished Motor Gasoline	17.6	15.0	16.1	17.2	--	--
Reformulated	0.0	0.0	0.0	0.0	--	--
East Coast (PADD 1)	0.0	0.0	0.0	0.0	--	--
Midwest (PADD 2)	0.0	0.0	0.0	0.0	--	--
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	--	--
Rocky Mountain (PADD 4)	0.0	0.0	0.0	0.0	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
Blended with Fuel Ethanol	0.0	0.0	0.0	0.0	--	--
East Coast (PADD 1)	0.0	0.0	0.0	0.0	--	--
Midwest (PADD 2)	0.0	0.0	0.0	0.0	--	--
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	--	--
Rocky Mountain (PADD 4)	0.0	0.0	0.0	0.0	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
Other	0.0	0.0	0.0	0.0	--	--
East Coast (PADD 1)	0.0	0.0	0.0	0.0	--	--
Midwest (PADD 2)	0.0	0.0	0.0	0.0	--	--
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	--	--
Rocky Mountain (PADD 4)	0.0	0.0	0.0	0.0	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
Conventional	17.6	15.0	16.1	17.2	--	--
East Coast (PADD 1)	4.0	3.4	2.8	2.7	--	--
Midwest (PADD 2)	3.8	3.5	4.0	3.7	--	--
Gulf Coast (PADD 3)	7.1	5.3	6.3	8.2	--	--
Rocky Mountain (PADD 4)	1.1	1.0	1.2	0.8	--	--
West Coast (PADD 5)	1.6	1.7	1.8	1.8	--	--
Blended with Fuel Ethanol	0.2	0.2	0.2	0.2	--	--
East Coast (PADD 1)	0.0	0.0	0.0	0.0	--	--
Midwest (PADD 2)	0.1	0.1	0.1	0.1	--	--
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	--	--
Rocky Mountain (PADD 4)	0.1	0.1	0.1	0.1	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
Ed55 and Lower	0.2	0.2	0.2	0.2	--	--
East Coast (PADD 1)	0.0	0.0	0.0	0.0	--	--
Midwest (PADD 2)	0.1	0.1	0.1	0.1	--	--
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	--	--
Rocky Mountain (PADD 4)	0.1	0.1	0.1	0.1	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
Greater than Ed55	0.0	0.0	0.0	0.0	--	--
East Coast (PADD 1)	0.0	0.0	0.0	0.0	--	--
Midwest (PADD 2)	0.0	0.0	0.0	0.0	--	--
Gulf Coast (PADD 3)	0.0	0.0	0.0	0.0	--	--
Rocky Mountain (PADD 4)	0.0	0.0	0.0	0.0	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
Other	17.4	14.8	15.9	17.0	--	--
East Coast (PADD 1)	4.0	3.4	2.8	2.7	--	--
Midwest (PADD 2)	3.7	3.4	3.9	3.5	--	--
Gulf Coast (PADD 3)	7.1	5.3	6.3	8.2	--	--
Rocky Mountain (PADD 4)	1.0	1.0	1.1	0.8	--	--
West Coast (PADD 5)	1.6	1.7	1.8	1.8	--	--

See footnotes at end of table.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted) — Continued

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Stocks (Million Barrels)¹⁰						
Motor Gasoline Blending Components¹⁵	214.5	212.9	215.6	202.2	--	--
East Coast (PADD 1) ¹⁵	57.7	57.3	54.2	53.7	--	--
Midwest (PADD 2)	43.6	44.1	44.1	41.2	--	--
Gulf Coast (PADD 3)	79.0	78.2	80.5	75.9	--	--
Rocky Mountain (PADD 4)	5.9	6.3	6.7	5.3	--	--
West Coast (PADD 5)	28.3	27.0	30.1	26.1	--	--
RBOB	55.1	52.1	52.2	48.6	--	--
East Coast (PADD 1) ¹⁵	21.9	20.1	18.9	17.6	--	--
Midwest (PADD 2)	6.1	6.3	6.1	5.7	--	--
Gulf Coast (PADD 3)	11.9	11.6	11.6	12.6	--	--
Rocky Mountain (PADD 4)	0.7	0.8	0.6	0.0	--	--
West Coast (PADD 5)	14.4	13.4	15.0	12.7	--	--
CBOB	103.6	106.1	105.1	103.5	--	--
East Coast (PADD 1) ¹⁵	27.4	28.8	27.7	29.1	--	--
Midwest (PADD 2)	29.7	29.8	29.7	28.8	--	--
Gulf Coast (PADD 3)	35.2	36.0	35.3	34.8	--	--
Rocky Mountain (PADD 4)	3.9	4.2	4.6	4.0	--	--
West Coast (PADD 5)	7.5	7.3	7.7	6.8	--	--
GTAB	1.1	1.1	0.9	0.6	--	--
East Coast (PADD 1)	0.9	0.9	0.7	0.5	--	--
Midwest (PADD 2)	0.0	0.0	0.0	0.0	--	--
Gulf Coast (PADD 3)	0.2	0.2	0.2	0.1	--	--
Rocky Mountain (PADD 4)	0.0	0.0	0.0	0.0	--	--
West Coast (PADD 5)	0.0	0.0	0.0	0.0	--	--
All Other Blending Components	54.8	53.6	57.4	49.6	--	--
East Coast (PADD 1)	7.5	7.5	6.8	6.6	--	--
Midwest (PADD 2)	7.7	8.0	8.4	6.6	--	--
Gulf Coast (PADD 3)	31.8	30.5	33.4	28.5	--	--
Rocky Mountain (PADD 4)	1.3	1.4	1.5	1.3	--	--
West Coast (PADD 5)	6.4	6.3	7.3	6.6	--	--
Fuel Ethanol¹⁵	24.1	24.4	23.6	22.3	--	--
East Coast (PADD 1) ¹⁵	7.6	7.7	7.0	6.9	--	--
Midwest (PADD 2)	9.6	9.7	9.5	8.6	--	--
Gulf Coast (PADD 3)	4.2	4.4	4.4	4.0	--	--
Rocky Mountain (PADD 4)	0.3	0.3	0.3	0.4	--	--
West Coast (PADD 5)	2.4	2.3	2.3	2.3	--	--
Kerosene-Type Jet Fuel	45.2	44.5	43.3	41.4	--	--
East Coast (PADD 1)	11.2	11.2	10.1	12.3	--	--
Midwest (PADD 2)	6.8	6.7	7.2	7.3	--	--
Gulf Coast (PADD 3)	15.0	14.0	15.2	12.3	--	--
Rocky Mountain (PADD 4)	0.7	0.7	0.7	0.8	--	--
West Coast (PADD 5)	11.5	12.0	10.1	8.7	--	--
Distillate Fuel Oil¹⁵	103.6	105.3	119.7	113.4	--	--
East Coast (PADD 1) ¹⁵	21.5	22.9	33.3	26.7	--	--
New England (PADD 1A) ¹⁵	3.1	3.3	4.2	3.4	--	--
Central Atlantic (PADD 1B) ¹⁵	10.0	10.9	16.7	11.4	--	--
Lower Atlantic (PADD 1C)	8.5	8.8	12.4	11.9	--	--
Midwest (PADD 2)	24.8	25.0	30.5	28.3	--	--
Gulf Coast (PADD 3)	42.7	43.3	42.0	42.5	--	--
Rocky Mountain (PADD 4)	3.7	3.8	3.9	4.0	--	--
West Coast (PADD 5)	10.9	10.3	10.1	11.8	--	--
15 ppm sulfur and Under	95.0	96.5	109.3	103.1	--	--
East Coast (PADD 1) ¹⁵	20.2	21.6	31.4	25.3	--	--
New England (PADD 1A) ¹⁵	3.1	3.3	4.2	3.4	--	--
Central Atlantic (PADD 1B) ¹⁵	9.5	10.4	15.7	10.7	--	--
Lower Atlantic (PADD 1C)	7.7	8.0	11.6	11.2	--	--
Midwest (PADD 2)	24.2	24.5	29.7	27.4	--	--
Gulf Coast (PADD 3)	36.9	37.1	35.3	35.7	--	--
Rocky Mountain (PADD 4)	3.6	3.7	3.7	3.7	--	--
West Coast (PADD 5)	10.2	9.5	9.2	10.9	--	--
> 15 ppm to 500 ppm sulfur	3.1	3.1	3.2	3.1	--	--
East Coast (PADD 1)	0.7	0.7	0.6	0.6	--	--
New England (PADD 1A)	0.0	0.0	0.0	0.0	--	--
Central Atlantic (PADD 1B)	0.2	0.2	0.2	0.1	--	--
Lower Atlantic (PADD 1C)	0.5	0.4	0.5	0.5	--	--
Midwest (PADD 2)	0.2	0.3	0.4	0.3	--	--
Gulf Coast (PADD 3)	1.9	1.9	1.7	1.8	--	--
Rocky Mountain (PADD 4)	0.1	0.1	0.1	0.2	--	--
West Coast (PADD 5)	0.2	0.2	0.3	0.2	--	--
> 500 ppm sulfur	5.5	5.7	7.1	7.2	--	--
East Coast (PADD 1)	0.6	0.6	1.3	0.9	--	--
New England (PADD 1A)	0.0	0.0	0.0	0.0	--	--
Central Atlantic (PADD 1B)	0.2	0.2	0.8	0.6	--	--
Lower Atlantic (PADD 1C)	0.4	0.4	0.4	0.2	--	--
Midwest (PADD 2)	0.3	0.2	0.4	0.6	--	--
Gulf Coast (PADD 3)	4.0	4.3	4.9	5.0	--	--
Rocky Mountain (PADD 4)	0.1	0.1	0.1	0.1	--	--
West Coast (PADD 5)	0.5	0.6	0.5	0.6	--	--
Residual Fuel Oil	22.3	22.7	28.2	30.9	--	--
East Coast (PADD 1)	5.9	5.7	5.7	6.6	--	--
New England (PADD 1A)	0.1	0.2	0.1	0.1	--	--
Central Atlantic (PADD 1B)	4.4	4.1	4.3	5.1	--	--
Lower Atlantic (PADD 1C)	1.3	1.4	1.3	1.4	--	--
Midwest (PADD 2)	1.4	1.3	1.0	1.1	--	--
Gulf Coast (PADD 3)	10.6	11.5	16.7	18.6	--	--
Rocky Mountain (PADD 4)	0.2	0.2	0.2	0.3	--	--
West Coast (PADD 5)	4.2	3.9	4.6	4.3	--	--

See footnotes at end of table.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted) — Continued

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Stocks (Million Barrels)¹⁰						
Propane/Propylene¹⁶	75.7	72.6	75.8	81.1	---	---
East Coast (PADD 1) ¹⁶	6.5	5.7	6.4	4.9	---	---
New England (PADD 1A) ¹⁶	0.3	0.3	0.2	0.2	---	---
Central Atlantic (PADD 1B) ¹⁶	4.8	4.0	4.4	3.6	---	---
Lower Atlantic (PADD 1C) ¹⁶	1.4	1.3	1.7	1.1	---	---
Midwest (PADD 2) ¹⁶	18.4	17.0	23.4	21.0	---	---
Gulf Coast (PADD 3) ¹⁶	46.9	46.2	41.3	50.5	---	---
PADD's 4 & 5 ¹⁶	3.8	3.7	4.8	4.6	---	---
Propane, fractionated and ready for sale¹⁷	43.2	40.8	47.8	—	---	---
East Coast (PADD 1)	5.1	4.3	4.8	—	---	---
New England (PADD 1A)	0.3	0.3	0.2	—	---	---
Central Atlantic (PADD 1B)	3.7	3.0	3.3	—	---	---
Lower Atlantic (PADD 1C)	1.1	1.0	1.3	—	---	---
Midwest (PADD 2)	12.1	11.0	16.5	—	---	---
Gulf Coast (PADD 3)	24.0	23.6	23.7	—	---	---
Rocky Mountain (PADD 4)	0.5	0.4	1.0	—	---	---
West Coast (PADD 5)	1.4	1.4	1.7	—	---	---
Propylene (Total U.S. Nonfuel Use)¹⁶	—	—	—	—	---	---
Other Oils¹⁸	318.2	318.1	312.2	300.5	---	---
Unfinished Oils	81.4	81.9	87.1	85.2	---	---
Kerosene	0.9	1.1	1.0	1.4	---	---
Asphalt and Road Oil	29.8	30.3	31.6	32.7	---	---
NGPLs/LRGs (Excluding Propane/Propylene)	173.2	171.8	159.8	145.7	---	---
Total Stocks (Excluding SPR)^{15,16}	1,240.1	1,230.7	1,283.1	1,261.2	---	---
Total Stocks (Including SPR)^{14,15,16}	1,642.8	1,633.2	1,655.7	1,608.3	---	---
Imports						
Total Crude Oil Incl SPR	6,919	5,944	6,547	7,038	6,136	7,129
Commercial¹⁹	6,919	5,944	6,547	7,038	6,136	7,129
East Coast (PADD 1)	960	791	988	654	657	729
Midwest (PADD 2)	3,022	2,418	3,092	2,959	2,705	3,016
Gulf Coast (PADD 3)	1,546	1,104	1,226	1,400	1,211	1,461
Rocky Mountain (PADD 4)	447	279	439	359	403	438
West Coast (PADD 5)	944	1,352	802	1,666	1,159	1,484
Imports by SPR	0	0	0	0	0	0
Imports into SPR by Others	0	0	0	0	0	0
Total Motor Gasoline	906	1,007	851	851	947	881
East Coast (PADD 1)	628	806	596	760	725	645
Midwest (PADD 2)	11	13	6	0	14	3
Gulf Coast (PADD 3)	16	41	141	2	31	85
Rocky Mountain (PADD 4)	2	2	5	7	1	4
West Coast (PADD 5)	250	145	104	81	175	145
Finished Motor Gasoline	171	246	64	108	205	116
East Coast (PADD 1)	73	233	53	26	152	92
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	1
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	98	14	11	81	53	24
Reformulated	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Blended with Fuel Ethanol	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Other	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Conventional	171	246	64	108	205	116
East Coast (PADD 1)	73	233	53	26	152	92
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	1
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	98	14	11	81	53	24
Blended with Fuel Ethanol	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Ed55 and Lower	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0

See footnotes at end of table.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted) — Continued

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Imports						
Greater than Ed55	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Other	171	246	64	108	205	116
East Coast (PADD 1)	73	233	53	26	152	92
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	1
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	98	14	11	81	53	24
Motor Gasoline Blending Components	736	761	787	743	742	765
East Coast (PADD 1)	555	574	543	734	573	553
Midwest (PADD 2)	11	13	6	0	14	3
Gulf Coast (PADD 3)	16	41	141	2	31	84
Rocky Mountain (PADD 4)	2	2	5	7	1	4
West Coast (PADD 5)	152	131	93	0	122	121
RBOB	142	183	296	137	155	210
East Coast (PADD 1)	142	183	289	137	155	208
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	7	0	0	2
CBOB	41	0	54	112	31	66
East Coast (PADD 1)	41	0	54	112	31	66
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
GTAB	125	179	99	141	115	109
East Coast (PADD 1)	81	133	99	141	91	86
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	44	46	0	0	24	23
All Other Blending Components	428	399	339	352	440	380
East Coast (PADD 1)	292	258	102	343	296	192
Midwest (PADD 2)	11	13	6	0	14	3
Gulf Coast (PADD 3)	16	41	141	2	31	84
Rocky Mountain (PADD 4)	2	2	5	7	1	4
West Coast (PADD 5)	108	85	86	0	98	97
Fuel Ethanol	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Kerosene-Type Jet Fuel	74	13	130	200	78	94
East Coast (PADD 1)	14	13	33	56	13	20
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	1	0	0
West Coast (PADD 5)	60	0	97	143	65	74
Distillate Fuel Oil	118	73	94	113	112	117
East Coast (PADD 1)	99	54	78	80	90	85
Midwest (PADD 2)	9	13	5	9	10	9
Gulf Coast (PADD 3)	0	0	0	0	0	1
Rocky Mountain (PADD 4)	1	1	0	3	3	5
West Coast (PADD 5)	10	5	11	21	9	17
15 ppm sulfur and Under	118	73	91	113	112	114
East Coast (PADD 1)	99	54	78	80	90	85
Midwest (PADD 2)	9	13	2	9	10	8
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	1	1	0	3	3	5
West Coast (PADD 5)	10	5	11	21	9	17
> 15 ppm to 500 ppm sulfur	0	0	0	0	0	1
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	1
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
> 500 ppm to 2000 ppm sulfur	0	0	2	0	0	2
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	2	0	0	2
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
> 2000 ppm sulfur	0	0	0	0	0	0
East Coast (PADD 1)	0	0	0	0	0	0
Midwest (PADD 2)	0	0	0	0	0	0
Gulf Coast (PADD 3)	0	0	0	0	0	0
Rocky Mountain (PADD 4)	0	0	0	0	0	0
West Coast (PADD 5)	0	0	0	0	0	0
Residual Fuel Oil	28	114	45	211	68	80
East Coast (PADD 1)	14	45	1	6	26	25
Midwest (PADD 2)	1	1	2	12	2	3
Gulf Coast (PADD 3)	12	61	42	194	35	48
Rocky Mountain (PADD 4)	1	0	0	0	0	0
West Coast (PADD 5)	0	8	0	0	6	3

See footnotes at end of table.

Table 9. U.S. and PAD District Weekly Estimates
(Thousand Barrels per Day Except Where Noted) — Continued

Product/Region	Current Week	Last Week	Year Ago	2 Years Ago	Four-Week Averages	
	6/27/25	6/20/25	6/28/24	6/30/23 ¹	6/27/25	6/28/24
Imports						
Propane/Propylene	73	64	79	61	76	82
East Coast (PADD 1)	17	20	24	16	17	23
Midwest (PADD 2)	21	14	27	20	25	28
Gulf Coast (PADD 3)	0	0	0	0	0	0
PADDs 4 and 5	34	29	28	24	34	30
Other Oils	415	509	864	772	453	757
East Coast (PADD 1)	43	228	72	161	100	134
Midwest (PADD 2)	67	53	70	60	55	51
Gulf Coast (PADD 3)	242	204	582	458	201	466
Rocky Mountain (PADD 4)	4	4	10	1	3	8
West Coast (PADD 5)	60	20	130	93	94	98
Kerosene	0	0	0	0	0	0
NGPLs/LRGs (Excluding Propane/Propylene)	49	40	51	51	47	46
Total Product Imports	1,615	1,780	2,063	2,208	1,734	2,010
East Coast (PADD 1)	816	1,166	804	1,078	971	932
Midwest (PADD 2)	108	94	109	100	107	94
Gulf Coast (PADD 3)	269	306	765	654	267	600
Rocky Mountain (PADD 4)	13	13	19	20	13	20
West Coast (PADD 5)	409	200	366	354	376	363
Total Imports (Incl SPR)	8,534	7,723	8,609	9,246	7,869	9,139
East Coast (PADD 1)	1,775	1,958	1,792	1,732	1,628	1,660
Midwest (PADD 2)	3,130	2,512	3,200	3,059	2,812	3,110
Gulf Coast (PADD 3)	1,816	1,410	1,990	2,054	1,478	2,062
Rocky Mountain (PADD 4)	460	292	459	380	416	459
West Coast (PADD 5)	1,353	1,552	1,168	2,021	1,535	1,847
Exports²⁰						
Total	8,937	11,447	11,517	9,843	10,493	10,844
Crude Oil²¹	2,305	4,270	4,401	3,901	3,556	3,979
Products	6,632	7,177	7,116	5,942	6,937	6,865
Total Motor Gasoline²²	783	763	971	—	801	929
Fuel Ethanol²³	131	110	105	80	139	95
Kerosene-Type Jet Fuel	168	258	271	187	221	240
Distillate Fuel Oil	1,353	1,649	1,705	1,301	1,439	1,447
Residual Fuel Oil	180	234	177	163	172	153
Propane	1,868	1,822	1,827	1,250	1,858	1,733
Other Oils²⁴	2,149	2,341	2,060	2,098	2,308	2,269
Net Imports (Incl SPR)						
Total	-403	-3,724	-2,908	-597	-2,623	-1,705
Crude Oil	4,614	1,674	2,146	3,137	2,580	3,150
Products	-5,017	-5,397	-5,053	-3,734	-5,203	-4,855
Product Supplied						
Total Product Supplied²⁵	20,487	20,513	21,083	21,235	20,288	20,518
Finished Motor Gasoline⁵	8,640	9,688	9,424	9,599	9,199	9,205
Kerosene-Type Jet Fuel	1,734	1,706	1,834	1,691	1,771	1,730
Distillate Fuel Oil	4,043	3,794	3,715	3,811	3,740	3,719
Residual Fuel Oil	219	167	245	257	227	228
Propane/Propylene²⁶	568	305	660	1,154	570	816
Other Oils²⁷	5,283	4,854	5,206	4,724	4,782	4,822
Ultra Low Sulfur Distillate Reclassification						
< 15 ppm Distillate, Downgraded to 15 to 500 ppm	—	—	—	—	—	—

-- = Not Applicable.
 - = Data Not Available.
 W = Data Withheld.
 R = Revised Data.

¹ Year-ago data originally published for crude oil stocks included lease stocks which began being excluded from commercial crude oil inventories with data for the week ended October 7, 2016.

² Domestic crude oil production includes lease condensate and is estimated using a combination of short-term forecasts for the lower 48 states and the latest available production estimates from Alaska. Weekly crude oil production estimates are rounded to the nearest 1,000 barrels per day (b/d) for the U.S. and the Lower 48 states. This change is a shift from rounding to the nearest 100,000 b/d. For more details see Appendix B, under "Data Obtained Through Models."

³ Based on the latest reported monthly operable capacity.

⁴ Calculated as gross inputs divided by the latest reported monthly operable capacity. See Glossary. Percentages are calculated using unrounded numbers.

⁵ Finished motor gasoline production and product supplied include a weekly adjustment applied only to the U.S. total to correct for the imbalance created by blending of fuel ethanol and motor gasoline blending components. From 1993 to June 4, 2010, this adjustment was estimated from the latest monthly data and allocated to formulation and PAD District production data.

⁶ Excludes adjustments for fuel ethanol and motor gasoline blending components. Historical data prior to June 4, 2010 includes the adjustment allocated by PAD District and formulation.

⁷ Adjustment to correct for the imbalance created by the blending of fuel ethanol and motor gasoline blending components. For details see Appendix B.

⁸ Commercial and military kerosene jet fuel production is only collected from refiners and may not total to total kerosene jet fuel production.

⁹ Includes propane/propylene production from natural gas plants.

¹⁰ Includes those domestic and Customs-cleared foreign stocks held at, or in transit to, refineries, ethanol plants, and bulk terminals, as well as stocks in pipelines. Stocks (excluding propane) held at natural gas processing plants are included in "Other Oils." All stock levels are as of the end of the period.

¹¹ Includes those domestic and Customs-cleared foreign crude oil stocks held at refineries and tank farms or in transit thereto, and in pipelines.

¹² Includes domestic and foreign crude oil stocks held in tank farms in Lincoln, Payne, and Creek counties in Oklahoma. Cushing, Oklahoma, is the designated delivery point for NYMEX crude oil futures contracts.

¹³ Includes crude oil stocks in transit by water between Alaska and the other States, the District of Columbia, Puerto Rico, and the Virgin Islands, as well as stocks held at transshipment terminals.

¹⁴ Includes non-U.S. stocks held under foreign or commercial storage agreements.

¹⁵ Excludes stocks located in the "Northeast Heating Oil Reserve", "Northeast Regional Refined Petroleum Product Reserve", and "State of New York's Strategic Fuels Reserve Program." For details see Appendix C.

¹⁶ Prior to April 10, 2020 this included stocks of propylene held at terminals.

¹⁷ Includes fractionated propane ready for sale (for example HD-5 propane and HD-10 propane) but excludes the propane component of unfractionated mixed products. Also excludes propylene.

¹⁸ Includes weekly data for NGPLs and LRGs (except propane/propylene), kerosene, and asphalt and road oil; and estimated stocks of minor products based on monthly data.

¹⁹ Prior to June 4, 2010, included "Imports into SPR by Others."

²⁰ Exports are estimated.

²¹ On December 18, 2015, the U.S. enacted legislation authorizing the export of U.S. crude oil without a license. Exports to embargoed or sanctioned countries continue to require authorization.

²² Beginning with June 1, 2023, Motor Gasoline Blending Components exports are included with Total Motor Gasoline exports. They were previously included with Other Oil Exports.

²³ Before June 1, 2023, Fuel Ethanol exports were included in Other Oil Exports.

²⁴ Other Oil Exports = Total Exports less the exports of Finished Motor Gasoline, Motor Gasoline Blending Components, Fuel Ethanol, Kerosene-Type Jet Fuel, Distillate Fuel Oil, Residual Fuel Oil, and Propane.

²⁵ See Table 1, footnote #16.

²⁶ See Table 1 footnote #18.

²⁷ See Table 1 footnote #19.

Notes: Some data estimated (see Sources for clarification). Data may not add to total due to independent rounding. Differences and percent changes are calculated using unrounded numbers.

Data source: See page 29.

The data on this page are no longer available.

Table 11. Spot Prices of Crude Oil, Motor Gasoline, and Heating Oil, 2024 to Present
(Crude Oil in Dollars per Barrel, Products in Dollars per Gallon)

Year / Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2024												
Crude Oil												
WTI - Cushing	74.15	77.25	81.28	85.35	80.02	79.77	81.80	76.68	70.24	71.99	69.95	70.12
Brent	80.12	83.48	85.41	89.94	81.75	82.25	85.15	80.36	74.02	75.63	74.35	73.86
Motor Gasoline												
Conventional												
New York Harbor	2.244	2.326	2.480	2.749	2.531	2.444	2.490	2.329	2.057	2.152	2.112	2.041
U.S. Gulf Coast	2.146	2.325	2.545	2.595	2.385	2.275	2.373	2.301	1.981	2.023	1.950	1.936
RBOB Regular												
Los Angeles	2.274	2.555	2.911	3.194	2.702	2.430	2.373	2.393	2.359	2.283	2.165	2.035
Heating Oils												
No. 2 Heating Oil												
New York Harbor	2.590	2.703	2.601	2.536	2.345	2.351	2.351	2.163	1.693	1.905	2.140	2.134
2025												
Crude Oil												
WTI - Cushing	75.74	71.53	68.24	63.54	62.17	68.17	—	—	—	—	—	—
Brent	79.27	75.44	72.73	68.13	64.45	71.44	—	—	—	—	—	—
Motor Gasoline												
Conventional												
New York Harbor	2.152	2.112	1.987	1.907	1.965	2.099	—	—	—	—	—	—
U.S. Gulf Coast	2.083	2.074	2.052	1.996	2.030	2.074	—	—	—	—	—	—
RBOB Regular												
Los Angeles	2.206	2.456	2.344	2.428	2.450	2.288	—	—	—	—	—	—
Heating Oils												
No. 2 Heating Oil												
New York Harbor	2.407	2.346	2.148	2.031	1.984	2.174	—	—	—	—	—	—

2025	Average for Week Ending:		Daily Prices:									
	Fri 6/6	Fri 6/13	Mon 6/16	Tue 6/17	Wed 6/18	Thu 6/19	Fri 6/20	Mon 6/23	Tue 6/24	Wed 6/25	Thu 6/26	Fri 6/27
Crude Oil												
WTI - Cushing	64.06	68.63	72.53	75.62	75.89	—	75.72	69.36	65.45	65.98	66.44	66.66
Brent	67.18	71.05	75.05	78.70	78.38	80.37	78.73	74.34	69.13	68.40	68.57	69.37
Motor Gasoline												
Conventional												
New York Harbor	1.930	2.071	2.227	2.314	2.338	—	2.353	2.202	2.115	2.103	2.118	2.098
U.S. Gulf Coast	1.999	2.091	2.162	2.211	2.218	—	2.265	2.104	2.018	2.011	2.010	1.990
RBOB Regular												
Los Angeles	2.247	2.293	2.360	2.431	2.393	—	2.435	2.334	2.203	2.226	2.240	2.225
Heating Oils												
No. 2 Heating Oil												
New York Harbor	1.992	2.118	2.283	2.401	2.445	—	2.444	2.227	2.205	2.208	2.279	2.187


— = Data Not Available.

Notes: Monthly and weekly prices are calculated by EIA from daily data. See Glossary for definitions of abbreviations.

See Appendix B, Technical Note 1, for more information about the data in this table.

Data source: See page 29.

Figure 7. Daily Crude Oil and Petroleum Product Spot Prices, January 2024 to Present



Note: See Glossary for definitions of abbreviations.
Data source: See page 29.

Figure 8. Daily Trans-Atlantic Spot Product Price Differentials: New York Harbor less Rotterdam (ARA),

This figure is no longer available.

Table 12. Spot Prices of Ultra-Low Sulfur Diesel Fuel, Kerosene-Type Jet Fuel, and Propane, 2024 to Present
(Dollars per Gallon)

Year / Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2024												
No. 2 Distillate												
Ultra-Low Sulfur Diesel Fuel												
New York Harbor	2.681	2.771	2.674	2.620	2.430	2.426	2.473	2.280	2.110	2.217	2.226	2.202
U.S. Gulf Coast	2.569	2.707	2.598	2.562	2.372	2.385	2.415	2.237	2.072	2.165	2.156	2.141
Los Angeles	2.573	2.794	2.676	2.706	2.418	2.491	2.435	2.265	2.183	2.283	2.255	2.204
Kerosene-Type Jet Fuel												
U.S. Gulf Coast	2.585	2.683	2.593	2.605	2.380	2.394	2.419	2.176	1.982	2.068	2.065	2.097
Propane												
Mont Belvieu	0.821	0.908	0.803	0.800	0.698	0.762	0.797	0.755	0.656	0.774	0.803	0.773
2025												
No. 2 Distillate												
Ultra-Low Sulfur Diesel Fuel												
New York Harbor	2.484	2.471	2.246	2.131	2.082	2.281	–	–	–	–	–	–
U.S. Gulf Coast	2.401	2.359	2.177	2.069	2.015	2.209	–	–	–	–	–	–
Los Angeles	2.526	2.474	2.226	2.210	2.121	2.358	–	–	–	–	–	–
Kerosene-Type Jet Fuel												
U.S. Gulf Coast	2.347	2.264	2.069	1.976	1.928	2.094	–	–	–	–	–	–
Propane												
Mont Belvieu	0.901	0.925	0.870	0.846	0.746	0.756	–	–	–	–	–	–

2025	Average for Week Ending:		Daily Prices:									
	Fri 6/6	Fri 6/13	Mon 6/16	Tue 6/17	Wed 6/18	Thu 6/19	Fri 6/20	Mon 6/23	Tue 6/24	Wed 6/25	Thu 6/26	Fri 6/27
No. 2 Distillate												
Ultra-Low Sulfur Diesel Fuel												
New York Harbor	2.090	2.223	2.398	2.514	2.558	–	2.556	2.340	2.317	2.318	2.389	2.297
U.S. Gulf Coast	2.025	2.148	2.310	2.426	2.468	–	2.491	2.272	2.250	2.247	2.322	2.229
Los Angeles	2.157	2.276	2.460	2.589	2.593	–	2.621	2.405	2.422	2.425	2.497	2.429
Kerosene-Type Jet Fuel												
U.S. Gulf Coast	1.929	2.036	2.197	2.304	2.350	–	2.349	2.132	2.110	2.128	2.199	2.107
Propane												
Mont Belvieu	0.724	0.772	0.809	0.809	0.803	–	0.801	0.789	0.748	0.731	0.720	0.718

– = Data Not Available.
Notes: Monthly and weekly prices are calculated by EIA from daily data. See Glossary for definitions of abbreviations.
See Appendix B, Technical Note 2, for more information about the data in this table.
Data source: See page 30.

Table 13. NYMEX Futures Prices of Crude Oil, Motor Gasoline, and No. 2 Heating Oil
(Crude Oil in Dollars per Barrel, all others in Dollars per Gallon)


	Mon 4/1	Tue 4/2	Wed 4/3	Thu 4/4	Fri 4/5	Mon 4/8	Tue 4/9	Wed 4/10	Thu 4/11	Fri 4/12
Crude Oil (WTI, Cushing, Oklahoma)										
May-2024	83.71	85.15	85.43	86.59	86.91	—	—	—	—	—
June-2024	82.82	84.22	84.61	85.81	86.10	—	—	—	—	—
July-2024	81.98	83.29	83.77	84.96	85.20	—	—	—	—	—
August-2024	81.12	82.34	82.88	84.03	84.24	—	—	—	—	—
Regular Reformulated Blendstock for Oxygenate Blending (RBOB) (New York Harbor)										
May-2024	2.710	2.759	2.761	2.794	2.789	—	—	—	—	—
June-2024	2.681	2.726	2.734	2.768	2.766	—	—	—	—	—
July-2024	2.642	2.685	2.696	2.730	2.730	—	—	—	—	—
No. 2 Heating Oil (New York Harbor)										
May-2024	2.627	2.712	2.732	2.741	2.773	—	—	—	—	—
June-2024	2.626	2.705	2.723	2.734	2.763	—	—	—	—	—
July-2024	2.625	2.699	2.718	2.730	2.753	—	—	—	—	—

— = Data Not Available.

Note: See Appendix B, Technical Note 3, for more information about the data in this table.

Data source: See page 30.

Figure 9. Daily Futures Price Differentials: First Delivery Month Less Second Delivery Month, January 2023 to Present



Note: See Appendix B, Technical Note 4, for more information about the data in this graph.


Data source: See page 30.

Table 14. U.S. Retail Motor Gasoline and On-Highway Diesel Fuel Prices, 2024 to Present
(Dollars per Gallon, Including Taxes)

Year / Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2024												
Motor Gasoline	3.197	3.328	3.542	3.733	3.725	3.576	3.600	3.507	3.338	3.261	3.175	3.139
Conventional Areas	3.045	3.188	3.402	3.554	3.548	3.416	3.465	3.384	3.197	3.127	3.050	3.017
RFG Areas	3.495	3.605	3.815	4.085	4.077	3.890	3.868	3.750	3.618	3.526	3.423	3.380
Regular	3.075	3.212	3.426	3.611	3.603	3.455	3.484	3.389	3.214	3.137	3.053	3.018
East Coast (PADD 1)	3.061	3.176	3.311	3.461	3.500	3.383	3.422	3.314	3.116	3.038	3.002	2.976
New England (PADD 1A)	3.099	3.146	3.229	3.450	3.568	3.444	3.474	3.373	3.153	3.035	2.998	2.988
Central Atlantic (PADD 1B)	3.209	3.287	3.383	3.570	3.651	3.548	3.548	3.451	3.258	3.186	3.125	3.092
Lower Atlantic (PADD 1C)	2.958	3.112	3.283	3.394	3.389	3.265	3.331	3.214	3.019	2.944	2.926	2.900
Midwest (PADD 2)	2.829	3.044	3.318	3.441	3.430	3.312	3.411	3.338	3.091	3.016	2.888	2.881
Gulf Coast (PADD 3)	2.687	2.844	3.042	3.186	3.159	3.001	3.076	2.975	2.760	2.707	2.628	2.601
Rocky Mountain (PADD 4)	2.737	2.860	3.137	3.408	3.412	3.312	3.377	3.419	3.401	3.237	2.981	2.836
West Coast (PADD 5)	4.005	4.033	4.341	4.757	4.661	4.355	4.179	4.065	4.099	4.020	3.907	3.804
Midgrade	3.619	3.729	3.938	4.148	4.146	3.993	3.995	3.907	3.774	3.691	3.602	3.561
Premium	3.969	4.077	4.286	4.511	4.507	4.348	4.349	4.257	4.134	4.049	3.959	3.917
On-Highway Diesel Fuel	3.854	4.044	4.022	4.002	3.822	3.722	3.810	3.700	3.558	3.585	3.522	3.494
East Coast (PADD 1)	3.995	4.167	4.131	4.068	3.916	3.838	3.891	3.773	3.608	3.586	3.579	3.572
New England (PADD 1A)	4.306	4.327	4.301	4.311	4.208	4.091	4.099	4.030	3.839	3.761	3.757	3.758
Central Atlantic (PADD 1B)	4.252	4.318	4.304	4.255	4.150	4.053	4.064	3.952	3.836	3.826	3.790	3.768
Lower Atlantic (PADD 1C)	3.868	4.095	4.050	3.974	3.799	3.732	3.806	3.679	3.499	3.479	3.483	3.481
Midwest (PADD 2)	3.716	3.938	3.943	3.948	3.725	3.597	3.747	3.678	3.531	3.588	3.505	3.463
Gulf Coast (PADD 3)	3.583	3.795	3.724	3.701	3.536	3.453	3.525	3.370	3.206	3.258	3.178	3.179
Rocky Mountain (PADD 4)	3.756	3.853	3.988	3.917	3.757	3.680	3.747	3.664	3.593	3.637	3.504	3.363
West Coast (PADD 5)	4.555	4.672	4.652	4.672	4.519	4.411	4.423	4.308	4.252	4.238	4.174	4.120
California	5.130	5.214	5.216	5.239	5.078	4.927	4.901	4.758	4.733	4.714	4.667	4.606
2025												
Motor Gasoline	3.196	3.247	3.223	3.299	3.278	3.276	—	—	—	—	—	—
Conventional Areas	3.071	3.095	3.068	3.141	3.116	3.128	—	—	—	—	—	—
RFG Areas	3.444	3.547	3.526	3.606	3.595	3.565	—	—	—	—	—	—
Regular	3.076	3.121	3.096	3.171	3.150	3.150	—	—	—	—	—	—
East Coast (PADD 1)	3.033	3.026	2.965	3.016	2.983	3.002	—	—	—	—	—	—
New England (PADD 1A)	2.991	2.999	2.948	2.940	2.974	3.001	—	—	—	—	—	—
Central Atlantic (PADD 1B)	3.163	3.165	3.084	3.139	3.108	3.135	—	—	—	—	—	—
Lower Atlantic (PADD 1C)	2.961	2.944	2.894	2.957	2.906	2.919	—	—	—	—	—	—
Midwest (PADD 2)	2.942	2.956	2.954	3.029	3.013	3.019	—	—	—	—	—	—
Gulf Coast (PADD 3)	2.677	2.711	2.683	2.740	2.732	2.747	—	—	—	—	—	—
Rocky Mountain (PADD 4)	2.902	3.013	3.015	3.132	3.126	3.138	—	—	—	—	—	—
West Coast (PADD 5)	3.839	4.083	4.107	4.250	4.231	4.152	—	—	—	—	—	—
Midgrade	3.615	3.687	3.665	3.747	3.729	3.722	—	—	—	—	—	—
Premium	3.968	4.051	4.028	4.106	4.090	4.075	—	—	—	—	—	—
On-Highway Diesel Fuel	3.634	3.675	3.585	3.567	3.499	3.599	—	—	—	—	—	—
East Coast (PADD 1)	3.744	3.781	3.698	3.643	3.559	3.646	—	—	—	—	—	—
New England (PADD 1A)	3.874	4.001	4.005	3.952	3.888	3.922	—	—	—	—	—	—
Central Atlantic (PADD 1B)	3.912	3.976	3.889	3.841	3.791	3.834	—	—	—	—	—	—
Lower Atlantic (PADD 1C)	3.669	3.687	3.595	3.538	3.438	3.546	—	—	—	—	—	—
Midwest (PADD 2)	3.570	3.592	3.504	3.505	3.439	3.569	—	—	—	—	—	—
Gulf Coast (PADD 3)	3.356	3.398	3.284	3.246	3.164	3.245	—	—	—	—	—	—
Rocky Mountain (PADD 4)	3.436	3.501	3.431	3.482	3.470	3.566	—	—	—	—	—	—
West Coast (PADD 5)	4.234	4.318	4.249	4.268	4.240	4.325	—	—	—	—	—	—
California	4.734	4.825	4.795	4.780	4.783	4.809	—	—	—	—	—	—
2025												
	4/14	4/21	4/28	5/5	5/12	5/19	5/26	6/2	6/9	6/16	6/23	6/30
Motor Gasoline	3.295	3.268	3.261	3.273	3.249	3.302	3.288	3.256	3.235	3.265	3.338	3.288
Conventional Areas	3.135	3.112	3.107	3.123	3.080	3.135	3.124	3.103	3.084	3.117	3.196	3.140
RFG Areas	3.607	3.572	3.561	3.564	3.578	3.628	3.608	3.552	3.529	3.552	3.614	3.576
Regular	3.168	3.141	3.133	3.147	3.120	3.173	3.160	3.127	3.108	3.139	3.213	3.164
East Coast (PADD 1)	3.016	2.983	2.987	2.998	2.947	2.990	2.995	2.976	2.949	2.983	3.072	3.031
New England (PADD 1A)	2.919	2.924	2.948	2.959	2.953	2.995	2.987	2.972	2.947	2.956	3.079	3.050
Central Atlantic (PADD 1B)	3.137	3.124	3.112	3.113	3.090	3.111	3.118	3.089	3.051	3.106	3.212	3.217
Lower Atlantic (PADD 1C)	2.963	2.909	2.918	2.935	2.856	2.913	2.921	2.905	2.885	2.912	2.983	2.911
Midwest (PADD 2)	3.008	3.012	2.992	3.027	2.978	3.027	3.018	2.967	2.966	3.026	3.087	3.051
Gulf Coast (PADD 3)	2.747	2.684	2.686	2.722	2.692	2.786	2.726	2.702	2.716	2.735	2.844	2.739
Rocky Mountain (PADD 4)	3.098	3.130	3.134	3.118	3.137	3.131	3.118	3.140	3.085	3.114	3.177	3.175
West Coast (PADD 5)	4.267	4.220	4.192	4.156	4.224	4.287	4.258	4.207	4.154	4.127	4.162	4.109
Midgrade	3.743	3.718	3.713	3.715	3.703	3.756	3.740	3.712	3.687	3.711	3.775	3.725
Premium	4.103	4.074	4.071	4.072	4.068	4.116	4.102	4.069	4.037	4.062	4.128	4.080
On-Highway Diesel Fuel	3.579	3.534	3.514	3.497	3.476	3.536	3.487	3.451	3.471	3.571	3.775	3.727
East Coast (PADD 1)	3.660	3.614	3.585	3.567	3.534	3.580	3.555	3.517	3.525	3.621	3.790	3.775
New England (PADD 1A)	3.962	3.933	3.908	3.895	3.877	3.897	3.882	3.885	3.884	3.895	3.967	3.980
Central Atlantic (PADD 1B)	3.856	3.819	3.806	3.796	3.777	3.788	3.801	3.766	3.761	3.782	3.919	3.942
Lower Atlantic (PADD 1C)	3.556	3.505	3.470	3.448	3.408	3.469	3.428	3.384	3.399	3.532	3.725	3.691
Midwest (PADD 2)	3.510	3.475	3.456	3.432	3.416	3.481	3.428	3.388	3.429	3.537	3.777	3.715
Gulf Coast (PADD 3)	3.267	3.195	3.183	3.174	3.143	3.201	3.136	3.097	3.109	3.212	3.436	3.369
Rocky Mountain (PADD 4)	3.480	3.477	3.470	3.460	3.463	3.512	3.445	3.453	3.481	3.548	3.689	3.659
West Coast (PADD 5)	4.281	4.250	4.224	4.204	4.211	4.296	4.248	4.221	4.217	4.310	4.458	4.421
California	4.797	4.755	4.740	4.728	4.760	4.835	4.808	4.768	4.739	4.781	4.893	4.866

— = Data Not Available.
Note: See Glossary for definitions of abbreviations. See Appendix B, Technical Note 5, for more information about data in this table.
Data source: See page 30.

Figure 10. U.S. Average Retail Regular Motor Gasoline and On-Highway Diesel Fuel Prices, January 2024 to Present (Dollars per Gallon, Including Taxes)



Note: See Appendix B, Weekly Petroleum Price Surveys, page 40 for more information about the data in this graph.
Data source: See page 30.

Sources

Table 1

- Current Week Data: Estimates for most series based on information collected on Forms EIA-800, EIA-802, EIA-803, EIA-804, EIA-805, EIA-806, and EIA-809. These estimates include Other Oils Stocks, Other Supply Stock Change, Other Supply Adjustment, and Transfers to Crude Oil Supply of Natural Gasoline, Condensate, and Unfinished Oils, as well as Total Product Supplied, which are based on both the current weekly data and the latest information published in the *Petroleum Supply Monthly*.

Additionally, estimates for Other Renewable Fuels, Oxygenate Plant Production, and Refinery Processing Gain are based on data from the most recent monthly data available in the *Petroleum Supply Monthly*. Detailed explanations for the estimates regarding Other Oils Stocks, Crude Oil Production, and Other Supply Adjustment is available in Appendix B, and export figures are sourced from Customs and Border Protection data, as outlined in Appendix D.

- Previous Week Data, Previous Year Data, and Four-Week Averages: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Table 2

- Current Week Data: Estimates of Refinery Inputs and Utilization are based on weekly data collected on Form EIA-800. The Operable Capacity and Percent Utilization figures are based on information published in the latest month of the *Petroleum Supply Monthly*. Meanwhile, estimates of Refiner and Blender Net Production come from weekly data collected on Forms EIA-800 and EIA-805.

The gasoline adjustment estimate follows the methodology outlined in Appendix B. Estimates for Fuel Ethanol Production are based on weekly data collected on Form EIA-809. Additionally, Propane/Propylene production estimates are based on weekly natural gas plant liquids data from Form EIA-806, alongside the most recent month's share of propane production at the natural gas processing plant level, collected on Form EIA-816, plus refinery Propane/Propylene production based on weekly data from Form EIA-800.

- Previous Week Data, Previous Year Data, Two-Year Ago Data, and Four-Week Averages: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Table 3

- Current Week Data: Estimates of Refinery Net Production are based on weekly data collected on Form EIA-800. Estimates of Blender Net Production are based on weekly data collected on Form EIA-805.

- Previous Week Data, Previous Year Data, Two-Year Ago Data, and Four-Week Averages: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Table 4

- Current Week Data: Estimates based on weekly data collected on Forms EIA-800, EIA-802, EIA-803, EIA-805, EIA-806, and EIA-809. Other Oils estimate is based on both current weekly data and data published in the most recent month of the *Petroleum Supply Monthly* as explained in Appendix B.

- Previous Week Data, Previous Year Data, and Two-Year Ago Data: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Figure 1

- Data for Ranges 2023–2025 U.S. Energy Information Administration, *Weekly Petroleum Status Report*

- Week-Ending Stocks: Estimates are based on weekly data collected on Forms EIA-800 and EIA-803.

Table 5 and Table 5A

- Current Week Data: Estimates are based on weekly data collected on Forms EIA-800, EIA-802, EIA-805, and EIA-809.

- Previous Week Data, Previous Year Data, and Two-Year Ago Data: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Figure 2

- Data for Ranges 2023–2025, U.S. Energy Information Administration, *Weekly Petroleum Status Report*

- Week-Ending Stocks: Estimates are based on weekly data collected on Forms EIA-800, EIA-802, EIA-805, and EIA-809.

Table 6

- Current Week Data: Estimates are based on weekly data collected on Forms EIA-800, EIA-802, EIA-805, and EIA-806.

- Previous Week Data, Previous Year Data, and Two-Year Ago Data: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Figure 3 and Figure 4 and Figure 5 and Figure 6

- Data for Ranges 2023–2025, U.S. Energy Information Administration, *Weekly Petroleum Status Report*

- Week-Ending Stocks: Estimates are based on weekly data collected on Forms EIA-800, EIA-802, EIA-805, and EIA-806.

Table 7

- Current Week Data: Estimates are based on weekly data collected on Form EIA-804. Estimate for Exports is explained in Appendix D.

- Previous Week Data, Previous Year Data, Two-Year Ago Data, and Four-Week Averages: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Table 8

- Current Week Data: Estimates are based on weekly data collected on Form EIA-804. Crude Import Percentage by Country is calculated from data published by EIA in the *Petroleum Supply Monthly* and is explained in Appendix B.

- Previous Week Data, Previous Year Data, Two-Year Ago Data, and Four-Week Averages: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Table 9

- Current Week Data: Estimates for most series are based on data collected on Forms EIA-800, EIA-802, EIA-803, EIA-804, EIA-805, EIA-806, and EIA-809. Operable Capacity and Percent Utilization figures are based on the most recent monthly data published in the *Petroleum Supply Monthly*. The Gasoline Adjustment estimate follows the methodology outlined in Appendix B. Other Oils Stocks and Total Product Supplied incorporate both current weekly data and data published in the recent monthly data from the *Petroleum Supply Monthly*. For more details on how Product Supplied is calculated, please refer to Appendix B. The methodology for estimating Exports is also explained in Appendix D.

- Previous Week Data, Previous Year Data, Two-Year Ago Data, and Four-Week Averages: Estimates are based on data published by EIA in the *Weekly Petroleum Status Report* for the respective periods.

Table 10

- Discontinued

Table 11 and Figures 7

Refinitiv, an LSEG business

Figure 8

- Discontinued

Table 12
Refinitiv, an LSEG business

Table 13 and Figure 9

- Suspended; historical series are based on data for Crude Oil Futures republished from the New York Mercantile Exchange (NYMEX), and products from Refinitiv, an LSEG business

Table 14 and Figure 10

- Motor Gasoline Form EIA-878, *Motor Gasoline Price Survey*, and *On-Highway Diesel*, and Form EIA-888, *On-Highway Diesel Fuel Price Survey*.

Appendix A

Table A1. Petroleum Supply Summary, May 2025 (derived from weekly data)

Category	May 2025	April 2025	Difference	May 2024	Percent Change	WPSR to PSM Comparison		
						March 2025	PSM March 2025	Difference
Stocks (Million Barrels)								
Total Stocks (Including SPR) ^{1,2}	1,639.0	1,612.1	26.8	1,648.5	-0.6	1,606.8	1,601.4	5.4
Crude Oil	836.9	837.7	-0.8	826.7	1.2	837.8	828.4	9.4
SPR ³	401.9	399.0	2.9	370.2	8.6	396.6	396.7	-0.1
Commercial	435.0	438.7	-3.6	456.5	-4.7	441.3	431.7	9.6
Products	802.1	774.4	27.6	821.8	-2.4	768.9	773.0	-4.1
Total Motor Gasoline ¹	228.7	225.7	3.0	231.3	-1.1	236.7	233.8	2.9
Finished Motor Gasoline	15.1	15.1	-0.1	15.5	-2.7	14.8	13.9	0.9
Reformulated	0.0	0.0	0.0	0.0	41.9	0.0	0.0	0.0
Conventional	15.0	15.1	-0.1	15.4	-2.7	14.8	13.9	0.9
Blending Components ¹	213.7	210.6	3.1	215.8	-1.0	221.8	219.8	2.0
Fuel Ethanol	24.2	25.2	-1.0	23.1	5.0	26.9	27.4	-0.5
Kerosene-Type Jet Fuel	43.6	40.2	3.4	42.9	1.6	41.8	41.7	0.0
Distillate Fuel Oil ¹	108.0	106.9	1.1	122.6	-11.9	112.6	116.8	-4.2
15 ppm sulfur and Under ¹	98.9	97.6	1.3	112.7	-12.3	103.9	108.0	-4.2
> 15 ppm sulfur to 500 ppm	3.2	3.2	0.0	2.5	24.5	3.0	2.8	0.2
> 500 ppm sulfur	6.0	6.1	-0.2	7.3	-19.0	5.8	6.0	-0.2
Residual Fuel Oil	23.2	24.9	-1.7	28.6	-18.6	24.5	24.8	-0.3
Propane/Propylene ²	63.1	48.0	15.1	69.0	-8.5	45.0	–	45.0
Other Oils ⁴	311.2	303.5	7.7	304.4	2.2	281.5	283.2	-1.7
Unfinished Oils	86.1	90.3	-4.2	90.3	-4.7	87.2	87.5	-0.3
Products Supplied (Thousand Barrels per Day)								
Total Products Supplied	19,809	19,725	85	19,989	-0.9	19,966	19,950	16
Finished Motor Gasoline	8,810	8,880	-69	9,052	-2.7	8,725	8,765	-40
Kerosene-Type Jet Fuel	1,700	1,853	-153	1,702	-0.1	1,704	1,637	68
Distillate Fuel Oil	3,545	3,744	-199	3,702	-4.2	3,829	3,894	-65
Residual Fuel Oil	224	256	-32	249	-9.7	312	295	17
Propane/Propylene	644	868	-224	647	-0.4	1,155	–	1,155
Other Oils ⁵	4,886	4,124	762	4,638	5.3	4,242	4,775	-533
Inputs and Utilization (Thousand Barrels per Day)								
Crude Oil Inputs	16,582	15,867	714	16,700	-0.7	15,663	15,830	-167
Operable Utilization Rate (%)	91.3	86.2	5.1	91.1	– –	85.1	89.0	-3.9
Imports (Thousand Barrels per Day)								
Total Net Imports	-2,605	-3,255	650	-1,871	-39.2	-2,870	-3,143	273
Crude Oil	2,407	1,712	696	2,504	-3.9	1,911	1,713	198
Products	-5,013	-4,967	-45	-4,375	– –	-4,781	-4,856	74
Imports	7,962	7,520	442	8,916	-10.7	7,683	7,530	153
Crude Oil	6,155	5,817	338	6,867	-10.4	5,932	5,756	176
SPR	0	0	0	0	0.0	0	–	0
Commercial	6,155	5,817	338	6,867	-10.4	5,932	5,756	176
Products	1,807	1,703	104	2,048	-11.8	1,751	1,774	-23
Total Motor Gasoline	799	691	109	819	-2.4	663	702	-39
Finished Motor Gasoline	220	96	124	138	59.0	101	101	0
Reformulated	0	0	0	0	0.0	0	–	0
Conventional	220	96	124	138	59.0	101	101	0
Blending Components	579	595	-15	681	-14.9	562	601	-39
Fuel Ethanol	0	0	0	0	0.0	0	–	0
Kerosene-Type Jet Fuel	138	158	-20	132	4.7	121	119	2
Distillate Fuel Oil	146	100	46	122	19.9	176	178	-2
15 ppm sulfur and Under	146	94	52	120	22.0	174	176	-2
> 15 ppm sulfur to 500 ppm	0	0	0	1	-100.0	1	1	0
> 500 ppm sulfur	0	6	-6	1	-100.0	0	0	0
Residual Fuel Oil	85	148	-63	100	-15.0	93	71	23
Propane/Propylene	87	96	-9	81	6.9	133	–	133
Other Oils ⁴	552	511	41	795	-30.6	565	570	-6
Exports	10,567	10,775	-208	10,787	-2.0	10,553	10,673	-120
Crude Oil	3,747	4,105	-358	4,363	-14.1	4,021	4,043	-22
Products	6,820	6,670	150	6,423	6.2	6,532	6,629	-97
Stock Change (Thousand Barrels per Day)								
Total ⁶	866	180	686	1,338	– –	226	153	73
Crude Oil ⁶	-26	-5	-21	-6	– –	274	106	168
Products ⁶	892	184	707	1,344	– –	-48	47	-99

-- = Not Applicable.

- = Data Not Available.

¹ Excludes stocks located in the "Northeast Heating Oil Reserve", "Northeast Regional Refined Petroleum Product Reserve", and "State of New York's Strategic Fuels Reserve Program." For details see Appendix C.

² Prior to April 10, 2020 this included stocks of propylene held at terminals.

³ Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.

⁴ Includes natural gas plant liquids (NGPLs) and liquefied refinery gases (LRGs) (except propane/propylene). Prior to June 2010, "Other Oils" included Fuel Ethanol and Motor Gasoline Blending Components.

⁵ Includes NGPLs and LRGs, other liquids, and all other finished petroleum products except finished motor gasoline, kerosene-type jet fuel, distillate fuel oil, residual fuel oil, and propane/propylene.

⁶ A negative number indicates a decrease in stocks and a positive number indicates an increase.

Note: Totals may not equal sum of components due to independent rounding.

Data source: Energy Information Administration, appropriate issues of the Weekly Petroleum Status Report and the Petroleum Supply Monthly.

Explanatory Notes and Detailed Methods Report

1. Overview.....	34
A. The Energy Information Administration's Quality Guidelines.....	34
B. Concepts of Product Supply and Demand	34
2. Weekly Petroleum Supply Surveys.....	34
A. Weekly Petroleum Supply Reporting System	34
B. Weekly Supply Survey Methodology.....	35
(1.) Sampling Frame.....	35
(2.) Sample Design	35
(3.) Collection.....	36
(4.) Processing	36
(5.) Imputation and Estimation.....	36
(6.) Macro Editing.....	37
(7.) Dissemination.....	37
C. Additional Sources of Data	37
(1.) Data Obtained Through Models	38
a. Domestic Crude Oil Production (Tables 1 and 9)	38
b. Exports (Tables 1, 7, 9).....	38
c. Stocks of Other Oils (Tables 1, 4, 9).....	38
d. Refinery Processing Gain (Tables 1, Line 20).....	38
(2.) Data Obtained from Supplemental Sources	39
a. Natural Gas Liquids Production (Table 1, Line 16).....	39
b. Other Renewable Fuels/Oxygenate Plant Production (Table 1, Line 19)	39
c. Other Supply Adjustment (Table 1, Line 25).....	39
d. Production of Finished Motor Gasoline Adjustment (Tables 2 and 9).....	39
D. Quality	39
(1.) Response Rates	39
(2.) Timing Issues.....	39
(3.) Non-sampling Errors.....	39
(4.) Resubmissions	39
(5.) Revision Policy	40
E. Petroleum Historic Stock Ranges	40
F. Data Assessment.....	40
G. Confidentiality—Data protection and disclosure - Weekly Supply Surveys.....	40
3. Weekly Petroleum Price Surveys.....	40
A. Weekly Price Survey Methodology.....	40
(1.) Sampling Frame.....	40
a. EIA-878, “Motor Gasoline Price Survey”	40
b. EIA-888, “On-Highway Diesel Fuel Price Survey”	41
(2.) Sampling Design	41
a. EIA-878, “Motor Gasoline Price Survey”	41
b. EIA-888, “On-Highway Diesel Fuel Price Survey”	41
(3.) Collection.....	42
(4.) Processing and Micro Editing	42
(5.) Imputation and Estimation.....	42
a. EIA-878, “Motor Gasoline Price Survey”	42
b. EIA-888, “On-Highway Diesel Fuel Price Survey”	42
(6.) Macro Editing and Validation	43
a. EIA-878, “Motor Gasoline Price Survey”	43
b. EIA-888, “On-Highway Diesel Fuel Price Survey”	43
(7.) Dissemination.....	43

B. Quality.....43

 (1.) Response Rates43

 (2.) Sampling and Non-sampling Errors.....43

 a. Sampling Errors.....43

 b. Non-sampling Errors.....43

 (3.) Revision Policy44

C. Confidentiality—Data protection and disclosure for Weekly Price Surveys.....44

4. Notes.....44

Weekly Petroleum Status Report Explanatory Notes

Overview

The Energy Information Administration's Quality

Guidelines

The data contained in the *Weekly Petroleum Status Report* (WPSR) are subject to separate information quality guidelines issued by the Office of Management and Budget (OMB), the Department of Energy (DOE), and Energy Information Administration (EIA). With available resources, EIA continually works to improve its systems in order to provide high quality information needed by public and private policymakers and decision makers. EIA has performance standards to ensure the quality (i.e., objectivity, utility, and integrity) of information it disseminates to the public. Quality is ensured and maximized at levels appropriate to the nature and timeliness of the disseminated information. Information about EIA's quality program is available at <http://www.eia.doe.gov/smg/EIA-IQ-Guidelines.html>.

Concepts of Product Supply and Demand

Petroleum supply estimates contained in the *WPSR* are often interpreted as an approximation of petroleum demand measured as product supplied. Product supplied is often called "implied" demand because it is a measure of demand that is implied by disappearance of petroleum products from facilities and activities in the "primary" supply chain. Facilities and activities in the primary supply chain include refineries and blending terminals, gas processing plants and fractionators, oxygenate producers, importers, exporters, bulk storage terminals, and pipelines. Total product supplied in the *WPSR* may be calculated from petroleum balances reported in Table 1. Total product supplied for crude oil and petroleum products is equal to crude oil input to refineries (line 14) + Other Supply Production (line 15) + net imports (line 21) - Stock Change (line 24) + Adjustment (line 25). Product supplied for individual products equals production plus imports minus stock change minus exports. "Crude Oil Supply Adjustment" (line 13) (formerly called "Unaccounted-for Crude Oil") is the balancing item between crude oil supply and disposition.

The secondary supply chain system is that portion of the overall distribution network that falls between producers and end-users. Product typically flows in bulk from the primary supply system into the secondary system before delivery in small quantities to consumers (the tertiary system). The secondary system includes storage at bulk plants; at retail motor fuel outlets, such as service stations, truck stops, and convenience stores; and at retail fuel oil dealers. Bulk plants are wholesale storage facilities that have less than 50,000 barrels of storage capacity and, by definition, receive product only by tank car or truck, not by barge, tanker, or pipeline. Tertiary inventories are held by end users and include fuel in vehicle tanks, heating oil in residential tanks, fuel oil held by utilities, jet fuel stored in facilities operated by end users, and certain proprietary storage of raw materials for the chemical industry (ethylene, propylene, etc.).

Data users sometimes consider demand as sales to the ultimate consumer or as the actual consumption of the product. Since there may be time delays between the movement of product into the primary

market and its ultimate purchase or consumption, these definitions of demand require data on changes in secondary and/or tertiary stocks or the assumption that these values either remain constant or are small compared to primary supply. The most recent study of secondary stocks was done by the National Petroleum Council in 1989. This study revealed that secondary distillate stocks were equal to about 6.9 percent of distillate stocks and 6.7 percent of distillate storage capacity. The study also noted that secondary storage capacity was decreasing due to EPA regulations.

Weekly Petroleum Supply Surveys

The data presented in the *WPSR* include data collected by the EIA on seven weekly petroleum supply and two weekly petroleum price surveys and data released by Reuters Ltd. During the heating months (October through mid-March), data from a 3rd weekly price survey are included in Appendix D, "Winter Fuels Heating Prices."

Weekly Petroleum Supply Reporting System

The seven weekly petroleum supply surveys are part of the Petroleum Supply Reporting System (PSRS). The PSRS tracks the supply and disposition of crude oil, petroleum products, and natural gas liquids in the United States. The PSRS is organized into two data collection subsystems, the Weekly Petroleum Supply Reporting System (WPSRS) and the Monthly Petroleum Supply Reporting System (MPSRS). The WPSRS processes the data from the seven weekly surveys. The MPSRS includes eight monthly surveys and one annual survey. The survey forms that comprise the PSRS are:

1. EIA-800, "Weekly Refinery and Fractionator Report,"
2. EIA-801, "Weekly Bulk Terminal Report,"
3. EIA-802, "Weekly Product Pipeline Report,"
4. EIA-803, "Weekly Crude Oil Stocks Report,"
5. EIA-804, "Weekly Imports Report,"
6. EIA-805, "Weekly Bulk Terminal and Blender Report,"
7. EIA-809, "Weekly Oxygenate Report,"
8. EIA-810, "Monthly Refinery Report,"
9. EIA-812, "Monthly Product Pipeline Report,"
10. EIA-813, "Monthly Crude Oil Report,"
11. EIA-814, "Monthly Imports Report,"
12. EIA-815, "Monthly Bulk Terminal and Blender Report,"
13. EIA-816, "Monthly Natural Gas Liquids Report"
14. EIA-817, "Monthly Tanker and Barge Movement Report"
15. EIA-819, "Monthly Oxygenate Report"
16. EIA-820, "Annual Refinery Report."

A copy of the forms and instructions is available at:
<http://www.eia.gov/survey/>

Weekly supply surveys are administered at seven key points along the petroleum production and supply chain: (1) refineries, fractionators, and gas processing plants, (2) bulk terminals, (3) product pipelines, (4) crude oil stock holders, (5) importers, (6) blenders and (7) fuel ethanol production facilities. Monthly surveys also include inter-PAD District movements by pipelines, tankers, and barges. Weekly surveys do not capture petroleum movements. Data collected weekly using

Forms EIA-800 through EIA-805 and EIA-809 are similar to, though less detailed than, the data collected monthly using Forms EIA-810, EIA-812 through EIA-815 and EIA-819. Respondents reporting to the weekly surveys constitute a sample of those reporting on the monthly surveys.

Annual U.S. refinery capacity data are collected on the Form EIA- 820, “Annual Refinery Report.” These data are published in the *Refinery Capacity Report*.

Weekly Supply Survey Methodology

Sampling Frame

The EIA weekly reporting system, as part of the Petroleum Supply Reporting System (PSRS), was designed to collect data similar to those collected monthly. The sample of companies that report weekly in the WPSRS are selected from the universe of companies that report on the corresponding monthly forms with the exception of the EIA-801 in 2010.

The sampling frame for Form EIA-800 “Weekly Refinery Report” includes refineries reporting on Form EIA-810 “Monthly Refinery Report” as well as fractionators reporting on Form EIA-816 “Monthly Natural Gas Liquids Report.” Monthly reports on Form EIA-810 are required from operators of every operating and idle refinery located in the 50 States, District of Columbia, Virgin Islands, Puerto Rico, and other U.S. territories. Monthly reports on Form EIA-816 are required from operators of every operating and idle gas processing plant, fractionator, and butane isomerization plant located in the 50 States and the District of Columbia.

The EIA-801 sampling frame consists of all companies reporting ending stocks on the EIA-815, “Monthly Bulk Terminal and Blender Report.” This includes every bulk terminal and blending facility operating company located in the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands. A bulk terminal is primarily used for storage and/or marketing of petroleum products and has a total bulk storage capacity of 50,000 barrels or more, and/or receives petroleum products by tanker, barge, or pipeline. Bulk terminal facilities associated with a product pipeline are included.

The EIA-802 sampling frame consists of all companies reporting on the EIA-812, “Monthly Product Pipeline Report.” This includes all petroleum product pipeline companies that transport refined petroleum products (including interstate, intrastate, and intracompany pipeline movements) in the 50 States and the District of Columbia. Bulk terminal facilities associated with a product pipeline are excluded.

The EIA-803 sampling frame consists of all companies reporting on the EIA-813, “Monthly Crude Oil Report.” This includes all companies that carry or store 1,000 barrels or more of crude oil. Included are gathering and trunk pipeline companies (including interstate, intrastate, and intracompany pipelines), crude oil producers, terminal operators, storers of crude oil (except refineries), and companies transporting Alaskan crude oil by water in the 50 States and the District of Columbia.

The EIA-804 sampling frame consists of all companies reporting on

the EIA-814, “Monthly Imports Report.” This includes each Importer of Record (or Ultimate Consignee in some situations regarding Canadian imports) that import crude oil or petroleum products (1) into the 50 States and the District of Columbia, (2) into Puerto Rico, the Virgin Islands, Guam and other U.S. possessions (Midway Islands, Wake Island, American Samoa, and Northern Mariana Islands), (3) Foreign Trade Zones located in the 50 States and the District of Columbia and (4) from Puerto Rico, the Virgin Islands and other U.S. possessions into the 50 States and the District of Columbia.

The EIA-805 sampling frame consists of all companies reporting inputs and production on the EIA-815, “Monthly Bulk Terminal and Blender Report.” This includes all storage terminals which produce finished motor gasoline through the blending of various motor gasoline blending components, natural gas liquids, and oxygenates in the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam and other U.S. possessions.

The EIA-809 sampling frame consists of all operators of facilities reporting fuel ethanol production on the EIA-819, “Monthly Oxygenate Report.” This includes fuel ethanol production facilities in the 50 States and the District of Columbia.

Sample Design

The sampling procedure used for the weekly surveys is the cut-off method. In the cut-off method, companies are ranked from largest to smallest on the basis of quantities reported during some previous period. Companies are chosen for the sample beginning with the largest and adding companies until the total sample covers approximately 90 percent of the total volumes for each item and each geographic region for which data may be published. For example, for distillate fuel oil stocks, the weekly sample includes those respondents whose combined volumes of stocks for distillate fuel oil from refineries, bulk terminals, and pipelines constitute at least 90 percent of the total volume of distillate fuel oil stocks as reported in the corresponding monthly surveys.

To assure 90-percent coverage of the total for each item collected and each geographic region for each weekly survey, the sample is reviewed each month. This review focuses on changes in the current monthly data as it relates to the weekly surveys, changes in the weekly surveys that impact the monthly surveys, and changes in respondent reporting patterns. Companies are added or removed from the surveys based on the changes. Refer to Table B1 for sample size of weekly surveys.

For the weekly surveys, better coverage will most likely reduce any sampling error. As shown in Table B2, 2012 coverage was comparable to 2011. Of the 21 product and supply type combinations, all except one had coverage above 90 percent in 2012. For 3 of the 21 combinations, 2012 coverage increased slightly over 2011. The largest percentage increase from 2011 to 2012 was for jet fuel oil imports, an increase of 0.4 percent. Bulk Terminals distillate fuel oil stocks and residual fuel oil production had the largest percentage decrease from 2011 to 2012, a decline of 6 percent each. Tabulations were done before rounding of the coverage values. Total motor gasoline production percentages include production from refineries, terminals and blenders.

Collection

Table B1. Frame and Sample Size for Weekly Supply Surveys

	Weekly Form	February 2025 Frame Size	Weekly Sample Size
Refiners (Refineries)	EIA-800	133	105
Bulk Terminals	EIA-801	*	*
Product Pipelines	EIA-802	106	48
Crude Oil Stock Holders	EIA-803	232	93
Importers	EIA-804	281	103
Terminal Blenders	EIA-805	1,466	794
Natural Gas Liquids Report	EIA-806	447	183
Ethanol Producers	EIA-809	265	144

* The sample for the EIA-801 comes from the same frame as the EIA-805.

Table B2. Average Coverage for Weekly Surveys, 2011 and 2012
(Percent of Final Monthly Volumes Included in Monthly-From-Weekly Sample)

Product	Stocks (%)						Production (%)		Imports (%)	
	Refinery		Bulk Terminals		Pipeline		2012	2011	2012	2011
	2012	2011	2012	2011	2012	2011				
Total Motor Gasoline	99	100	89	93	98	99	98	99	97	97
Jet Fuel	99	100	92	94	99	100	100	100	100	99
Distillate Fuel Oil	99	100	86	91	98	98	98	99	96	96
Residual Fuel Oil	99	100	89	93	-	-	99	100	96	99
Crude Oil	99	99	-	-	-	-	-	-	98	99

Survey data for the WPSR are collected by facsimile, Internet using secure file transfer, and electronic transmission on a weekly basis. All respondents must submit their data by 5:00 p.m. on the Monday following the end of the report period. The weekly report period begins at 7:01 a.m. on Friday and ends at 7:00 a.m. on the following Friday.

Processing

Data collected through the WPSRS are received, logged into an automated Survey Control File, keyed, and processed through an edit program. Cell values determined to be unusual or inconsistent with other cell values are flagged either by automated process or analyst review. The validity of the value of each flagged cell is investigated. From the investigation, some flagged values are either verified or corrected by the respondent. Any remaining flagged values are referred to as unresolved. Imputation is performed for nonrespondents and unresolved data items. The cleansed data are further reviewed at the aggregate level to determine if other data issues exist (see Macro Editing).

A clean data file is available by the close of business Tuesday. Corrections to previous periods, late submissions, or resubmissions for the current period received after publication are used in editing and imputation for the following periods (see Revision Policy).

Imputation and Estimation

After company reports have been checked and entered into the weekly database, values are imputed for companies that have not responded, reported incomplete data, or reported data that failed editing and could not be confirmed. The imputed values are calculated using exponentially smoothed means of recent weekly reported values for this specific company.

The equation for the exponential smoothing is:

$$Y_t = \alpha * y_t + (1 - \alpha) * Y_{t-1}$$

where

Y_t is the prediction for week t+1 (using data through week t),

y_t is week t's reported value,

Y_{t-1} is the prediction for week t (using data through week t-1),

α is a number between 0 and 1, chosen by survey/product/type

In the equation for exponential smoothing, the size of α controls the importance of last week's value relative to the aggregate of all weeks before that as represented by the prediction for last week. For example, if $\alpha = 0.8$, then last week's value is much more important in predicting this week's value than all the previous week's values are since the weight of last week is 0.8 and the weight of the previous weeks collectively is 0.2. In general, the α values for the expected means of the non-zero

responses are low for imports (last week is much less important than history) and much higher for production, inputs and stocks.

The imputed values are treated like reported values in the estimation procedure, which calculates ratio estimates of the weekly totals. First, the current week's data for a given product reported by companies in a geographic region are summed (weekly sum, W_s). Next, the most recent month's data for the product reported by those same companies are summed (monthly sum, M_s). Finally, the most recent month's data for the product as reported by all companies, including adjustments made in the monthly process, is summed (M_t). The current week's ratio estimate for that product for all companies, W_p , is given by:

$$W_t = (M_t / M_s) * W_s$$

The ratio (M_t / M_s) may be adjusted to account for very unusual events or industry changes not yet reflected in the lagged monthly data. For example, the hurricanes in September 2005 rendered the September data unrepresentative for purposes of applying the ratio to the *WPSR* in December 2005. Note, however, the gasoline and ethanol fuel adjustment is not included in M_t and is treated explicitly.

This procedure is used directly to estimate total weekly inputs to refineries and production. When refineries are closed or inoperable, the lagged monthly data impacts the estimate of operable capacity and percent utilization in the *WPSR*. Operable capacity is the latest reported monthly operable capacity. The percent utilization is calculated as gross weekly inputs divided by operable capacity. The use of monthly capacity data may result in an overestimate of operable capacity and an underestimate of percent utilization until the shutdown is shown in the monthly data.

To estimate stocks of finished products, the preceding procedure is followed separately for refineries, bulk terminals, and pipelines. Total estimates are performed by summing over establishment types.

Published values of gasoline production include a fuel adjustment to account for the imbalance between supply and disposition of motor gasoline blending components and fuel ethanol. For further detail, refer to Additional Sources of Data, Data Obtained from Supplemental Sources (below).

Weekly imports data are highly variable on a company-by-company basis or a week-to-week basis. Therefore, an exponentially smoothed ratio has been developed for weekly imports. The estimate of total weekly imports is the product of the smoothed ratio and the sum of the weekly reported values and imputed values.

For imports, the ratio is smoothed as follows:

$$R_t = \alpha * r_t + (1 - \alpha) * R_{t-1}$$

where

R_t is the smoothed ratio for week t+1 (using ratios through week t),

r_t is week t's ratio of the most recent monthly total for all respondents to the monthly total of respondents from the weekly sample,

R_{t-1} is the smoothed ratio for week t (using ratios through week t-1),

α is a number between 0 and 1, chosen by product but not by PADD/Respondent ID.

When $M_s = 0$, then r_t is not defined for the week and the smoothed ratio is not updated, that is, the previous smoothed ratio is used as the multiplier.

Macro Editing

After the respondent-level data have been collected and processed. The *WPSR* processing system is "locked down" to all staff except a select group of industry analysts and statisticians, referred to as the *WPSR* Review Team. Aggregate-level estimates are generated by product and geographic region for the current week, three prior weeks, year ago data for the same week, along with 4-week averages. The *WPSR* Review Team has the responsibility for reviewing the aggregated data for all products and resolving inconsistencies with these estimates.

Once the *WPSR* Review Team have completed their review, preliminary *WPSR* tables are generated and provided to the Petroleum Division Director (PDD) for review. At 4 p.m., the team meets with the PDD for a final review and discussion of the estimates. Discrepancies in the data are discussed and, if necessary, adjustments are made and the final published statistics are generated for release on Wednesday morning at 10:30 a.m.

Dissemination

The data are published in the *WPSR* and the *TWIP* every Wednesday for the report period ending on the previous Friday. The *WPSR* tables are released to the EIA Web site at 10:30 a.m. (Eastern Standard Time) in CSV and XLS formats. The weekly highlights are released in PDF format at 10:30 a.m. The entire *WPSR* is released at 1:00 p.m. in PDF and HTML format. For weeks which include holidays (or have other disruptions to normal operations), releases are delayed by one day. The *WPSR* tables can be accessed at: <http://www.eia.gov/petroleum/supply/weekly/>.

Selected data from the weekly supply surveys are also published in the *This Week in Petroleum (TWIP)* generally available at 1:00 p.m. Eastern Time on Wednesdays. The *TWIP* can be accessed at: <http://www.eia.gov/oog/info/twip/twip.asp>.

Additional Sources of Data

Due to the tight time constraints in publishing weekly petroleum supply statistics and the desire to reduce industry response burden, some of the statistics published in the *WPSR* are obtained from sources other than the 7 weekly supply surveys. These other sources include models to data and data from supplemental sources such as the *PSM* or the Bureau of the Census.

Data Obtained Through Models

Domestic Crude Oil Production (Tables 1 and 9)

EIA estimates weekly domestic crude oil production using a combination of short-term forecasts and the latest available production estimates from Alaska. The four data elements contributing to the estimate are:

- the most recent Short-Term Energy Outlook (STEO) model estimate (including interim estimates) for average daily production for the lower 48 States and the Federal Gulf of America (GOA) (STEO Table 4a: <http://www.eia.gov/forecasts/steo/data.cfm?type=tables>);
- daily production volumes delivered from the North Slope of Alaska to the Trans-Alaska Pipeline System (TAPS) (reported to EIA by the Alyeska Pipeline Service Company);
- daily volumes of natural gas plant liquids produced on the North Slope delivered to TAPS (reported to EIA by BP); and
- daily production for South Alaska estimated from monthly production reports (lagged by two months) from the Alaska Oil and Gas Conservation Commission (AOGCC).

Most of the uncertainty in the weekly estimate is associated with the STEO forecast for lower 48 and GOA production. For example, when lower 48 crude oil production is either increasing or decreasing rapidly, the accuracy of the estimate for any particular month is likely to be reduced. During tropical storms or hurricanes that affect Gulf of America oil production, near real-time daily shut-in volumes reported by the Bureau of Safety and Environmental Enforcement (BSEE) are subtracted from the daily lower 48 estimate. See Previous STEO Forecasts at <http://www.eia.gov/forecasts/steo/data.cfm?type=tables> for comparisons of current and previous monthly STEO forecasts for lower 48 oil production and percent changes for STEO quarterly forecasts.

The weekly estimates of domestic crude oil production are reviewed monthly when the *Short-Term Energy Outlook* (STEO) is released to identify differences with recent trends in survey-based domestic production reported in the *Petroleum Supply Monthly* (PSM) and other current data. If a large difference between the two series is observed, the weekly production estimate may be re-benchmarked on weeks when the STEO is released.

Exports (Tables 1, 7, and 9)

Official U.S. exports statistics for crude oil, petroleum products, and biofuels are compiled and published by the U.S. Census Bureau each month. EIA obtains these data on a monthly basis approximately six weeks after the end of the monthly reporting period. Weekly exports statistics for crude oil, petroleum products, and biofuels are obtained through a memorandum of understanding with the U.S. Customs and Border Protection (CBP) to access their Automated Commercial Environment (ACE) system. Except for exports to Canada, all entities exporting products from the United States are required to file export information with ACE. EIA receives unedited data files from CBP each week that EIA processes to remove duplicate entries and to convert measurements as needed. This edited data is then used to estimate U.S. weekly exports of crude oil, petroleum products, and biofuels.

For exports to Canada, EIA also applies an Unobserved Components Model as part of the weekly estimate where applicable. For residual fuel oil and other oils, EIA further applies a post processing regression method. The weekly exports estimates are updated each week given the availability of current CBP data. In weeks when CBP data is not available, the most recent four-week average of exports will be used. For more detail, please see Appendix D, the “Statistical Methodology of Estimating Petroleum Exports Using Data from U.S. Customs and Border Protection.”

Stocks of Other Oils (Tables 1, 4, 9)

Stocks of “other oils” are derived from a combination of both weekly survey data and estimates based on prior monthly reported values. Other oils stocks include weekly survey data collected for natural gas plant liquids (NGPLs) and liquid refinery gases (LRGs) excluding propane/propylene which is reported separately, unfinished oils, kerosene, and asphalt/road oil. These products typically account for the majority of other oils stocks. Stocks of the remaining minor products included in other oils inventories not collected on weekly survey forms are estimated. Minor products include aviation gasoline, other hydrocarbons and oxygenates, aviation gasoline blending components, naphtha and other oils for petrochemical feedstock use, special naphtha, lube oils, waxes, coke, and miscellaneous oils. An estimate of weekly stocks of minor products is derived by first computing an average daily rate of stock change for the minor products for each month based on monthly data for the past 6 years (Table 1 of the *PSM*). The daily stock change for a month is estimated by subtracting the prior month's end of month other oils stocks from the current month's end of month other oils stocks and dividing by the number of days in the current month. This average daily rate and the minor stock levels from the most recent *PSM* are then used to estimate the minor product stock level for the current week.

Since some of the components of the stocks of other oils are based on values from past monthly data, analysts review the estimate to determine if factors such as recent increases or decreases in crude runs or reported outlier data require an adjustment to the estimate of stocks of minor products.

Refinery Processing Gain (Table 1, Line 20)

Processing gain is the volumetric amount by which total output is greater than input for a given period of time. This difference is due to the processing of crude oil into products which, in total, have a lower specific gravity than the crude oil processed.

Processing gain in the *WPSR* is calculated by dividing processing gain from Table 29 of the *PSM* by Refinery and Blender Net Inputs of Crude Oil in thousands of barrels per day from Table 3 of *PSM* for each of the latest 12 months of the *PSM*. The 12 values are added and divided by 12. The result is then multiplied by this week's crude oil input to refineries value in Table 1 of the *WPSR* to obtain the processing gain value for the week.

Data Obtained from Supplemental Sources

Natural Gas Plant Liquids Production (Table 1, Line 16)

Natural Gas Plant Liquids Production is not collected on the weekly surveys. The volume shown for “Natural Gas Plant Liquids Production” is “Field Production” of “Natural Gas Plant Liquids and Liquefied Refinery Gases” from Table 3, “U.S. Daily Average Supply and Disposition of Crude Oil and Petroleum Products” of the latest *PSM*. For further information see the Explanatory Notes in the appendix of the *PSM* available at: <http://www.eia.gov/petroleum/supply/monthly/>

Other Renewable Fuels/Oxygenate Plant Production (Table 1, Line 19)

“Other Renewable Fuels/Oxygenate Plant Production” is derived from data on Table 3 of the latest *PSM*. It is derived by adding Total “Renewable Fuels and Oxygenate Plant Net Production,” less Renewable Fuels and Oxygenate Plant “Fuel Ethanol” production, plus the adjustments to “Oxygenates (excluding fuel ethanol)” and adjustments to “Renewable Fuels Except Fuel Ethanol.” Other Renewable Fuels/Oxygenate Plant Production includes production of “Oxygenates (excluding fuel ethanol)” and “Renewable Fuels Except Fuel Ethanol.” “Oxygenates (excluding fuel ethanol)” include ETBE, MTBE, and E85 as well as input of denaturants for fuel ethanol at fuel ethanol plants. For further information see the explanatory notes in the appendix of the *PSM* available at: <http://www.eia.gov/petroleum/supply/monthly/>

Other Supply Adjustment (Table 1, Line 25)

Other Supply Adjustment is equal to the sum of the “Adjustment” for Refiner and Blender Net Production of Finished Motor Gasoline from Table 2 of the *WPSR* and the adjustments to the supply for “Hydrogen” and “Other Hydrocarbons” from Table 3 of the *PSM*.

Production of Finished Motor Gasoline Adjustment (Tables 2 and 9)

Production of finished motor gasoline reported in Tables 2 and 9 of the *WPSR* includes refinery production, blender production, and adjustments to account for imbalances between supply and disposition of motor gasoline blending components and fuel ethanol. An adjustment is needed to finished motor gasoline production because there typically is more supply than disposition reported for motor gasoline blending components and fuel ethanol. Since there is no end-user demand for motor gasoline blending components or fuel ethanol, the imbalance is typically interpreted as unreported gasoline production at blenders. Gasoline production adjustments are included in Total US finished gasoline production reported in the *WPSR*. The adjustment is the sum of the values required to balance the supply and disposition of motor gasoline blending components and fuel ethanol. Supply is production plus imports minus stock change. Disposition is refinery and blender net production plus exports.

For motor gasoline blending components, production equals the motor gasoline blending component adjustment value from Table 3 of the *PSM*. Imports, stock change, and refinery and blender net inputs are current weekly data; and exports are from the Petroleum Export

Model. For fuel ethanol, production equals ethanol plant production, imports, stock change, and refinery and blender net inputs are current weekly data and exports are from the Petroleum Export Model.

Additional details concerning gasoline adjustments are available in Appendix B, “Detailed Statistics Explanatory Notes” of the *PSM*.

Quality

Response Rates

The response rate for the weekly supply surveys is generally 95 to 100 percent. Chronic nonrespondents and late filing respondents are contacted by telephone and reminded of their requirement to report. Nearly all of the major companies report on time. The nonresponse rate for the published estimate is usually between 1 percent and 2 percent.

Timing Issues

Timing of reported data can impact published results. For example, the calculation of product supplied includes imports and change in stock levels. Normally imports would result in a stock increase. However, respondents recording inventories are frequently different than the respondents reporting imports. The accounting system of one respondent may lag that of another, resulting in the imports and associated stocks being reported in different weeks. These timing differences result in weekly variations in product supplied.

Non-sampling Errors

The weekly supply data are closely watched by market analysts and are sometimes attributed to movements in both spot and futures prices on the day the data are released. When petroleum markets are particularly tight or when the data are not what the market is expecting, (e.g. a build in inventories occurs when a decline is expected), the weekly data take on a more significant role in the assessment of petroleum markets, where such assessments affect billions of dollars in the financial markets.

Non-sampling errors may arise in the survey estimates from a number of sources including: (1) the inability to obtain data from all companies in the frame or sample (non-response and the method used to account for non-response), (2) response errors, (3) differences in the interpretation of questions or definitions, (4) mistakes in recording or coding of the data obtained from respondents, (5) data timing, and (6) other errors of collection, response, coverage, and estimation.

Resubmissions

Resubmissions are required whenever an error greater than 5 percent of the true value is discovered or if requested by EIA. Late submissions or resubmissions received after the publication date are used for editing and imputation for future periods. In rare instances, the data are used to publish a revised estimate. See Revision Policy below.

Revision Policy

EIA will disseminate revised weekly data only if the revision is expected to substantively affect understanding of U.S. petroleum supplies. The decision to disseminate a revision to weekly data will be based on EIA's judgment of the revision's expected effect. If a revision is necessary, it will be disseminated in the next regularly scheduled release of the weekly products.

Petroleum Historic Stock Ranges

The 5-year high/low stock ranges displayed in Figures 1 through 6 are provided to help WPSR users compare current petroleum inventories to recent historic levels on a U.S. total and regional basis.

The 5-year ranges provide the reader with the highest and lowest weekly stock levels for a given product by region over the equivalent week during the prior five years. Current weekly stock estimates published in the WPSR (labeled Weekly) are plotted in relation to these 5-year stock levels (shaded area on the charts) for crude oil, total motor gasoline, distillate fuel oil, kerosene-type jet fuel, residual fuel oil, and propane inventories. The charts show two years of data, covering periods either from December through December or June to June.

Data Assessment

The principal objective of the PSRS is to provide an accurate picture of petroleum industry activities and of the availability of petroleum products nationwide from primary distribution channels. The weekly data, which are based on sample estimates stemming largely from preliminary company data, serve as leading indicators of the monthly data. The weekly data are not expected to have the same level of accuracy as the preliminary monthly data when compared with final monthly data. However, the weekly data are expected to exhibit like trends and product flow characteristic of the preliminary and final monthly data.

To assess the accuracy of weekly statistics, monthly estimates derived from weekly estimates are compared with the final monthly aggregates published in the Petroleum Supply Annual (PSA). Although final monthly data published in the PSA are still subject to error, they have been thoroughly reviewed and edited, they reflect all revisions made during the year, and they are considered to be the most accurate data available. The mean absolute percent error provides a measure of the average revisions relative to the aggregates being measured for a variable. The mean absolute percent error for 2007 weekly data was less than 2 percent for 22 of the 62 major petroleum variables analyzed. As a group, stocks continued to have the most accurate monthly from weekly estimates. The detailed analysis is available in a feature article entitled "Accuracy of Petroleum Supply Data" available at: http://www.eia.doe.gov/petroleum/supply/monthly/archive/2009/2009_02/pdf/art0902.pdf

Confidentiality—Data protection and disclosure -

Weekly Supply Surveys

The information reported on Forms EIA-800 through EIA-805 and EIA-809 is kept confidential and not disclosed to the public to the extent that it satisfies the criteria for exemption under the Freedom of Information Act (FOIA), 5 U.S.C. §552, the DOE regulations, 10 C.F.R. §1004.11, implementing the FOIA, and the Trade Secrets Act, 18 U.S.C. §1905. The Energy Information Administration (EIA) protects this information in accordance with its confidentiality and security policies and procedures.

The Federal Energy Administration Act requires the EIA to provide company-specific data to other Federal agencies when requested for official use. The information reported on these forms may also be made available, upon request, to another component of the Department of Energy (DOE); to any Committee of Congress, the General Accounting Office, or other Federal agencies authorized by law to receive such information. A court of competent jurisdiction may obtain this information in response to an order. The information may be used for any nonstatistical purposes such as administrative, regulatory, law enforcement, or adjudicatory purposes.

Disclosure limitation procedures are not applied to the statistical data published from these surveys' information. Thus, there may be some statistics from forms EIA-800 through EIA-805 and EIA-809 that are based on data from fewer than three respondents, or that are dominated by data from one or two large respondents. In these cases, it may be possible for a knowledgeable person to estimate the information reported by a specific respondent.

Company specific data are also provided to other DOE offices for the purpose of examining specific petroleum operations in the context of emergency response planning and actual emergencies.

Weekly Petroleum Price Surveys

Weekly Price Survey Methodology

EIA survey price data contained in this report are derived from two weekly surveys, the EIA-878, "Motor Gasoline Price Survey," and the EIA-888, "On-Highway Diesel Fuel Price Survey." These surveys provide timely information on national and regional retail prices of gasoline and on-highway diesel fuel.

Sampling Frame

EIA-878, "Motor Gasoline Price Survey"

The target population is all active retail gasoline outlets in the United States for a given week. The population includes two types of outlets—big-box and non-big-box outlets. Big-box outlets typically sell large volumes of gasoline at discounted prices.

The EIA-878 sample was drawn from a frame of approximately 130,000 retail gasoline outlets in the United States that were active in 2016. The gasoline outlet frame was constructed by combining outlet information from a private commercial source with information contained on existing EIA petroleum product frames and surveys, federal and state administrative records, and other publicly available sources. Outlet names, physical addresses, and ZIP codes were

obtained from the private commercial data source. The individual outlets in the frame were assigned to counties after converting the physical addresses to geographic coordinates. Each outlet is designated as either in an area requiring reformulated gasoline (RFG) based on Environmental Protection Agency (EPA) program requirements or in an area designated as a conventional gasoline area. Reformulated gasoline is required by EPA in any area that is designated as an ozone nonattainment area. A conventional area is defined as any area that does not require the sale of reformulated gasoline. All formulations of finished motor gasoline may be sold in conventional areas. The outlets were then further assigned to city areas based on the geographic areas as defined by EIA.

EIA-888, “On-Highway Diesel Fuel Price Survey”

The target population is all active retail on-highway diesel fuel outlets in the contiguous United States for a given week. Due to statistical and operational considerations, outlets in the States of Alaska and Hawaii were excluded from the target population. The population includes two types of outlets—truck stops and service stations that sell on-highway diesel fuel. For the sole purpose of sampling efficiency, we define a truck stop as an on-highway diesel fuel retail outlet that has diesel fuel bays designed to accommodate and serve large trucks and may also offer amenities such as restaurants, showers, truck maintenance and repair, and laundry services. Truck stops typically sell larger volumes of diesel fuel and have designated diesel fueling bays that are separate from gasoline or diesel fuel pumps intended for automobiles and light trucks. In contrast, service stations sell diesel fuel in the same area as gasoline.

The EIA-888 sample was drawn from a frame of approximately 73,000 service stations and 9,500 truck stops in the contiguous United States that were active in 2021. We constructed the diesel fuel outlet frame by combining information from a private commercial source with information contained on our existing petroleum product frames and surveys and other publicly available sources. Auxiliary data at the outlet level on the frame were used to stratify truck stops on the frame and included truck diesel fuel lane counts, traffic volumes on nearby roadways, truck parking availability at the outlet, and sales of diesel exhaust fluid (DEF) from a pump.

Sample Design

EIA-878, “Motor Gasoline Price Survey”

The gasoline outlet sample implemented on May 14, 2018, is a stratified systematic sample with a total size of 1,000 retail outlets. Retail gasoline outlets are assigned to primary sampling strata based on physical address. These primary sampling strata are non-overlapping, and one or more primary sampling strata may be combined to correspond to a publication cell. A publication cell is defined by geography (PADD, state, and city) and attainment status (reformulated or conventional gasoline). Hence, New York State reformulated gasoline is a publication cell. New York City, conventional gasoline in PADD 1A (New England), and all of the United States are also publication cells.

The primary sampling strata are further substratified by retail gasoline outlet type (big-box or non-big-box). The total sample size is allocated to the sampling substrata in proportion to the number of outlets in the cell after weighting the big-box substrata in recognition of larger

annual sales volume per outlet compared with non-big-box substrata. Sampling within each sampling substratum is performed by ordering the outlets by county and ZIP code and selecting an independent systematic random sample without replacement. This procedure results in adequate sample representation by ZIP code within a given substratum.

Based on annual assessments of the gasoline frame, the sample may be augmented to account for new outlets that are established. In addition, some geographic regions may experience relatively higher annual rates of outlets going out of business. Those geographic regions with relatively higher rates of sample attrition may be oversampled for newly identified outlets, compared with other regions, to help offset these smaller sample sizes.

EIA-888, “On-Highway Diesel Fuel Price Survey”

The on-highway diesel fuel sample implemented on June 13, 2022, is a stratified systematic sample with a total size of 590 retail outlets. Retail diesel fuel outlets are assigned to eight primary sampling strata based on physical address. These primary sampling strata are nonoverlapping, and they correspond to the published regional breakouts of Petroleum Administration for Defense Districts (PADDs), the most detailed geographic levels used to define publication cells and include PADDs 2, 3, 4, three sub-PADDs within PADD 1, and the two subparts of PADD 5 (the State of California and the West Coast region excluding California). The U.S., the East Coast (PADD 1), and the West Coast (PADD 5) are considered secondary publication cells because they include primary publication cell components. Each primary sampling stratum is further substratified into a certainty substratum of truck stops and up to four noncertainty substrata: large truck stops, medium truck stops, other truck stops, and service stations. Truck stops that are selected in certainty substrata are included in the sample with a probability of 1. By substratifying the primary strata, 38 sampling strata were formed.

We developed a model using historical sales data collected with Form EIA-821, “Annual Fuel Oil and Kerosene Sales Report,” to estimate annual diesel fuel sales volumes at the outlet level. This model helped us stratify the truck stops into up to four substrata for a given primary sampling stratum based on auxiliary data at the outlet level on the frame.

We allocated sample sizes to the noncertainty substrata based on the substratas’ relative estimated diesel fuel sales volumes, subject to constraints on minimum sample sizes and maximum sampling weights. Sampling within each noncertainty sampling substratum is performed by ordering the outlets by county and ZIP code and selecting an independent systematic random sample without replacement using a fractional interval. This procedure results in adequate sample representation by ZIP code within a given substratum.

Based on annual assessments of the diesel fuel frame, the sample may be augmented to account for new outlets that we identified since the construction of the initial frame. In addition, some geographic regions may experience relatively higher annual rates of outlets going out of business. Those geographic regions with relatively higher rates of sample attrition may be oversampled for newly identified outlets, compared with other regions, to help offset these smaller sample sizes.

Collection

Each Monday, the individual gasoline and diesel outlets are called and asked to report the pump price of their products including taxes as of 8:00 a.m. local time. If Monday is a holiday, the calls are made on the next business day; however, the Monday price is still recorded. The collection takes place using a computer assisted telephone interview (CATI) with built-in editing. Companies who prefer to report through their headquarters on behalf of their selected outlets are allowed to do so. We also collect weekly prices via email, text, fax, web survey, or manual retrieval from company websites. Data obtained through non-phone methods are entered into the CATI system and treated the same as phone-collected prices. Nonrespondent firms are telephoned several times. The data may be collected more frequently during emergency situations.

For the outlets selected in the gasoline and diesel samples, we collect their most recently available annual sales volume data only once when these outlets are selected for a new sample. The data are collected by mail or electronic transmissions. We use the volume data only to calculate our published volume-weighted average diesel fuel price estimates, and we do not publish these data.

For the few outlets in the sample that report selling on-highway diesel fuel to automobiles and trucks at different prices, we collect only the weekly truck prices from these outlets and weight these prices by the recent annual truck sales volumes collected from Form EIA-888, "On-Highway Diesel Fuel Price Survey Schedule B." We do not collect the weekly automobile diesel prices for these outlets because we do not believe that these automobile sales would have a meaningful impact on the published price estimates to justify the additional response burden.

In 2007, on-highway diesel fuel prices were collected for two types of diesel fuel, ultra-low sulfur and low sulfur. This dual collection was in response to the industry's implementation of EPA requirements phasing out the use of low sulfur diesel fuel. Publication of Low Sulfur On-Highway Diesel (LSD) prices at the U.S. level was discontinued on December 8, 2008 due to a diminishing number of stations selling LSD as a result of EPA diesel fuel regulations. EIA continued to collect LSD prices from retail outlets and included them in the Diesel Average All Types price until July 26, 2010, when no more outlets reported LSD sales. Beginning July 26, 2010 publication of the Ultra-Low Sulfur Diesel (ULSD) price became fully represented by the Diesel Average All Types price. As of December 1, 2010 (September 1, 2006 in California), any on-highway diesel fuel sold is ULSD as mandated by EPA on-highway diesel fuel regulations.

Processing and Micro Editing

The data are edited when they are entered into the CATI system, normally during the phone interview. Respondents are asked to verify prices that fail edits. If prices are outside a certain range or fail other criteria (e.g., the price of a station's fuel grade is the same or less than the price of a lower grade), respondents are also asked to explain the reason for the extreme deviation in price. Data obtained through non-phone methods are also entered into the CATI system. If the data fail the edits, the respondents are called and asked to verify their reported

price(s). Imputation is used for outliers and nonrespondents.

In addition, in the middle of the weekly data collection, quality checks are performed on collected data. This is done to test the integrity of the current data, check for severe fuel price changes, and re-set any records which have been resolved. Outliers discovered during the pre-check are re-called to recheck or correct these prices. Any edits introduced to the data by this process will be applied when another pre-check or final processing is run.

Final processing takes place once all records in the CATI system have been resolved. Many of the same tasks of the pre-check process are repeated and final price estimates are created.

Imputation and Estimation

EIA-878, "Motor Gasoline Price Survey"

We handle item and unit nonresponse to weekly gasoline prices and annual sales volumes at the outlet level by imputation. Depending on available information, the imputation procedure is based on a model that incorporates some combination of previous survey data reported by the outlet, survey data reported by similar outlets in the sample, and data obtained from a private commercial source.

The estimation for weekly prices uses two sources of data from the Motor Gasoline Price Survey: annual sales volumes for each outlet in the sample and weekly price data for those outlets. Prior to implementing the new weekly sample, EIA collected annual sales volumes and ethanol content for regular, midgrade, and premium gasoline for the retail gasoline outlets in the sample from owners of the outlets and top suppliers of retail gasoline.

The sampling weight for a given sampled outlet is the reciprocal of the outlet's probability of selection in the sample. Using the annual sales volume data to estimate average prices, the volume weight for a given sampled outlet was constructed by multiplying its sampling weight by its annual sales volume. These volume weights are applied each week to the reported or imputed outlet gasoline prices to obtain weighted average price estimates for the formulations, grades, and geographic areas that EIA publishes. For quality assurance purposes, average price estimates are withheld from publication if at least half of the weighted annual sales volume is based on outlets for which the weekly gasoline prices are imputed.

EIA-888, "On-Highway Diesel Fuel Price Survey"

We handle item and unit nonresponse to weekly diesel fuel prices and annual sales volumes at the outlet level by imputation. Depending on available information, the imputation procedure is based on a model that incorporates some combination of previous survey data reported by the outlet, survey data reported by similar outlets in the sample, and data obtained from a private commercial source.

The estimation for weekly prices uses weekly price data for outlets in the sample that are collected from Form EIA-888, "On-Highway Diesel Fuel Price Survey Schedule A," and recent annual sales volumes for each of these outlets that are collected from Form EIA-888, "On-

Highway Diesel Fuel Price Survey Schedule B.” The sampling weight for a given sampled outlet is the reciprocal of the outlet’s probability of selection in the sample. To estimate average prices, we first calculate the weighted volume for a given sampled outlet by multiplying its sampling weight by its annual sales volume. We then apply these volume weights each week to the reported or imputed outlet diesel fuel prices to obtain weighted average price estimates for the geographic areas that we publish. For quality assurance purposes, we withhold average price estimates from publication if at least half of the weighted annual sales volume is based on outlets for which the weekly diesel fuel prices are imputed.

Macro Editing and Validation

EIA-878, “Motor Gasoline Price Survey”

Once the motor gasoline price data have been processed, the data are checked through a validation program. The program identifies the outliers in price changes from a week ago and in actual prices by grade and region. Significant outliers are investigated and verified by calling the respondent(s) and/or checking the fax, text, or email from the respondent.

All collected volumes are subjected to error checks during data validation. We verify data flagged for potential errors with the respondents. Volume data reported for only part of the year are inflated to approximate sales volumes for a full calendar year.

EIA-888, “On-Highway Diesel Fuel Price Survey”

After processing, the outlet prices are checked by a diesel validation program. The program identifies outliers and allows the analyst to further examine the data. Significant outliers are investigated and verified by calling the respondent(s) and/or checking the fax or email from the respondent for explanations. Also, credit card transaction prices are obtained from a private source and used to validate the U.S. and PADD level average prices for on-highway diesel fuel. If the survey results differ significantly from these sources, additional verification of the reported prices is done.

All collected volumes are subjected to error checks during data validation. We verify data flagged for potential errors with the respondents. Volume data reported for only part of the year are inflated to approximate sales volumes for a full calendar year.

Dissemination

Estimates of average retail gasoline and on-highway diesel prices are released at approximately 5:00 p.m. each Monday, except on Federal holidays, in which case the data are released on Tuesday (but still represent Monday’s prices). These estimates are released on EIA’s website: <http://www.eia.gov/petroleum/gasdiesel/>.

The data are also available through email notification to those customers who sign up for that service. The U.S., PADD, and sub-PADD level regular gasoline and diesel fuel average price estimates are available in this publication, the *Weekly Petroleum Status Report*.

Quality

Response Rates

For EIA-878 and EIA-888, EIA calculates the survey response rate based on the annual volumes represented by the reporting outlets in the sample. For EIA-878, in terms of total weighted annual sales volume, the volumes represented by the reporting outlets in the weekly survey account for at least 80% for regular grade at the U.S. level. For EIA-888, in terms of total weighted annual sales volume, the volumes represented by the reporting outlets in the weekly survey account for at least 80% of diesel fuel sold at the contiguous U.S. level.

Sampling and Non-sampling Errors

Sampling Errors

Sampling error is a statistical term for the error that occurs when survey estimates are based on a sample rather than being derived from a complete census of the frame. Tables showing data from the EIA-878 and EIA-888 surveys utilize a sample of resellers and retailers and, therefore, have sampling error.

Statisticians use measures of sampling variability, such as the standard error and the coefficient of variation, to measure the sampling error. These measures of sampling variability are typically estimated from the sample that was selected. The standard error, which is measured in the same units (current dollars per gallon for weekly gasoline and diesel prices) as the estimate, is a measure of the sampling variability of the estimate based on all possible samples that could have been selected using the chosen sample design. The coefficient of variation, which may also be referred to as the relative standard error, is the standard error expressed as a fraction of the estimate. For quality assurance purposes, we flag average price estimates if the corresponding estimated coefficient of variation is more than 5%.

Estimated measures of sampling variability for the EIA-878 can be found at: https://www.eia.gov/petroleum/gasdiesel/gas_proc-methods.php

Estimated measures of sampling variability for the EIA-888 can be found at: https://www.eia.gov/petroleum/gasdiesel/diesel_proc-methods.php

Non-sampling Errors

Potential errors unrelated to sampling, called nonsampling errors, include various response and operational errors, such as those related to data collection, respondent reporting, transcription, and nonresponse. All these types of errors could also occur even if every known outlet had been surveyed under the same conditions as the sample survey. Although nonsampling error is not measured directly, EIA employs quality control procedures throughout the survey process.

Revision Policy

EIA disseminates revised weekly data only if the revision is expected to

substantively affect users understanding of U.S. petroleum prices. The decision to disseminate a revision to weekly data will be based on EIA's judgment of the revision's expected effect. If a revision is necessary, it will be disseminated in the next regularly scheduled release of the weekly products.

Confidentiality—Data protection and disclosure for Weekly Price Surveys

The information reported on the weekly price survey Forms EIA-878 and EIA-888 is considered confidential in accordance with the Confidential Information Protection and Statistical Efficiency Act of 2018 (P.L. 107-347) and the information will be used solely for statistical purposes. Instructions to the forms include the following:

“The information you provide will be used for statistical purposes only and is confidential by law. In accordance with the Confidential Information Protection and Statistical Efficiency Act of 2018 and other applicable Federal laws, your responses will not be disclosed in identifiable form without your consent. Per the Federal Cybersecurity Enhancement Act of 2015, Federal information systems are protected from malicious activities through cybersecurity screening of transmitted data. Every EIA employee, as well as every agent, is subject to a jail term, a fine, or both if he or she makes public ANY identifiable information you reported.”

Notes

Note 1

Calculation of World Oil Price

The weighted average international price of oil, shown in the Highlights and in Table 10, is an average calculated using specific crude oil prices weighted by the estimated crude oil export volume for each oil-producing country. To develop Table 10, a list of major oil producing/exporting countries was chosen. For each country, the contract selling price of one or more representative crude oils was determined by investigating a number of industry publications (i.e., Platt's Oilgram Price Report, Wall Street Journal, and Canadian Ministry of Natural Resources) and by contacting oil market analysts. Then, the appropriate crude oil exporting volumes to be used as weighting factors for each country were determined. These volumes are estimates based on a number of sources which provide data on production, consumption, and petroleum product exports for these countries. Export volumes for a number of smaller producing/exporting countries, not listed in the table, are included in the weighting factors. After the export volumes had been determined, simple mathematical weighted averages were calculated to arrive at the Total OPEC, Total Non-OPEC, and Total World prices. The average United States (FOB) import price is derived by the same basic procedure as the world oil price that is, taking the representative contract crude oil price of a specific crude oil from a particular country and weighting this price by a certain volume of crude oil. In this case, the weighting factors are the volumes of crude oil imported into the U.S. from pertinent countries. Import volumes from a number of smaller producing/exporting countries, not listed in the table, are included in the weighting factors.

Note 2

The spot prices that are shown in Tables 11 and 12 are calculated by taking an unweighted average of the daily closing spot prices for a given product over a specified time period, such as a week or month.

Note 3

The futures prices shown in Table 13 are the official daily closing prices at 2:30 p.m. from the trading floor of the New York Mercantile Exchange (NYMEX) for a specific delivery month for each product listed.

Note 4

The futures price differentials shown in Figure 9 show the market premium for the first NYMEX delivery month contract over the second. For example, the data for September show the difference between October and November futures contract prices for crude oil and petroleum products, indicating the relative values placed by markets on commodities to be delivered during those two months. This differential, if negative and large enough, provides incentive for refiners and traders to hold product in storage, and if positive, to defer purchases until some future point in time.

Note 5


The retail gasoline prices shown in Table 14 reflect sales of reformulated gasoline (RFG) in those areas where required by Federal or State law and conventional gasoline elsewhere (see Figure B1). Areas requiring RFG may change over time due to the ozone non-attainment status of an area being re-designated by the Environmental Protection Agency (EPA), a State opting in or out of an EPA clean fuel program, or a State adopting its own specific clean fuel program. EIA reclassifies the outlets reporting retail gasoline prices each time an area shifts in or out of a reformulated gasoline program. Conventional areas include areas where oxygenated gasoline may be required for all or part of the year.

Note 6

As a result of a processing error, we underestimated export quantities for most products (including crude oil, finished motor gasoline, distillate fuel oil, propane and propylene, and other oils) in WPSR for November 2021 through February 2022. Data users should exercise caution when using these export and product supplied estimates from WPSR as the basis for annual comparisons in their analyses. However, we believe that the corresponding PSM export and product supplied estimates for November 2021 through February 2022, which reflect official U.S. export statistics published by the U.S. Census Bureau, are accurate and should be used as the basis for annual comparisons involving export and product supplied data.

Figure B1. Gasoline Formulation Required by Area as of November 2023

Reformulated gasoline areas



Data source: U.S. Environmental Protection Agency and State environmental offices.

Appendix C

Northeast Reserves

Reserves inventories are not considered to be in the commercial sector and are excluded from EIA's commercial motor gasoline and distillate fuel oil supply and disposition statistics, such as those reported in the *Weekly Petroleum Status Report*, *Petroleum Supply Monthly*, and *This Week In Petroleum*.

Northeast Home Heating Oil Reserve classified as ultra-low sulfur distillate (15 parts per million)

Terminal Operator	Location	Thousand Barrels
Buckeye Partners LP	Port Reading, NJ	300
Buckeye Partners LP	New Haven, CT	250
Buckeye Partners LP	Groton, CT	50
Global Companies LLC	Revere, MA	0
Global Companies LLC	Chelsea, MA	201
Gulf Oil LP	Chelsea, MA	0
Gulf Oil LP	South Portland, ME	200

Data source: U. S. Energy Information Administration

State of New York's Strategic Fuels Reserve Program

State reserve inventories are also not considered to be in the commercial sector and are excluded from EIA's commercial inventories and are excluded from supply and disposition statistics, such as those reported in the *Weekly Petroleum Status Report*, *Petroleum Supply Monthly*, and *This Week In Petroleum*.

Product	Location	Thousand Barrels
Motor Gasoline Blending Components	NY	78
Fuel Ethanol	NY	9
Distillate Fuel Oil, 15 ppm Sulfur and Under	NY	34

Data source: New York State Energy Research & Development Authority

Definitions of Petroleum Products and Other Terms

(Revised May 2010)

Alcohol. The family name of a group of organic chemical compounds composed of carbon, hydrogen, and oxygen. The series of molecules vary in chain length and are composed of a hydrocarbon plus a hydroxyl group; $\text{CH}_3\text{-(CH}_2\text{)}_n\text{-OH}$ (e.g., methanol, ethanol, and tertiary butyl alcohol).

Alkylate. The product of an alkylation reaction. It usually refers to the high octane product from alkylation units. This alkylate is used in blending high octane gasoline.

Alkylation. A refining process for chemically combining isobutane with olefin hydrocarbons (e.g., propylene, butylene) through the control of temperature and pressure in the presence of an acid catalyst, usually sulfuric acid or hydrofluoric acid. The product, alkylate, an isoparaffin, has high octane value and is blended with motor and aviation gasoline to improve the antiknock value of the fuel.

All Other Motor Gasoline Blending Components. See Motor Gasoline Blending Components.

API Gravity. An arbitrary scale expressing the gravity or density of liquid petroleum products. The measuring scale is calibrated in terms of degrees API; it may be calculated in terms of the following formula:

$$\text{Degrees API} = \frac{141.5}{\text{sp. gr. @ } 60^\circ \text{ F}} - 131.5$$

The higher the API gravity, the lighter the compound. Light crudes generally exceed 38 degrees API and heavy crudes are commonly labeled as all crudes with an API gravity of 22 degrees or below. Intermediate crudes fall in the range of 22 degrees to 38 degrees API gravity.

Aromatics. Hydrocarbons characterized by unsaturated ring structures of carbon atoms. Commercial petroleum aromatics are benzene, toluene, and xylene (BTX).

Asphalt. A dark-brown-to-black cement-like material containing bitumens as the predominant constituent obtained by petroleum processing; used primarily for road construction. It includes crude asphalt as well as the following finished products: cements, fluxes, the asphalt content of emulsions (exclusive of water), and petroleum distillates blended with asphalt to make cutback asphalts. Note: The conversion factor for asphalt is 5.5 barrels per short ton.

ASTM. The acronym for the American Society for Testing and Materials.

Atmospheric Crude Oil Distillation. The refining process of separating crude oil components at atmospheric pressure by heating to temperatures of about 600 degrees Fahrenheit to 750 degrees Fahrenheit (depending on the nature of the crude oil and desired products) and subsequent condensing of the fractions by cooling.

Aviation Gasoline (Finished). A complex mixture of relatively volatile hydrocarbons with or without small quantities of additives, blended to form a fuel suitable for use in aviation reciprocating engines. Fuel

specifications are provided in ASTM Specification D 910 and Military Specification MIL-G-5572. Note: Data on blending components are not counted in data on finished aviation gasoline.

Aviation Gasoline Blending Components. Naphthas which will be used for blending or compounding into finished aviation gasoline (e.g., straight-run gasoline, alkylate, reformat, benzene, toluene, and xylene). Excludes oxygenates (alcohols, ethers), butane, and pentanes plus. Oxygenates are reported as other hydrocarbons, hydrogen, and oxygenates.

Barrel. A unit of volume equal to 42 U.S. gallons.

Barrels Per Calendar Day. The amount of input that a distillation facility can process under usual operating conditions. The amount is expressed in terms of capacity during a 24-hour period and reduces the maximum processing capability of all units at the facility under continuous operation (see **Barrels per Stream Day**) to account for the following limitations that may delay, interrupt, or slow down production:

the capability of downstream facilities to absorb the output of crude oil processing facilities of a given refinery. No reduction is made when a planned distribution of intermediate streams through other than downstream facilities is part of a refinery's normal operation;

the types and grades of inputs to be processed;

the types and grades of products expected to be manufactured;

the environmental constraints associated with refinery operations;

the reduction of capacity for scheduled downtime due to such conditions as routine inspection, maintenance, repairs, and turnaround; and

the reduction of capacity for unscheduled downtime due to such conditions as mechanical problems, repairs, and slowdowns.

Barrels Per Stream Day. The maximum number of barrels of input that a distillation facility can process within a 24-hour period when running at full capacity under optimal crude and product slate conditions with no allowance for downtime.

Benzene (C_6H_6). An aromatic hydrocarbon present in small proportion in some crude oils and made commercially from petroleum by the catalytic reforming of naphthenes in petroleum naphtha. Also made from coal in the manufacture of coke. Used as a solvent, in manufacturing detergents, synthetic fibers, and petrochemicals and as a component of high-octane gasoline.

Biomass-Based Diesel Fuel. Biodiesel and other renewable diesel fuel or diesel fuel blending components derived from biomass, but excluding renewable diesel fuel coprocessed with petroleum

feedstocks.

Blending Components. See *Motor or Aviation Gasoline Blending Components*.

Blending Plant. A facility which has no refining capability but is either capable of producing finished motor gasoline through mechanical blending or blends oxygenates with motor gasoline.

Bonded Petroleum Imports. Petroleum imported and entered into Customs bonded storage. These imports are not included in the import statistics until they are: (1) withdrawn from storage free of duty for use as fuel for vessels and aircraft engaged in international trade; or (2) withdrawn from storage with duty paid for domestic use.

BTX. The acronym for the commercial petroleum aromatics benzene, toluene, and xylene. See individual categories for definitions.

Bulk Station. A facility used primarily for the storage and/or marketing of petroleum products which has a total bulk storage capacity of less than 50,000 barrels and receives its petroleum products by tank car or truck.

Bulk Terminal. A facility used primarily for the storage and/or marketing of petroleum products which has a total bulk storage capacity of 50,000 barrels or more and/or receives petroleum products by tanker, barge, or pipeline.

Butane (C_4H_{10}). A normally gaseous straight-chain or branch-chain hydrocarbon extracted from natural gas or refinery gas streams. It includes normal butane and refinery-grade butane and is designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial butane.

Normal Butane (C_4H_{10}). A normally gaseous straight-chain hydrocarbon that is a colorless paraffinic gas which boils at a temperature of 31.1 degrees Fahrenheit and is extracted from natural gas or refinery gas streams.

Refinery-Grade Butane (C_4H_{10}). A refinery-produced stream that is composed predominantly of normal butane and/or isobutane and may also contain propane and/or natural gasoline. These streams may also contain significant levels of olefins and/or fluorides contamination.

Butylene (C_4H_8). An olefinic hydrocarbon recovered from refinery processes.

Captive Refinery Oxygenate Plants. Oxygenate production facilities located within or adjacent to a refinery complex.

Catalytic Cracking. The refining process of breaking down the larger, heavier, and more complex hydrocarbon molecules into simpler and lighter molecules. Catalytic cracking is accomplished by the use of a catalytic agent and is an effective process for increasing the yield of gasoline from crude oil. Catalytic cracking processes fresh feeds and recycled feeds.

Fresh Feeds. Crude oil or petroleum distillates which are being fed to processing units for the first time.

Recycled Feeds. Feeds that are continuously fed back for

additional processing.

Catalytic Hydrocracking. A refining process that uses hydrogen and catalysts with relatively low temperatures and high pressures for converting middle boiling or residual material to high-octane gasoline, reformer charge stock, jet fuel, and/or high grade fuel oil. The process uses one or more catalysts, depending upon product output, and can handle high sulfur feedstocks without prior desulfurization.

Catalytic Hydrotreating. A refining process for treating petroleum fractions from atmospheric or vacuum distillation units (e.g., naphthas, middle distillates, reformer feeds, residual fuel oil, and heavy gas oil) and other petroleum (e.g., cat cracked naphtha, coker naphtha, gas oil, etc.) in the presence of catalysts and substantial quantities of hydrogen. Hydrotreating includes desulfurization, removal of substances (e.g., nitrogen compounds) that deactivate catalysts, conversion of olefins to paraffins to reduce gum formation in gasoline, and other processes to upgrade the quality of the fractions.

Catalytic Reforming. A refining process using controlled heat and pressure with catalysts to rearrange certain hydrocarbon molecules, thereby converting paraffinic and naphthenic type hydrocarbons (e.g., low-octane gasoline boiling range fractions) into petrochemical feedstocks and higher octane stocks suitable for blending into finished gasoline. Catalytic reforming is reported in two categories. They are:

Low Pressure. A processing unit operating at less than 225 pounds per square inch gauge (PSIG) measured at the outlet separator.

High Pressure. A processing unit operating at either equal to or greater than 225 pounds per square inch gauge (PSIG) measured at the outlet separator.

Charge Capacity. The input (feed) capacity of the refinery processing facilities.

Coal. A readily combustible black or brownish-black rock whose composition, including inherent moisture, consists of more than 50 percent by weight and more than 70 percent by volume of carbonaceous material. It is formed from plant remains that have been compacted, hardened, chemically altered, and metamorphosed by heat and pressure over geologic time.

Commercial Kerosene-Type Jet Fuel. See *Kerosene-Type Jet Fuel*.

Conventional Blendstock for Oxygenate Blending (CBOB). See *Motor Gasoline Blending Components*.

Conventional Gasoline. See *Motor Gasoline (Finished)*.

Crude Oil. A mixture of hydrocarbons that exists in liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Depending upon the characteristics of the crude stream, it may also include:

Small amounts of hydrocarbons that exist in gaseous phase in natural underground reservoirs but are liquid at atmospheric pressure after being recovered from oil well (casinghead) gas in lease separators and are subsequently commingled with the crude stream without being separately measured.

Lease condensate recovered as a liquid from natural gas wells in lease or field separation facilities and later mixed into the crude stream is also included;

Small amounts of nonhydrocarbons produced from oil, such as sulfur and various metals;

Drip gases, and liquid hydrocarbons produced from tar sands, oil sands, gilsonite, and oil shale.

Liquids produced at natural gas processing plants are excluded. Crude oil is refined to produce a wide array of petroleum products, including heating oils; gasoline, diesel and jet fuels; lubricants; asphalt; ethane, propane, and butane; and many other products used for their energy or chemical content.

Crude oil is considered as either domestic or foreign, according to the following:

Domestic. Crude oil produced in the United States or from its Outer continental shelf' as defined in 43 USC 1331.

Foreign. Crude oil produced outside the United States. Imported Athabasca hydrocarbons (tar sands from Canada) are included.

Crude Oil, Refinery Receipts. Receipts of domestic and foreign crude oil at a refinery. Includes all crude oil in transit except crude oil in transit by pipeline. Foreign crude oil is reported as a receipt only after entry through customs. Crude oil of foreign origin held in bonded storage is excluded.

Crude Oil Losses. Represents the volume of crude oil reported by petroleum refineries as being lost in their operations. These losses are due to spills, contamination, fires, etc. as opposed to refinery processing losses.

Crude Oil Production. The volume of crude oil produced from oil reservoirs during given periods of time. The amount of such production for a given period is measured as volumes delivered from lease storage tanks (i.e., the point of custody transfer) to pipelines, trucks, or other media for transport to refineries or terminals with adjustments for (1) net differences between opening and closing lease inventories, and (2) basic sediment and water (BS&W).

Crude Oil Qualities. Refers to two properties of crude oil, the sulfur content and API gravity, which affect processing complexity and product characteristics.

Delayed Coking. A process by which heavier crude oil fractions can be thermally decomposed under conditions of elevated temperatures and pressure to produce a mixture of lighter oils and petroleum coke. The light oils can be processed further in other refinery units to meet product specifications. The coke can be used either as a fuel or in other applications such as the manufacturing of steel or aluminum.

Desulfurization. The removal of sulfur, as from molten metals, petroleum oil, or flue gases. Petroleum desulfurization is a process that removes sulfur and its compounds from various streams during the refining process. Desulfurization processes include catalytic hydrotreating and other chemical/physical processes such

as adsorption. Desulfurization processes vary based on the type of stream treated (e.g., naphtha, distillate, heavy gas oil, etc.) and the amount of sulfur removed (e.g., sulfur reduction to 10 ppm). See *Catalytic Hydrotreating*.

Disposition. The components of petroleum disposition are stock change, crude oil losses, refinery inputs, exports, and products supplied for domestic consumption.

Distillate Fuel Oil. A general classification for one of the petroleum fractions produced in conventional distillation operations. It includes diesel fuels and fuel oils. Products known as No. 1, No. 2, and No. 4 diesel fuel are used in on-highway diesel engines, such as those in trucks and automobiles, as well as off-highway engines, such as those in railroad locomotives and agricultural machinery. Products known as No. 1, No. 2, and No. 4 fuel oils are used primarily for space heating and electric power generation.

No. 1 Distillate. A light petroleum distillate that can be used as either a diesel fuel or a fuel oil.

No. 1 Diesel Fuel. A light distillate fuel oil that has a distillation temperature of 550 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 975. It is used in high speed diesel engines generally operated under frequent speed and load changes, such as those in city buses and similar vehicles. See *No. 1 Distillate*.

No. 1 Fuel Oil. A light distillate fuel oil that has distillation temperatures of 400 degrees Fahrenheit at the 10-percent recovery point and 550 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 396. It is used primarily as fuel for portable outdoor stoves and portable outdoor heaters. See *No. 1 Distillate*.

No. 2 Distillate. A petroleum distillate that can be used as either a diesel fuel or a fuel oil.

No. 2 Diesel Fuel. A distillate fuel oil that has a distillation temperature of 640 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 975. It is used in high-speed diesel engines that are generally operated under uniform speed and load conditions, such as those in railroad locomotives, trucks, and automobiles. See *No. 2 Distillate*.

Ultra-Low Sulfur No. 2 Diesel Fuel. Diesel fuel oil having sulfur content of 15 ppm or lower. Ultra-low sulfur diesel fuel oil that will be shipped by pipeline must satisfy the sulfur specification of the shipping pipeline if the pipeline specification is below 15 ppm. Diesel fuel oil intended for pipeline shipment that fails to meet a pipeline sulfur specification that is below 15 ppm will be classified as low-sulfur diesel fuel oil.

Low Sulfur No. 2 Diesel Fuel. No. 2 diesel fuel that has a sulfur level no higher than 0.05 percent by weight. It is used primarily in motor vehicle diesel engines for on-highway use.

High Sulfur No. 2 Diesel Fuel. No. 2 diesel fuel that has a sulfur level above 0.05 percent by weight.

No. 2 Fuel Oil (Heating Oil). A distillate fuel oil that has a distillation temperature of 640 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 396. It is used in atomizing type burners for domestic heating or for moderate capacity commercial/industrial burner units. See **No. 2 Distillate**.

No. 4 Fuel. A distillate fuel oil made by blending distillate fuel oil and residual fuel oil stocks. It conforms to ASTM Specification D 396 or Federal Specification VV-F-815C and is used extensively in industrial plants and in commercial burner installations that are not equipped with preheating facilities. It also includes No. 4 diesel fuel used for low- and medium-speed diesel engines and conforms to ASTM Specification D 975.

No. 4 Diesel Fuel. See **No. 4 Fuel**.

No. 4 Fuel Oil. See **No. 4 Fuel**.

Electricity (Purchased). Electricity purchased for refinery operations that is not produced within the refinery complex.

Ending Stocks. Primary stocks of crude oil and petroleum products held in storage as of 12 midnight on the last day of the month. Primary stocks include crude oil or petroleum products held in storage at (or in) leases, refineries, natural gas processing plants, pipelines, tank farms, and bulk terminals that can store at least 50,000 barrels of petroleum products or that can receive petroleum products by tanker, barge, or pipeline. Crude oil that is in-transit by water from Alaska, or that is stored on Federal leases or in the Strategic Petroleum Reserve is included. Primary Stocks exclude stocks of foreign origin that are held in bonded warehouse storage.

ETBE (Ethyl tertiary butyl ether) ($\text{CH}_3)_3\text{COC}_2\text{H}_5$. An oxygenate blend stock formed by the catalytic etherification of isobutylene with ethanol.

Ethane (C_2H_6). A normally gaseous straight-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of - 127.48 degrees Fahrenheit. It is extracted from natural gas and refinery gas streams.

Ether. A generic term applied to a group of organic chemical compounds composed of carbon, hydrogen, and oxygen, characterized by an oxygen atom attached to two carbon atoms (e.g., methyl tertiary butyl ether).

Ethylene (C_2H_4). An olefinic hydrocarbon recovered from refinery processes or petrochemical processes. Ethylene is used as a petrochemical feedstock for numerous chemical applications and the production of consumer goods.

Exports. Shipments of crude oil and petroleum products from the 50

States and the District of Columbia to foreign countries, Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Field Production. Represents crude oil production on leases, natural gas liquids production at natural gas processing plants, new supply of other hydrocarbons/oxygenates and motor gasoline blending components, and fuel ethanol blended into finished motor gasoline.

Flexicoking. A thermal cracking process which converts heavy hydrocarbons such as crude oil, tar sands bitumen, and distillation residues into light hydrocarbons. Feedstocks can be any pumpable hydrocarbons including those containing high concentrations of sulfur and metals.

Fluid Coking. A thermal cracking process utilizing the fluidized-solids technique to remove carbon (coke) for continuous conversion of heavy, low-grade oils into lighter products.

Fresh Feed Input. Represents input of material (crude oil, unfinished oils, natural gas liquids, other hydrocarbons and oxygenates or finished products) to processing units at a refinery that is being processed (input) into a particular unit for the first time.

Examples:

(1.) Unfinished oils coming out of a crude oil distillation unit which are input into a catalytic cracking unit are considered fresh feed to the catalytic cracking unit.

(2.) Unfinished oils coming out of a catalytic cracking unit being looped back into the same catalytic cracking unit to be reprocessed are not considered fresh feed.

Fuel Ethanol ($\text{C}_2\text{H}_5\text{OH}$). An anhydrous alcohol (ethanol with less than 1% water) intended for gasoline blending as described in Oxygenates definition.

Fuels Solvent Deasphalting. A refining process for removing asphalt compounds from petroleum fractions, such as reduced crude oil. The recovered stream from this process is used to produce fuel products.

Gas Oil. A liquid petroleum distillate having a viscosity intermediate between that of kerosene and lubricating oil. It derives its name from having originally been used in the manufacture of illuminating gas. It is now used to produce distillate fuel oils and gasoline.

Gasohol. A blend of finished motor gasoline containing alcohol (generally ethanol but sometimes methanol) at a concentration of 10 percent or less by volume. Data on gasohol that has at least 2.7 percent oxygen, by weight, and is intended for sale inside carbon monoxide nonattainment areas are included in data on oxygenated gasoline. See **Oxygenates**.

Gasoline Blending Components. Naphthas which will be used for blending or compounding into finished aviation or motor gasoline (e.g., straight-run gasoline, alkylate, reformate, benzene, toluene, and xylene). Excludes oxygenates (alcohols, ethers), butane, and pentanes plus.

Gasoline Treated as Blendstock (GTAB). See **Motor Gasoline**

Blending Components.

Gross Input to Atmospheric Crude Oil Distillation Units. Total input to atmospheric crude oil distillation units. Includes all crude oil, lease condensate, natural gas plant liquids, unfinished oils, liquefied refinery gases, slop oils, and other liquid hydrocarbons produced from tar sands, gilsonite, and oil shale.

Heavy Gas Oil. Petroleum distillates with an approximate boiling range from 651 degrees Fahrenheit to 1000 degrees Fahrenheit.

High-Sulfur Distillate Fuel Oil. Distillate fuel oil having sulfur content greater than 500 ppm.

Hydrogen. The lightest of all gases, occurring chiefly in combination with oxygen in water; exists also in acids, bases, alcohols, petroleum, and other hydrocarbons.

Idle Capacity. The component of operable capacity that is not in operation and not under active repair, but capable of being placed in operation within 30 days; and capacity not in operation but under active repair that can be completed within 90 days.

Imported Crude Oil Burned As Fuel. The amount of foreign crude oil burned as a fuel oil, usually as residual fuel oil, without being processed as such. Imported crude oil burned as fuel includes lease condensate and liquid hydrocarbons produced from tar sands, gilsonite, and oil shale.

Imports. Receipts of crude oil and petroleum products into the 50 States and the District of Columbia from foreign countries, Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Isobutane (C_4H_{10}). A normally gaseous branch-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of 10.9 degrees Fahrenheit. It is extracted from natural gas or refinery gas streams.

Isobutylene (C_4H_8). An olefinic hydrocarbon recovered from refinery processes or petrochemical processes.

Isohexane (C_6H_{14}). A saturated branch-chain hydrocarbon. It is a colorless liquid that boils at a temperature of 156.2 degrees Fahrenheit.

Isomerization. A refining process which alters the fundamental arrangement of atoms in the molecule without adding or removing anything from the original material. Used to convert normal butane into isobutane (C_4), an alkylation process feedstock, and normal pentane and hexane into isopentane (C_5) and isohexane (C_6), high-octane gasoline components.

Isopentane. See *Natural Gasoline and Isopentane*.

Kerosene. A light petroleum distillate that is used in space heaters, cook stoves, and water heaters and is suitable for use as a light source when burned in wick-fed lamps. Kerosene has a maximum distillation temperature of 400 degrees Fahrenheit at the 10-percent recovery point, a final boiling point of 572 degrees Fahrenheit, and a minimum flash point of 100 degrees Fahrenheit. Included are No. 1-K and No. 2-K, the two grades recognized by ASTM Specification D 3699 as well as all other grades of kerosene called range or stove oil, which have properties similar to those of No. 1 fuel oil. See *Kerosene-Type Jet*

Fuel.

Kerosene-Type Jet Fuel. A kerosene-based product having a maximum distillation temperature of 400 degrees Fahrenheit at the 10-percent recovery point and a final maximum boiling point of 572 degrees Fahrenheit and meeting ASTM Specification D 1655 and Military Specifications MIL-T-5624P and MIL-T-83133D (Grades JP-5 and JP-8). It is used for commercial and military turbojet and turboprop aircraft engines.

Commercial. Kerosene-type jet fuel intended for use in commercial aircraft.

Military. Kerosene-type jet fuel intended for use in military aircraft.

Lease Condensate. A mixture consisting primarily of pentanes and heavier hydrocarbons which is recovered as a liquid from natural gas in lease separation facilities. This category excludes natural gas liquids, such as butane and propane, which are recovered at downstream natural gas processing plants or facilities. See *Natural Gas Liquids*.

Light Gas Oils. Liquid Petroleum distillates heavier than naphtha, with an approximate boiling range from 401 degrees Fahrenheit to 650 degrees Fahrenheit.

Liquefied Petroleum Gases (LPG). A group of hydrocarbon-based gases derived from crude oil refining or natural gas fractionation. They include: ethane, ethylene, propane, propylene, normal butane, butylene, isobutane, and isobutylene. For convenience of transportation, these gases are liquefied through pressurization.

Liquefied Refinery Gases (LRG). Liquefied petroleum gases fractionated from refinery or still gases. Through compression and/or refrigeration, they are retained in the liquid state. The reported categories are ethane/ethylene, propane/propylene, normal butane/butylene, and isobutane/isobutylene. Excludes still gas.

Low-Sulfur Distillate Fuel Oil. Distillate fuel oil having sulfur content greater than 15 ppm to 500 ppm. Low sulfur distillate fuel oil also includes product with sulfur content equal to or less than 15 ppm if the product is intended for pipeline shipment and the pipeline has a sulfur specification below 15 ppm.

Lubricants. Substances used to reduce friction between bearing surfaces or as process materials either incorporated into other materials used as processing aids in the manufacture of other products, or used as carriers of other materials. Petroleum lubricants may be produced either from distillates or residues. Lubricants include all grades of lubricating oils from spindle oil to cylinder oil and those used in greases.

Merchant Oxygenate Plants. Oxygenate production facilities that are not associated with a petroleum refinery. Production from these facilities is sold under contract or on the spot market to refiners or other gasoline blenders.

Methanol (CH_3OH). A light, volatile alcohol intended for gasoline blending as described in Oxygenate definition.

Middle Distillates. A general classification of refined petroleum products that includes distillate fuel oil and kerosene.

Military Kerosene-Type Jet Fuel. See *Kerosene-Type Jet Fuel*.

Miscellaneous Products. Includes all finished products not classified elsewhere (e.g., petrolatum, lube refining byproducts (aromatic extracts and tars), absorption oils, ram-jet fuel, petroleum rocket fuels, synthetic natural gas feedstocks, and specialty oils). Note: Beginning with January 2004 data, naphtha-type jet fuel is included in Miscellaneous Products.

Motor Gasoline (Finished). A complex mixture of relatively volatile hydrocarbons with or without small quantities of additives, blended to form a fuel suitable for use in spark-ignition engines. Motor gasoline, as defined in ASTM Specification D 4814 or Federal Specification VV-G-1690C, is characterized as having a boiling range of 122 to 158 degrees Fahrenheit at the 10 percent recovery point to 365 to 374 degrees Fahrenheit at the 90 percent recovery point. "Motor Gasoline" includes conventional gasoline; all types of oxygenated gasoline, including gasohol; and reformulated gasoline, but excludes aviation gasoline. Volumetric data on blending components, such as oxygenates, are not counted in data on finished motor gasoline until the blending components are blended into the gasoline. Note: E85 is included only in volumetric data on finished motor gasoline production and other components of product supplied.

Conventional Gasoline. Finished motor gasoline not included in the oxygenated or reformulated gasoline categories. Note: This category excludes reformulated gasoline blendstock for oxygenate blending (RBOB) as well as other blendstock.

Ed 55 and Lower. Finished conventional motor gasoline blended with a maximum of 55 volume percent denatured fuel ethanol.

Greater than Ed55. Finished conventional motor gasoline blended with denatured fuel ethanol where the volume percent of denatured fuel ethanol exceeds 55%.

OPRG. "Oxygenated Fuels Program Reformulated Gasoline" is reformulated gasoline which is intended for use in an oxygenated fuels program control area.

Oxygenated Gasoline (Including Gasohol). Oxygenated gasoline includes all finished motor gasoline, other than reformulated gasoline, having oxygen content of 2.0 percent or higher by weight. Gasohol containing a minimum 5.7 percent ethanol by volume is included in oxygenated gasoline. Oxygenated gasoline was reported as a separate product from January 1993 until December 2003 inclusive. Beginning with monthly data for January 2004, oxygenated gasoline is included in conventional gasoline. Historical data for oxygenated gasoline excluded Federal Oxygenated Program Reformulated Gasoline (OPRG). Historical oxygenated gasoline data also excluded other reformulated gasoline with a seasonal oxygen requirement regardless of season.

Reformulated Gasoline. Finished gasoline formulated for use in motor vehicles, the composition and properties of

which meet the requirements of the reformulated gasoline regulations promulgated by the U.S. Environmental Protection Agency under Section 211(k) of the Clean Air Act. It includes gasoline produced to meet or exceed emissions performance and benzene content standards of federal-program reformulated gasoline even though the gasoline may not meet all of the composition requirements (e.g., oxygen content) of federal-program reformulated gasoline. Note: This category includes Oxygenated Fuels Program Reformulated Gasoline (OPRG). Reformulated gasoline excludes Reformulated Blendstock for Oxygenate Blending (RBOB) and Gasoline Treated as Blendstock (GTAB).

Reformulated (Blended with Alcohol). Reformulated gasoline blended with an alcohol component (e.g., fuel ethanol) at a terminal or refinery to raise the oxygen content.

Reformulated (Blended with Ether). Reformulated gasoline blended with an ether component (e.g., methyl tertiary butyl ether) at a terminal or refinery to raise the oxygen content.

Reformulated (Non-Oxygenated). Reformulated gasoline without added ether or alcohol components.

Motor Gasoline Blending. Mechanical mixing of motor gasoline blending components, and oxygenates when required, to produce finished motor gasoline. Finished motor gasoline may be further mixed with other motor gasoline blending components or oxygenates, resulting in increased volumes of finished motor gasoline and/or changes in the formulation of finished motor gasoline (e.g., conventional motor gasoline mixed with MTBE to produce oxygenated motor gasoline).

Motor Gasoline Blending Components. Naphthas (e.g., straight-run gasoline, alkylate, reformate, benzene, toluene, xylene) used for blending or compounding into finished motor gasoline. These components include reformulated gasoline blendstock for oxygenate blending (RBOB) but exclude oxygenates (alcohols, ethers), butane, and pentanes plus. Note: Oxygenates are reported as individual components and are included in the total for other hydrocarbons, hydrogens, and oxygenates.

Conventional Blendstock for Oxygenate Blending (CBOB). Conventional gasoline blendstock intended for blending with oxygenates downstream of the refinery where it was produced. CBOB must become conventional gasoline after blending with oxygenates. Motor gasoline blending components that require blending other than with oxygenates to become finished conventional gasoline are reported as All Other Motor Gasoline Blending Components. Excludes reformulated blendstock for oxygenate blending (RBOB).

Gasoline Treated as Blendstock (GTAB). Non-certified Foreign Refinery gasoline classified by an importer as blendstock to be either blended or reclassified with respect to reformulated or conventional gasoline. GTAB was classified on EIA surveys as either reformulated or conventional

based on emissions performance and the intended end use in data through the end of December 2009. Designation of GTAB as reformulated or conventional was discontinued beginning with data for January 2010. GTAB was reported as a single product beginning with data for January 2010. GTAB data for January 2010 and later months is presented as conventional motor gasoline blending components when reported as a subset of motor gasoline blending components.

Reformulated Blendstock for Oxygenate Blending (RBOB). Specially produced reformulated gasoline blendstock intended for blending with oxygenates downstream of the refinery where it was produced. Includes RBOB used to meet requirements of the Federal reformulated gasoline program and other blendstock intended for blending with oxygenates to produce finished gasoline that meets or exceeds emissions performance requirements of Federal reformulated gasoline (e.g., California RBOB and Arizona RBOB). Excludes conventional gasoline blendstocks for oxygenate blending (CBOB).

RBOB for Blending with Alcohol. Motor gasoline blending components intended to be blended with an alcohol component (e.g., fuel ethanol) at a terminal or refinery to raise the oxygen content. RBOB product detail by type of oxygenate was discontinued effective with data for January 2010. Beginning with data for January 2010, RBOB was reported as a single product.

RBOB for Blending with Ether. Motor gasoline blending components intended to be blended with an ether component (e.g., methyl tertiary butyl ether) at a terminal or refinery to raise the oxygen content. RBOB product detail by type of oxygenate was discontinued effective with data for January 2010. Beginning with data for January 2010, RBOB was reported as a single product.

All Other Motor Gasoline Blending Components. Naphthas (e.g., straight-run gasoline, alkylate, reformate, benzene, toluene, xylene) used for blending or compounding into finished motor gasoline. Includes receipts and inputs of Gasoline Treated as Blendstock (GTAB). Excludes conventional blendstock for oxygenate blending (CBOB), reformulated blendstock for oxygenate blending, oxygenates (e.g. fuel ethanol and methyl tertiary butyl ether), butane, and pentanes plus.

MTBE (Methyl tertiary butyl ether) $(CH_3)_3COCH_3$. An ether intended for gasoline blending as described in Oxygenate definition.

Naphtha. A generic term applied to a petroleum fraction with an approximate boiling range between 122 degrees Fahrenheit and 400 degrees Fahrenheit.

Naphtha Less Than 401° F. See *Petrochemical Feedstocks*.

Naphtha-Type Jet Fuel. A fuel in the heavy naphtha boiling range having an average gravity of 52.8 degrees API, 20 to 90 percent distillation temperatures of 290 degrees to 470 degrees Fahrenheit, and

meeting Military Specification MIL-T-5624L (Grade JP-4). It is used primarily for military turbojet and turboprop aircraft engines because it has a lower freeze point than other aviation fuels and meets engine requirements at high altitudes and speeds. Note: Beginning with January 2004 data, naphtha-type jet fuel is included in *Miscellaneous Products*.

Natural Gas. A gaseous mixture of hydrocarbon compounds, the primary one being **methane**.

Natural Gas Field Facility. A field facility designed to process natural gas produced from more than one lease for the purpose of recovering condensate from a stream of natural gas; however, some field facilities are designed to recover propane, normal butane, pentanes plus, etc., and to control the quality of natural gas to be marketed.

Natural Gas Liquids. Those hydrocarbons in natural gas that are separated from the gas as liquids through the process of absorption, condensation, adsorption, or other methods in gas processing or cycling plants. Generally such liquids consist of propane and heavier hydrocarbons and are commonly referred to as lease condensate, natural gasoline, and liquefied petroleum gases. Natural gas liquids include natural gas plant liquids (primarily ethane, propane, butane, and isobutane; see *Natural Gas Plant Liquids*) and lease condensate (primarily pentanes produced from natural gas at lease separators and field facilities; see *Lease Condensate*).

Natural Gas Plant Liquids. Those hydrocarbons in natural gas that are separated as liquids at natural gas processing plants, fractionating and cycling plants, and, in some instances, field facilities. Lease condensate is excluded. Products obtained include ethane; liquefied petroleum gases (propane, butanes, propane-butane mixtures, ethane-propane mixtures); isopentane; and other small quantities of finished products, such as motor gasoline, special naphthas, jet fuel, kerosene, and distillate fuel oil.

Natural Gas Processing Plant. Facilities designed to recover natural gas liquids from a stream of natural gas that may or may not have passed through lease separators and/or field separation facilities. These facilities control the quality of the natural gas to be marketed. Cycling plants are classified as gas processing plants.

Natural Gasoline and Isopentane. A mixture of hydrocarbons, mostly pentanes and heavier, extracted from natural gas, that meets vapor pressure, end-point, and other specifications for natural gasoline set by the Gas Processors Association. Includes isopentane which is a saturated branch-chain hydrocarbon, (C_5H_{12}) , obtained by fractionation of natural gasoline or isomerization of normal pentane.

Net Receipts. The difference between total movements into and total movements out of each PAD District by pipeline, tanker, and barge.

Normal Butane. See *Butane*.

OPEC. An intergovernmental organization whose stated objective is to coordinate and unify petroleum policies of member countries. It was created at the Baghdad Conference on September 10–14, 1960. Current members (with years of membership) include Algeria (1969-present), Angola (2007-present), Ecuador (1973-1992 and 2007-present), Iran (1960-present), Iraq (1960-present), Kuwait

(1960-present), Libya (1962-present), Nigeria (1971-present), Qatar (1961-present), Saudi Arabia (1960-present), United Arab Emirates (1967-present), and Venezuela (1960-present). Countries no longer members of OPEC include Gabon (1975-1994) and Indonesia (1962-2008).

Operable Capacity. The amount of capacity that, at the beginning of the period, is in operation; not in operation and not under active repair, but capable of being placed in operation within 30 days; or not in operation but under active repair that can be completed within 90 days. Operable capacity is the sum of the operating and idle capacity and is measured in barrels per calendar day or barrels per stream day.

Operable Utilization Rate. Represents the utilization of the atmospheric crude oil distillation units. The rate is calculated by dividing the gross input to these units by the *operable* refining capacity of the units.

Operating Capacity. The component of operable capacity that is in operation at the beginning of the period.

Operating Utilization Rate. Represents the utilization of the atmospheric crude oil distillation units. The rate is calculated by dividing the gross input to these units by the *operating* refining capacity of the units.

Other Hydrocarbons. Materials received by a refinery and consumed as a raw material. Includes hydrogen, coal tar derivatives, gilsonite, and natural gas received by the refinery for reforming into hydrogen. Natural gas to be used as fuel is excluded.

Other Oils Equal To or Greater Than 401° F. See *Petrochemical Feedstocks*.

Other Oxygenates. Other aliphatic alcohols and aliphatic ethers intended for motor gasoline blending (e.g., isopropyl ether (IPE) or n-propanol).

Oxygenated Gasoline. See *Motor Gasoline (Finished)*.

Oxygenates. Substances which, when added to gasoline, increase the amount of oxygen in that gasoline blend. Fuel Ethanol, Methyl Tertiary Butyl Ether (MTBE), Ethyl Tertiary Butyl Ether (ETBE), and methanol are common oxygenates.

Fuel Ethanol. Blends of up to 10 percent by volume anhydrous ethanol (200 proof) (commonly referred to as the “gasohol waiver”).

Methanol. Blends of methanol and gasoline-grade tertiary butyl alcohol (GTBA) such that the total oxygen content does not exceed 3.5 percent by weight and the ratio of methanol to GTBA is less than or equal to 1. It is also specified that this blended fuel must meet ASTM volatility specifications (commonly referred to as the “ARCO” waiver).

Blends of up to 5.0 percent by volume methanol with a minimum of 2.5 percent by volume cosolvent alcohols having a carbon number of 4 or less (i.e., ethanol, propanol, butanol, and/or GTBA). The total oxygen must not exceed 3.7 percent by weight, and the blend must meet ASTM

volatility specifications as well as phase separation and alcohol purity specifications (commonly referred to as the “DuPont” waiver).

MTBE (Methyl tertiary butyl ether). Blends up to 15.0 percent by volume MTBE which must meet the ASTM D4814 specifications. Blenders must take precautions that the blends are not used as base gasolines for other oxygenated blends (commonly referred to as the “Sun” waiver).

Pentanes Plus. A mixture of hydrocarbons, mostly pentanes and heavier, extracted from natural gas. Includes isopentane, natural gasoline, and plant condensate.

Persian Gulf. The countries that comprise the Persian Gulf are: Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and the United Arab Emirates.

Petrochemical Feedstocks. Chemical feedstocks derived from petroleum principally for the manufacture of chemicals, synthetic rubber, and a variety of plastics. The categories reported are “Naphtha Less Than 401° F” and “Other Oils Equal To or Greater Than 401° F”

Naphtha Less Than 401° F. A naphtha with a boiling range of less than 401 degrees Fahrenheit that is intended for use as a petrochemical feedstock.

Other Oils Equal To or Greater Than 401° F. Oils with a boiling range equal to or greater than 401 degrees Fahrenheit that are intended for use as a petrochemical feedstock.

Petroleum Administration for Defense (PAD) Districts. Geographic aggregations of the 50 States and the District of Columbia into five districts by the Petroleum Administration for Defense in 1950. These districts were originally defined during World War II for purposes of administering oil allocation.

Petroleum Coke. A residue high in carbon content and low in hydrogen that is the final product of thermal decomposition in the condensation process in cracking. This product is reported as marketable coke or catalyst coke. The conversion is 5 barrels (of 42 U.S. gallons each) per short ton. Coke from petroleum has a heating value of 6.024 million Btu per barrel.

Catalyst Coke. In many catalytic operations (e.g., catalytic cracking) carbon is deposited on the catalyst, thus deactivating the catalyst. The catalyst is reactivated by burning off the carbon, which is used as a fuel in the refining process. This carbon or coke is not recoverable in a concentrated form.

Marketable Coke. Those grades of coke produced in delayed or fluid cokers which may be recovered as relatively pure carbon. This “green” coke may be sold as is or further purified by calcining.

Petroleum Products. Petroleum products are obtained from the processing of crude oil (including lease condensate), natural gas, and other hydrocarbon compounds. Petroleum products include unfinished oils, liquefied petroleum gases, pentanes plus, aviation gasoline, motor gasoline, naphtha-type jet fuel, kerosene-type jet fuel, kerosene, distillate fuel oil, residual fuel oil, petrochemical feedstocks,

special naphthas, lubricants, waxes, petroleum coke, asphalt, road oil, still gas, and miscellaneous products.

Pipeline (Petroleum). Crude oil and product pipelines used to transport crude oil and petroleum products respectively, (including interstate, intrastate, and intracompany pipelines) within the 50 States and the District of Columbia.

Plant Condensate. One of the natural gas liquids, mostly pentanes and heavier hydrocarbons, recovered and separated as liquids at gas inlet separators or scrubbers in processing plants.

Processing Gain. The volumetric amount by which total output is greater than input for a given period of time. This difference is due to the processing of crude oil into products which, in total, have a lower specific gravity than the crude oil processed.

Processing Loss. The volumetric amount by which total refinery output is less than input for a given period of time. This difference is due to the processing of crude oil into products which, in total, have a higher specific gravity than the crude oil processed.

Product Supplied, Crude Oil. Crude oil burned on leases and by pipelines as fuel.

Production Capacity. The maximum amount of product that can be produced from processing facilities.

Products Supplied. Approximately represents consumption of petroleum products because it measures the disappearance of these products from primary sources, i.e., refineries, natural gas processing plants, blending plants, pipelines, and bulk terminals. In general, product supplied of each product in any given period is computed as follows: field production, plus refinery production, plus imports, plus unaccounted for crude oil, (plus net receipts when calculated on a PAD District basis), minus stock change, minus crude oil losses, minus refinery inputs, minus exports.

Propane (C_3H_8). A normally gaseous straight-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of - 43.67 degrees Fahrenheit. It is extracted from natural gas or refinery gas streams. It includes all products designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial propane and HD-5 propane.

Propylene (C_3H_6). An olefinic hydrocarbon recovered from refinery processes or petrochemical processes.

Propylene (C_3H_6) (nonfuel use). Propylene that is intended for use in nonfuel applications such as petrochemical manufacturing. Nonfuel use propylene includes chemical-grade propylene, polymer-grade propylene, and trace amounts of propane. Nonfuel use propylene also includes the propylene component of propane/propylene mixes where the propylene will be separated from the mix in a propane/propylene splitting process. Excluded is the propylene component of propane/propylene mixes where the propylene component of the mix is intended for sale into the fuel market.

Refinery. An installation that manufactures finished petroleum

products from crude oil, unfinished oils, natural gas liquids, other hydrocarbons, and oxygenates.

Refinery-Grade Butane. See *Butane*.

Refinery Input, Crude Oil. Total crude oil (domestic plus foreign) input to crude oil distillation units and other refinery processing units (cokers, etc.).

Refinery Input, Total. The raw materials and intermediate materials processed at refineries to produce finished petroleum products. They include crude oil, products of natural gas processing plants, unfinished oils, other hydrocarbons and oxygenates, motor gasoline and aviation gasoline blending components and finished petroleum products.

Refinery Production. Petroleum products produced at a refinery or blending plant. Published production of these products equals refinery production minus refinery input. Negative production will occur when the amount of a product produced during the month is less than the amount of that same product that is reprocessed (input) or reclassified to become another product during the same month. Refinery production of unfinished oils, and motor and aviation gasoline blending components appear on a net basis under refinery input.

Refinery Yield. Refinery yield (expressed as a percentage) represents the percent of finished product produced from input of crude oil and net input of unfinished oils. It is calculated by dividing the sum of crude oil and net unfinished input into the individual net production of finished products. Before calculating the yield for finished motor gasoline, the input of natural gas liquids, other hydrocarbons and oxygenates, and net input of motor gasoline blending components must be subtracted from the net production of finished motor gasoline. Before calculating the yield for finished aviation gasoline, input of aviation gasoline blending components must be subtracted from the net production of finished aviation gasoline.

Reformulated Blendstock for Oxygenate Blending (RBOB). See *Motor Gasoline Blending Components*.

Reformulated Gasoline. See *Motor Gasoline (Finished)*.

Renewable Diesel Fuel (Other). Diesel fuel and diesel fuel blending components produced from renewable sources that are coprocessed with petroleum feedstocks and meet requirements of advanced biofuels.

Renewable Fuels (Other). Fuels and fuel blending components, except biomass-based diesel fuel, renewable diesel fuel, and fuel ethanol, produced from renewable biomass.

Residual Fuel Oil. A general classification for the heavier oils, known as No. 5 and No. 6 fuel oils, that remain after the distillate fuel oils and lighter hydrocarbons are distilled away in refinery operations. It conforms to ASTM Specifications D 396 and D 975 and Federal Specification VV-F-815C. No. 5, a residual fuel oil of medium viscosity, is also known as Navy Special and is defined in Military Specification MIL-F-859E, including Amendment 2 (NATO Symbol F-770). It is used in steam-powered vessels in government service and inshore power plants. No. 6 fuel oil includes Bunker C fuel oil and is used for the production of electric power, space heating, vessel

bunkering, and various industrial purposes.

Residuum. Residue from crude oil after distilling off all but the heaviest components, with a boiling range greater than 1000 degrees Fahrenheit.

Road Oil. Any heavy petroleum oil, including residual asphaltic oil used as a dust palliative and surface treatment on roads and highways. It is generally produced in six grades from 0, the most liquid, to 5, the most viscous.

Shell Storage Capacity. The design capacity of a petroleum storage tank which is always greater than or equal to working storage capacity.

Special Naphthas. All finished products within the naphtha boiling range that are used as paint thinners, cleaners, or solvents. These products are refined to a specified flash point. Special naphthas include all commercial hexane and cleaning solvents conforming to ASTM Specification D1836 and D484, respectively. Naphthas to be blended or marketed as motor gasoline or aviation gasoline, or that are to be used as petrochemical and synthetic natural gas (SNG) feedstocks are excluded.

Steam (Purchased). Steam, purchased for use by a refinery, that was not generated from within the refinery complex.

Still Gas (Refinery Gas). Any form or mixture of gases produced in refineries by distillation, cracking, reforming, and other processes. The principal constituents are methane, ethane, ethylene, normal butane, butylene, propane, propylene, etc. Still gas is used as a refinery fuel and a petrochemical feedstock. The conversion factor is 6 million BTU's per fuel oil equivalent barrel.

Stock Change. The difference between stocks at the beginning of the reporting period and stocks at the end of the reporting period. Note: A negative number indicates a decrease (i.e., a drawdown) in stocks and a positive number indicates an increase (i.e., a buildup) in stocks during the reporting period.

Strategic Petroleum Reserve (SPR). Petroleum stocks maintained by the Federal Government for use during periods of major supply interruption.

Sulfur. A yellowish nonmetallic element, sometimes known as "brimstone." It is present at various levels of concentration in many fossil fuels whose combustion releases sulfur compounds that are considered harmful to the environment. Some of the most commonly used fossil fuels are categorized according to their sulfur content, with lower sulfur fuels usually selling at a higher price. Note: No. 2 Distillate fuel is currently reported as having either a 0.05 percent or lower sulfur level for on-highway vehicle use or a greater than 0.05 percent sulfur level for off-highway use, home heating oil, and commercial and industrial uses. Residual fuel, regardless of use, is classified as having either no more than 1 percent sulfur or greater than 1 percent sulfur. Coal is also classified as being low-sulfur at concentrations of 1 percent or less or high-sulfur at concentrations greater than 1 percent.

Supply. The components of petroleum supply are field production, refinery production, imports, and net receipts when calculated on a PAD District basis.

TAME (Tertiary amyl methyl ether) $(CH_3)_2(C_2H_5)COCH_3$. An oxygenate blend stock formed by the catalytic etherification of isoamylene with methanol.

Tank Farm. An installation used by gathering and trunk pipeline companies, crude oil producers, and terminal operators (except refineries) to store crude oil.

Tanker and Barge. Vessels that transport crude oil or petroleum products. Data are reported for movements between PAD Districts; from a PAD District to the Panama Canal; or from the Panama Canal to a PAD District.

TBA (Tertiary butyl alcohol) $(CH_3)_3COH$. An alcohol primarily used as a chemical feedstock, a solvent or feedstock for isobutylene production for MTBE; produced as a co-product of propylene oxide production or by direct hydration of isobutylene.

Thermal Cracking. A refining process in which heat and pressure are used to break down, rearrange, or combine hydrocarbon molecules. Thermal cracking includes gas oil, visbreaking, fluid coking, delayed coking, and other thermal cracking processes (e.g., flexicoking). See individual categories for definition.

Toluene $(C_6H_5CH_3)$. Colorless liquid of the aromatic group of petroleum hydrocarbons, made by the catalytic reforming of petroleum naphthas containing methyl cyclohexane. A high-octane gasoline-blending agent, solvent, and chemical intermediate, base for TNT.

Unaccounted for Crude Oil. Represents the arithmetic difference between the calculated supply and the calculated disposition of crude oil. The calculated supply is the sum of crude oil production plus imports minus changes in crude oil stocks. The calculated disposition of crude oil is the sum of crude oil input to refineries, crude oil exports, crude oil burned as fuel, and crude oil losses.

Unfinished Oils. All oils requiring further processing, except those requiring only mechanical blending. Unfinished oils are produced by partial refining of crude oil and include naphthas and lighter oils, kerosene and light gas oils, heavy gas oils, and residuum.

Unfractionated Streams. Mixtures of unsegregated natural gas liquid components excluding those in plant condensate. This product is extracted from natural gas.

United States. The United States is defined as the 50 States and the District of Columbia.

Vacuum Distillation. Distillation under reduced pressure (less the atmospheric) which lowers the boiling temperature of the liquid being distilled. This technique with its relatively low temperatures prevents cracking or decomposition of the charge stock.

Visbreaking. A thermal cracking process in which heavy atmospheric or vacuum-still bottoms are cracked at moderate temperatures to increase production of distillate products and reduce viscosity of the distillation residues.

Wax. A solid or semi-solid material at 77 degrees Fahrenheit consisting of a mixture of hydrocarbons obtained or derived from petroleum fractions, or through a Fischer-Tropsch type process, in which the straight-chained paraffin series predominates. This includes all marketable wax, whether crude or refined, with a congealing point (ASTM D 938) between 80 (or 85) and 240 degrees Fahrenheit and a maximum oil content (ASTM D 3235) of 50 weight percent.

Working Storage Capacity. The difference in volume between the maximum safe fill capacity and the quantity below which pump

suction is ineffective (bottoms).

Xylene ($C_6H_4(CH_3)_2$). Colorless liquid of the aromatic group of hydrocarbons made the catalytic reforming of certain naphthenic petroleum fractions. Used as high-octane motor and aviation gasoline blending agents, solvents, chemical intermediates. Isomers are metaxylene, orthoxylene, paraxylene.